
COMMODORE CONTROLLED

AN ARGUS SPECIALIST PUBLICATION

December 1987 £1.20



ACROSS THE BOARD – INTELLIGENT GAMES ▲ TYPRO – PLUS/4 WORD PROCESSING ▲ BUDGET CALC – C64 FINANCIAL CONTROLLER ▲ DISK MANAGER – DISK ACCESS MADE EASY ▲ MACHINE CODE RELOCATOR ▲ SCROLLING YOUR C64 SCREEN

SURVIVE TO BECOME A CAPTAIN








FIRING RANGE 1



IRON MAN





FIRING RANGE 2






COMBAT SCHOOL TM and Konami® are trademarks of KONAMI© KONAMI 1987.







Editor: Stuart Cooke
Assistant Editor: Sue
Joyce
Editorial Assistant:
Kirk Rutter
Advertisement
Manager: Stuart Taylor
Advertisement Copy
Control: Laura
Champion
Origination: Ebony
Typesetting
Design: Argus Design
Studio

Your Commodore incorporating Your 64 is a monthly magazine appearing on the first Friday of each month. Your Amiga is published every second month within the pages of Your Commodore. Argus Specialist Publications Limited Editorial & Advertisement Office, Your Commodore, No 1 Golden Square, London W1R 3AB. Telephone: 01-437 0626 Telex: 8811896. Subscription rates upon application to Your Commodore Subscriptions Department, Infonet Ltd, 5 River Park Estate, Berkhamsted, Herts, HP4 1HL.



REGULARS • Data Statements 6 • I.Q. 12 Intellectual games playing Adventure Kit III 23 The third part of our adventure writing series looks at the various uses of objects Game of the Month 26 Moeibus Software for Sale 31 • Tech. Troubles 38 Let agony uncle Tim Arnot solve your problems Competition 45 Your chance to win a video of the 1966 World Cup Games Reviews Cast your eye over the latest batch of releases 49 R.E.D. LED Communications Corner 56 Keep up to date with David Janda Listings 72 We show you how to type in your programs Compunet 74 Continuing our communications series, this month we look at the various uses of Compunet Back Page 106 FEATURES • Cardboard Five 13 This C64/128 add-on will enable five cartridges to go in one slot

Using the Z80 Microprocessor	15
on the C128	<u> </u>
Using the Z80 without running CP/M	
Mastertronic	17
A look at what's available	
from the cut-price Kings	
May I Interrupt	20
Learn the secret of creating interrupts	
A Change of Face	28
Across the Board	66
A compilation of releases based on	A STATE OF THE STA
well-loved board games	
	*
GAMES AND UTILITIES	
Diskit 8	25
A memory clear routine for the C64	20
Disk Manager	34
	04
A handy disk utility program for the C64 Relocator	36
Learn how to reload programs anywhere	30
in memory	
Eight Speed Scroller	40
Learn the art of smooth scrolling	40
Typro	46
Wordprocessing facilities for your Plus 4	40
Easy Count	55
A word count for Easy Script users	ออ
Budget Calc 64	62
Buaget Cute 04	02
THE RESERVE TO SERVE THE PARTY OF THE PARTY	
Sprite Library 69	
All you need to know about	
sprites in our handy series	
題	
	THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COL

VOLUME 4 NUMBER 3

The contents of this publication including all articles, designs, drawings and programs and all copyright and other intellectual property rights therein belong to Argus Specialist Public-ations Limited. All rights conferred by the Law of Copyright and other intellectual property rights and by virtue of international copyright conventions are specifically reserved to Argus Specialist Publications Limited and any reproduction requires the prior written consent of the Company. © 1987. Distribution SM Distribution, 16-18 Trinity Gardens, London SW9 8DX. Printed by Chase Web, Plymouth. Opinions expressed in reviews are the opinions of the reviewers and not necessarily those of the magazine. While every effort is made to thoroughly check programs published for errors we cannot be held responsible for any errors that do occur.

ARGUS PRESS GROUP

Watch out for our Hardware Buyer's Guide - on sale November 20th.




DATA STATEMENTS


Combat Simulation

Argus Press Software have got themselves in dangerous waters with their submarine simulation, The Hunt for Red October. The storyline has been taken from Tom Claray's best selling novel and you play the part of a defector in command of a submarine that is being hunted by the entire Russian Navy. Your aim is to make a rendezvous with the American Navy – but the Russians have other plans for you. The gameplay is detailed and challenging, providing plenty of scope for strategy and simulation fans.


The Hunt for Red October will be available soon on the Commodore 64. (Price to be announced.)

Put tactical warfare in a new dimension with Rainbird's re-released Tracker. The battle is fought around a military training simulator known as the Centrepoint on the planet Ergon. The planet's attendant Cycloid robots now control the complex and it's all down to you to destroy the Centrepoint computer.





You'll need your wits about you to fight the frenetic battle which combines fast strategic manoeuvring with high speed solid graphic 3-D battle sequences. It's all down to you to wipe out the destructive hordes of



Th

M £1

wi

co

ra

bi

CC

bo

th

la

The Hunt for Red October

renegade Cycloids with simultaneous control of up to eight shimmer craft.

Tracker is available on the Commodore 64, priced at £14.95 (Ca) and £17.95 (Dsk).

Touchline:

Argus Press Software: Victory House, Leicester Place, London WC2H 7NB. Tel: 01-439 0666.

Rainbird Software: Wellington House, Upper Martins Lane, London WC2H 9DL. Tel: 01-240 8838.

Win a Weekend Break

Softsel, the distributors of microcomputer hardware and software products have organised a promotion which offers Softsel dealers who buy ten or more Migent products a chance to enter a draw for a free weekend for two in the UK.

Peter Scatchard, Marketing Manager for Softsel comments: 'Softsel will be offering a free unit for every ten Migent products purchased, in addition to the free draw for a weekend break.'

Migent now produce a graphics package in the form of Page Ability, which is aimed at the desktop publishing market and priced at £199. The Page Ability is fully integrated with the rest of Migent's range which consists of Ability (£99), Ability Plus (£199) and the Account-Ability – the complete small business and personal accountant (£99).

Touchlines:

Softsel: Softsel House, Syon Gate Way, Great West Road, Brentford, Middlesex TW8 9DD. Tel: 01-568 8866.

Bizzy-Body

Bizznet is the new service, available on Prestel which is aimed at the small businessman and includes everything from on-line tax and legal advice to information on pension schemes, money and stocks and shares. Users can send experts questions electronically and then read the replies on their terminal at home or in the office. An on-line accountancy service, run by M.A.S. is also on offer. Other features of Bizznet include insurance, investments, DHSS, running a small business, start-up schemes and property.

Micronet's Commercial Director Simon D'Arcy commented, "Bizznet is aimed at those people who already have a PC, but are looking to get more value out of it. It brings the advantages of instant information and interaction to the businessman."

Touchline:

Micronet: Durrant House, 8 Herbal Hill, London ECIR 5EJ. Tel: 01-278 3143.

The Choice is Yours

Let's hope Mary Whitehouse doesn't read the computer press, as I'm sure this recent release from Virgin would cause her to throw up her arms in disgust! How to be a Complete Bastard is exactly that – based on Adrian Edmondson's book, the game allows you to go to a party, and basically cause havoc.

You go by the name of Ade and aim of the game is to score as many bastard points as possible and light up every letter in the phrase 'complete bastard' by particularly deviant behaviour. The game features 'bastavision' which allows you to see what's going on in all corners of the house, so as not to lose a chance of being horrible slip away.

If this sort of game turns you on, it's available on the Commodore 64/128, priced at £9.95 (Ca).

Touchline:

Virgin: 2-4 Vernon Yard, Portobello Road, London W11 2DX. Tel: 01-727 8070

DATA STATEMENTS

On the Hardware Front

The Competition Pro Extra is a new joystick now available from Dynamics Marketing Ltd. The joystick, priced at £16.95, features an auto-fire option with slow motion movement for better control in sticky situations.


Dynamics' Kevin Parsons, General Manager comments, 'We know that the new Pro Extra with rapid-fire will fill a need in the market but the Competition Pro 500 joystick continues to be our main product bought by discerning users throughout the world.'

In a bid to make the computerised office a safer place, Accodata are launching a new range of computer equipment and accessories. The products include the PCMate priced at £119, which comprises a range of personal computer and printer furniture; Keyboard Slideaway priced at £39, which enables the PC keyboard to slide under the monitor when not in use, which saves deskspace and protects the keyboard from dust and spills; the Printer Muffler which is a range of acoustic hoods for 80 and 132 column printers, which can reduce noise by up to 80% (£69 - 80 printer, £75 - 132 column printer). Also Diskette Fire Safe, priced at £525, which has a capacity of 105 51/4" or 31/2 disks and Data Cartridge Boxes, priced at £17.50 and £19.50, which have been designed for convenient filing and retrieval of up to ten standard or mini data cartridges.

Touchlines:

Dynamics Marketing Ltd: Coin House, New Coin Street, Royton, Oldham OL2 6JZ. Tel: 061-626 7222.

Accodata: Hereward Drive, Halesowen, West Midlands B62 8AN Tel: 021-550 4848.





Arcade Action

Can you free your father from the urban jail in Mean City? This is the question that a new release from Quicksilva asks in Mean City. You play the part of Sante, son of mutant rebel leader Hante, and it is your task to free your father from the jail in the city of Concurb 2 G-Gow. It is also a battle against your cousin - Calte - who eventually wants to lead Concurb, and the only way he can do this is by getting to your father before

you and killing him. To free your father you must collect four parts of the key, and all the time you have to be on the look out for your opposers who appear in the form of city citizens, police, enforcer druids and the antimutant league!

Available on the Commodore 64, priced at £9.95 (Ca) and £14.95 (Disk).

In Terramex, a further Quicksilva release, you have to hunt for the famous brainy professor - Dr Eyestrain. An asteroid is about to collide with Earth and the only person that can help is yes - you've guessed it

- Professor Eyestrain! But first, you've got to find him. Packed with humour and action it's up to you to find the Prof, persuade him to help and then collect the equipment he needs to put his defence plan into operation.

Terramex is available on the Commodore 64/128, (Price to be announced.)

Intrigue by Mirrorsoft enables you to become a master investigator by solving the case of a missing person. It is very important that you find this missing person as it happens to be your brother – Joe. You find out that Joe, a

DATA STATEMENTS



Two out of three are Madballs - but which ones?!

private investigator, has been working on a case that involves a dangerous virus that may be released into the air of our nation's capital. It's all down to you to deactivate the device that will unleash the crippling virus, and name the villain behind the crime. Successful hunting!

Intrigue is available on the Commodore 64. (Price to be announced.)

Soon to be released from Ocean is Madballs, featuring those weird and wacky toy characters. This action packed game features Dust Brain (a dried-up mummy head which is not too tightly wrapped) who is a member of the notorious Madballs political party who are the current rulers of the planet Orb. However, Dust Brain is convinced that his politics are right and sets out on a bureaucrat-bashing exercise to eliminate the oppositions. You play the role of Dust Brain and it's your aim to convince the rest of the Madballs to favour your policies.

Available on the Commodore 64, priced at £8.95.

Fun and games are in store with Jinxter soon to be available from Rainbird. The game is set in the land of Aquitania – a land which has been protected by a magical charm bracelet – but is now under the control of the Green Witches. It's up to you to find and link together the seven charms of the bracelet, and only then will harmony be restored to Aquitania. To keep up with the Rainbird tradition, the game is packed full of puzzles, graphics and extensive descriptions.

Available on the Commodore 64/128, priced at £19.99 (Disk).

CRL's recent release, I Alien - Hunted by Man puts you in immediate danger of becoming a guinea pig for new laboratory specimens to cultivate a new food source. This is due to a nuclear war wiping out Earth's entire animal population and planets are now being combed and so their experiments can begin.

Your only means of escape is your pod, which will take you to another planet for help. But of course there are many obstacles en route to your pod, which include droids, ice dragons and mutants.

Available on the Commodore 64, priced at £9.95 (Ca) and £14.95 (Disk).

Ninja Hamster is now available on the Commodore and promises not to be your run-of-the-mill karate game. On return from foreign conquests, Ninja Hamster returns home to find his village in the evil grip of his arch enemies Sinster Rat and The Lizard of Death. Ninja Hamster launches his quest to rid his village of evil in a frenzy of flying fists, gnashing teeth and kicking feet.

Available on the Commodore 64, priced at £9.95 (Ca) and £14.95 (Disk).

Now available on the Commodore is the popular coin-up arcade game, Super Sprint. Available from Electric Dreams, the game offers intense head-to-head racing action from a bird's eye view point. Lots of fun to be had with eight different tracks to negotiate, which includes jump ramps, opening and closing gates, hidden short cuts

and under passes and banked corners.

Super Sprint is available on the Commodore 64/128, priced at £9.99 (Ca) and £14.99 (Disk).

CBN

Sale

"Ver

pac

- C

VIZ

Viza

Viza

PRI

Sur

Sur

Su

Su

Su

GE

GE

CC

Ja

Bangkok Knights from System 3 brings all the thrills and spills of Thailand's martial art. Using Muay Thai (Thai boxing) you must fight your way from the cliff ledge above your village, through the jungle and onto the streets of Bangkok. Only when you have got this far, and beaten street opponents can you enter the Lumpini stadium where you will encounter the greatest exponents of the sport – the Bangkok Knights.

Available on the Commodore 64/128, priced at £9.99 (Ca) and £14.99 (Disk).

Touchlines

Quicksilva/Argus Press Software: Victory House, Leicester Place WC2H 7NB. Tel: 01-439 0666.

Mirrorsoft: Athene House, 66-73 Shoe Lane, London EC4P 4AB. Tel: 01-377 4645.

Ocean Software Ltd: 6 Central Street. Manchester M2 5NS. Tel: 061-832 6633.

Rainbird: First Floor, 74 New Oxford Street, London WC1A 1PS. Tel: 01-240 8838.

CRL: CRL House, 9 Kings Yard, Carpenter's Road, London E15 2HD. Tel: 01-533 2918.

Electric Dreams/Activision: Activision House, 23 Pond Street, Hampstead, London NW3 2PN. Tel: 01-431 1101. System 3 Software/Activision: 23 Pond Street, Hampstead, London NW3 2PN. Tel: 01-431 1101.

A Matter of Scruples

Based on the popular (or not so popular) board game, Leisure Genius (Virgin) are due to release the computer version. In addition to 230 questions of moral dilemmas, the computer edition has an exciting array of computer people with simulated intelligence to play with you (that's if you can't round up the real thing). There are 64 computer personalities which are pre-decided and human players must select their looks from a gallery of faces, and then adjust their personalities by means of character attributes.

Available on the Commodore 64/128, priced at £12.95 (Ca) £14.95 (Disk).

Touchline:

Virgin: 2-4 Vernon Yard, Portobello Road, London W11 2DX. Tel: 01-727 8070.

27/29 High Street Leicester LE1 4FP Tel: (0533) 517479/21874



THE MIDLAND'S LARGEST COMPUTER STORE

CBM 64/128 and PLUS 4 COMPANIES P	ACK
Sales/Purchase/Nominal Ledgers with Ir	nvoicing
and Stock Control, Disc	€24.95
"Very easy to use - probably the friendli	est
package I have come across."	
- Commodore User	

ners.

the 9.99

m 3

of

uay

ight ove

and

nly iten

the

will

of

ore

ind

re: 2H

oe

et.

32

rd

40

d.

D.

m

d,

id V.

us

30

le

y

d

n

- Commodore User		
VIZA Vizastar XL8 64	299.95	£79.9
Vizastar XL8 128		
Vizawrite Classic 128	£99.95	£79.9
PRECISION		
Superscript 64	€60.95	€49.9
Superbase 64/+4	€90.95	£39.9
Superscript 64		
2 Cunorhaco 64	C160.00	£79 9

Superscript 64		
& Superbase 64	£169.90	€79.9
Superscript 128	£89.95	£74.95
Superbase 128	£99.95	£59.9
Superscript 128		
& Superbase 128	£189.90	£119.9
Superbase, The Book		£11.95

GEOS	
CBM 64/128 Operating System	
Including: Desktop, Geowrite, Geopaint, and Desk Accessories, Disc	£49.9
GEOFILE	C27 5

COMMODORE 128 COMPENDIUM PACK Commodore 128 Computer, C2N Data Recom Music Maker Keyboard, Spirit of the Stones, Jack Attack and International Soccer	
Music Maker Keyboard, Spirit of the Stones,	
	der,
Jack Attack and International Soccer	
Odon Fittadit and International Goodes	
Software	9.95

AMIGA RANGE

AMIGA A500/CBM MONITOR OFFER AMIGA A500 with COMMODORE 1081 HIGH RES COLOUR MONITOR,

wouse,	workbench, basic and	
DPAINT	Software	£749.95

AMIGA A500 PACK 1 with Mouse, Workbench, Basic, DPAI TV Modulator, 40 Disc Storage Box,	NT,
Dust Cover and 10 Games/Utility Discs	£489.95
PHILIPS COLOUR TV TUNER For use with any Composite Monitor	£78.95
AMIGA 1Mb 2nd DriveAMIGA A2000 SYSTEM	£129.95
AMIGA A2000 COMPUTER with COMP 1081 HIGH RES COLOUR MONITOR	MODORE

AMIGA A2000 COMPUTER with COMM 1081 HIGH RES COLOUR MONITOR	MODORE
Including 1 year on-site maintenance .	£1259.00
PHILIPS 8833 COLOUR MONITOR	25 V V V V V V V V V V V V V V V V V V V

High Res with Stereo Sound Output	£279.95	
AMIGA A500		
Upgrade to 1 Mb	£113.00	
DIGIVIEW 2 Video Digitiser "Hardware product of the year"	£169.95	

Amiga developers conference.

OMMODORE	DM105 offers the following features: ★ Will faithfully reproduce any AMIGA screen
ce. £1259.00	* 120 cps Draft, 25 cps Near Letter Quality
3	Modes
ut £279.95	* Prints NLQ, Draft and Graphics in
	Full Colour
£113.00	★ Up to 240 Dots Per Inch Graphic Resolution
£110.00	★ Full AMIGA Compatibility
£169.95	*Supported by

COLOUR DOT MATRIX PRINTER

AMIGA A500/8833 MONITOR OFFER

OUTPUT, Mouse, Workbench, Basic

COMMODORE 1081

AMIGA A500 PACK 2

OLIVETTI DM105

AMIGA A500 with PHILIPS 8833 HIGH RES

COLOUR MONITOR with STEREO SOUND

and DPAINT Software £699.95

HIGH RES MONITOR £329.95

with Mouse, Workbench, Basic, DPAINT,

Sports Bag with Baseball, Golf and Football, 40 Disc Storage Box, Dust Cover and

10 Games/Utility Discs.................. £489.95

Unbeatable on price/performance, the Olivetti

All Software............ £412.85 £199.95
Optional Tractor Feed Unit £34.50

C DISC DRIVE DISC DRIVE	£229.95
ELERATOR DISC DRIVE	£159.95
above include GEOS, 10 Discs, plus either:	
ware Pack A	
acom Disc Adventure Games plus 5 Disc Arcade Games;	
ware Pack B	
k Brown Fox Wordprocessor, Easyfile Database, and	
re Finance Planning Package	

CBM Tape Clue	DEXCLUSIVE! ATABLE COMMODORE 64C OFFERS 4C, C2N, Neos Mouse, Joystick, Designers Pencil, 10 Bla Monopoly, Renaissance, Scrabble, Grand Master Ches O, Adrian Mole, Toy Bazaar, plus 6 Books. INCLUDING Software pack 1, 2 or 3 below	ank s, £199.95
PAC	1 — 20 Arcade Games 2 — 10 Pre-School Educational Tapes 3 — 28 Secondary Educational Titles	
Barr Joys	MODORE 64C SPORTS PACK OFFER 64C, C2N, On Field Football, Decathlon, Star League Base McGuigan Boxing, The Great Amerian Race, Quickshot lick, Commodore Sports Holdall. 6 Software Pack 1, 2 or 3 above	eball, £169.96

FLOS Software Fack 1, 2 of 3 above	£ 109.90
CBM 64/128 MUSIC EXPANSION SYSTEM Including Keyboard, Synthesiser and Software	£75.00
COMPOSER/EDITOR SOFTWARE	
For Music Expansion System, Tape or Disc	£24.95
ACTION REPLAY Mk III Fape to Disc Back-up Cartridge	£29.95
NEOS MOUSE WITH CHEESE SOFTWARE, Tape or Disc	£24.95
COMMODORE C2N DATA RECORDER	
BLAZING PADDLES Lightpen/Graphics Illustrator Package, Tape or Disc "Powerful, well designed — a really sophisticated graphics pai — Your Commodore	£24.9 5 ckage"
PRINTER RIBBON OFFER MPS 801, 802 Ribbons MPS 803 & MPS 1000 DPS 1101 Multi Strike	£5.95 £4.95

BUY FOUR AND GET ONE FREE!

CITIZEN 120D CBM PRINTER

High Quality Dot Matrix Printer

* Near Letter Quality Mode * 120 cps Draft Print Mode

* Friction and Tractor Feed * Needs no interface

* Full Two-Year Warranty * 100% Commodore compatible

COMMODORE 560P 2-colour Dot Matrix Printer takes 23in. roll paper £49.95 £29.95 STAR NL10 Dot Matrix Printer

Commodore Version (with CBM64/128 Printer Lead) £219.95

Centronics Version (with Amiga Printer Lead) £229.95

Commodore 1571 Double-sided Drive £239.95 Commodore 1901 Colour Monitor. £219.95
Philips 64/128 Green Screen Monitor £89.95
 Commodore 1541 C Disc Drive
 £159.95

 Commodore 128D
 £399.95

 Commodore MPS 1000 CBM/Centronics Printer
 £229.95
 Commodore 128 Computer £199.95
Commodore DPS 1101 Daisy Wheel Printer £199.95

PERSONAL CALLERS AND EXPORT ENQUIRIES WELCOME

ALL OFFERS STRICTLY SUBJECT TO AVAILABILITY

ALL PRICES INCLUDE V.A.T. UNLESS OTHERWISE STATED

Tel: (0533) 517479/21874 F		Price
Send to: Dept. No. YC 12, Dir 27/29 High Street, Leicester	mension Computers Ltd.,	VISA
Access/Barclaycard number. Please cheque clearance. Please add £1.00 towards carriage an	5.00 value, and £5.00 over £65.00 value	ceipt of order o

	lotai	
Name		
Address		
Telephone:		

* Touch of Mag SPECIAL PRICE NOW Complete with V3.1 Software FREE POST NOW INCLUDING THE LATES SOFTWARE UPGRADE! CAN NOW DO ALL **PROGRAM** Stops even the most HEAVILY PROTECTED PROGRAMS **PARALYSER** AND DEFEATS ALL "anti-freeze" techniques THE EXPERT UTILITY 2 BACK-UP TAPE/DISK . DISK/TAPE . DISK/DISK, TAPE/TAPE. DISK. Transfers memory resident programs whether GENERATOR loaded from disk or tape. Specific multi-part back-up utilities Displays the sprites for you to edit, and then save, or SPRITE Additional operating systems RESTART the game using your customised ones. You can EXTRACTOR* Fast file copier etc. etc. view the animation too. Monitor with print command. This feature disables the sprite collision detection - prolongs SPRITE active sprites ... these features not yet present on tape ONLY £5.95 **IMMORTALISER** version. **5 HIRES SCREEN** Saves a HIRES screen and then alter it using one of several **GRABBER** utilities widely available. SAVES PROGRAMS IN ONE FILE 6 CHEAT MACHINE COMPACTS PROGRAMS The easy way to enter cheats and "pokes". Gain extra lives, or infinite energy, etc., etc. RELOADS & DECOMPACTS PROGRAMS WITHIN 35 SECS A truly professional machine-code monitor, operating over CODE EXPERT NOT NEEDED FOR RELOADING all 64K Ram, with disassemble, compare,, transfer, fill, **INTERROGATOR** COMPATIBLE WITH ALL CBM 64s & 128 assemble, hunt, search, mofidy, jump, number conversion, etc. PLUS, B command lists BASIC &t R restarts a program. (64MODE) AND IT'S ... THE ONLY You'll NEVER need to return the cartridge for upgrading simply send for the latest software - only £2.00 exchan disk or tape. We calculate that you could buy and EXPERT **PROGRAMMABLE UPGRADE YOUR** and several upgrages for what it will cost you to upgrade CARTRIDGE rival products. KISTING EXPERT Prints out exactly as shown on screen - high 82 low res. PRINTER Simply amazing — it works with both serial or centronics DUMP 10 EXPERT EXPRESS Use your EXPERT as a disk turbo cartridge to speed up disk OUR POLICY OF EASY UPGRADABILITY 11 ICON Operating system improved and even more powerful BENEFITS EXISTING DRIVEN machine code monitor. Help key. Dual screen facility. USERS AGAIN . And we haven't forgotten advanced users FOR V3.1 SOFTWARE There is now a 2 Pass Assembler & Label Generating Disassembler included STATING WHETHER TAPE OR DISK REQUIRED.

ALL PRICES INCLUDE VAT AND PERP.

• FAST MAIL ORDER SERVICE • PROMPT DESPATCH
• ALL PRICES FULLY INCLUSIVE PLUS 10 DAY MONEY
BACK GUARANTEE ON ALL BACK-UP DEVICES.
PAYMENT BY CASH, CHEQUES PAYABLE TO TRILOGIC
BY POSTAL ORDER OR ACCESS. ADD £1 EXTRA FOR
EXPORT ORDERS, PAYMENT IN STERLING ONLY PLEASE.



Write or 'phone TEL: (0274) 691115. 24 HOUR ANSWER PHONE


Trilogic Dept. AA, Unit 1 253B New Works Road Low Moor, Bradford, BD12 OQP

THE EXPERT AVAILABLE IN EUROPE FROM CAT & KORSH ROTTERDAM 010 - 311 - 04507696



I.Q.

For the more intelluctual challenge, cast your eye over the latest in brain-straining games.



SCRABBLE

ord game fans everywhere will be sitting up and taking notice of this latest release from Leisure Genius, as it provides the only thing missing in the normal game of Scrabble – opponents. As a small quiz for word fans, which of the following two letter words would be allowed — ai, da, jo, st and yu?

Although other humans can play, the effect isn't particularly stunning as you are forever having to send people out of the room so that they can't see your titles. You can play against up to three opponents and choose from up to eight skill levels for each. Levels one to four are relatively easy. An extra section of obscure words is accessed for the higher levels.

The computer boasts a vocabulary of some twenty thousand words. This means that there are going to be quite a few occasions when you play a word that it doesn't recognise. It will then challenge you and ask whether that word was correct or not. This is fair enough, but I suppose that if you are the sort of person who plays 'XZQJ' on a triple word score, you are not going to remove it when challenged.

Another feature is that you can now play against the clock. A time limit per move of anything between ten seconds and ten minutes can be set.

The board is a fairly uninspiring display but, as they say, the game's the thing and I was very pleasantly surprised at the quality of the game it gave me. It has a tendency to close the board down where-ever possible so you will have to do your homework and bone up on all those little two letter words.

In answer to the quiz above, they are all OK meaning a three toed sloth, a Burmese knife, a beloved one, hush and precious jade respectively. Be warned, the computer knows at least four of the five.

Touchline:

Title: Computer Scrabble Deluxe. Supplier: Leisure Genius/Virgin Games, 2-4 Vernon Tard, Portobello Road, London W11 2DX. Tel: 01-727 8070. Machine: C64. Price: £12.95 (Ca) £15.95 (Disk).

Originality: 7/10. Graphics: 5/10. Playability: 9/10. Value: 8/10.

Cardboard 5

Five cartridges into one slot will go with this useful C64/C128 add-on.

By Stuart Cooke

If, like myself, you have a number of cartridges that you use often, it can be a real pain repeatedly turning off your C64, pulling out the cartridge, putting the new one in, loading the software that you were looking at and then starting all over again. Well the Cardboard 5, available from Precision Software will change all of that.

Essentially the Cardboard 5 is a cartridge expansion board. It comes complete with five replicas of the normal Commodore cartridge port on it. A series of switches allow you to have a cartridge in each of these slots. Altering the switches and pressing the reset button, provided on the Cardboard 5, allows you to change the cartridge in use, without resorting to powering down your computer.

Blackpool Illuminations

Beside each of the cartridge slots there is a series of LED's. These small lights allow you to monitor the behaviour of the following lines:

Power indication for each cartridge Cartridge Request Enable XROM request for each cartridge GAME ROM request for each cartridge.

With five cartridges installed the board starts to take on the appearance of the proverbial Christmas tree.

Knowledge of what each light refers to is required as it is important to know at a glance which cartridges are powered up and selected for use. A knowledge of what the lights mean is also useful when setting up for operation.

Switching them in

The various switches that are on the board allow you to set up each of the expansion slots to operate in different ways. Careful monitoring of the LEDs, already mentioned, together with careful experimentation with the switches should give you the correct positions for the switches for certain cartridges.

The reason for the various switching options is due to the increasingly complex way in which manufacturers are designing their cartridges.

Sorting out what switch combination to use with each cartridge should cause no problems, as long as you follow the instructions given in the extremely clear manual, even though this doesn't claim to give all of the answers.

Neat tricks

Not only does the Cardboard 5 give you the ability to change the cartridge selected for operation with ease, it also gives a couple of extra features.

Firstly, so long as the power switch for a specific cartridge is off, you can unplug cartridges from the expansion board, or even plug new ones in. This feature is extremely handy if you have more than five cartridges that you use.

Secondly, if you have two cartridges that don't use the same area of memory you can have them both enabled at the same time.

Let's say that you had a wordprocessor on cartridge and a fast load cartridge. Wouldn't it be great if you could use them both at the same time? So long as the cartridges don't use the same areas of memory then with Cardboard 5 you will be able to use both together giving you not only an instant wordprocessor but also fast disk access.

I must admit that I didn't manage to try the above claim out, since all of my cartridges are utilities and use similar areas in the C64s memory.

Construction

I feel that the construction of the Cardboard 5 could have been a little better. The underside of the board is simply covered with expanded polystyrene; this becomes the base that the Cardboard 5 sits on. The top of the case is fairly rugged plastic. Why couldn't the whole board have been covered with the plastic case? It would have made the whole product a lot more sturdy.

Using the expansion card provided no problems at all. I eventually got the card to work with all my cartridges, after messing around with various switches. The Expansion card is presently sitting at the back of my 64 with my most regularly used cartridges plugged in, ready for use at any time.

If like me, you use a number of cartridges on a regular basis then the Cardboard 5 is just what you've been waiting for.

Touchline:

Name: Cardboard 5. Supplier: Precision Software, 6 Park Terrace, Worcester Park, Surrey KT4 7JZ. Tel: 01-330 7166. Price: £30.39 (ex. VAT).

A world of information at your fingertips

The Microtext adaptor turns your C64 or C128 into a sophisticated Teletext Receiver. Giving you full colour display of any of the free pages from Ceefax or Oracle. As well as news and sports results, there is road, rail and air travel information. whats on TV and weather reports. You can get an update on share prices or bargain holidays. And not only does Teletext cater for special interests, like computing, motoring, or gardening, but you'll also find things to do and places to go in your area, prize competitions and even your daily horoscope, plus much much more. It's all free, easy to use and it's all at your fingertips.

A page like a recipe or a weather map may be saved to disc or cassette or even printed out and the manual has examples and shows how to access and use Teletext from your own programs, the ability to use live information like football results, exchange rates or weather conditions, provides possibilities limited only by your imagination.

The adaptor fits neatly on the user port of the Commodore. A lead goes to the 'VIDEO OUT' socket of your video recorder so using your Video as the Tuner for the system.

Just £69.95 inc P&P (Overseas add £2.00)

"I wouldn't hesitate to recommend this to anyone" Your Commodore Jun 87

MICROTEXT TUNER NOW AVAILABLE

Our own Tuner has been specially designed to provide the signal that the Adaptor needs, thus eliminating the need for a video recorder. Just plug in an aerial, it tunes itself in (!) and channels are selected from the keyboard. The whole system consists of a Microtext Adaptor, Tuner, Power supply, lead and manual and costs just £114.80 inc P&P (128D cersion add £8.50)

MICROTEXT

Dept YC, 7 Birdlip Close, Horndean, Hants. PO8 9PW Telephone: 0705 595694

AMAZING NEW 'TOTAL BACKUP' CARTRIDGE FOR COMMODORE 64 AND 128 (IN 64 MODE)

OUR NEW INNOVATIVE HARDWARE AND SOFTWARE COMBINATION GIVES YOU MORE POWER, MORE FEATURES, MORE FUN!!

MK3

PROPERTY.

TAPE TO

.

TAPE TO TA

•

 \leq

2

DISK

.

DISK

2

DISK.

Action Replay V.3 is now more powerful, has more features and will back up more programs than any competing cartridge! It handles the latest protected games! Just plug it into the expansion port then press the Magic Burtont Our new hardware design makes this absolutely unstoppable. Now you are in complete control. Tape to tape. Tape to disk. Disk THERE'S NO STOPPING ME NOW!

Nothing else offers all these features at this price!

■ Mega-Freeze Freeze and save ANY working program—the Magic Button is unstoppable—unlike other cartridges. Also it is now undetectable by software!

Independent

All programs reload without cartridge—and at turbo speed —tape or disk.

Extra Fast

Make all backups at Turbo Speed— much faster than rival cartridges. Dual speed Tape Turbo is up to 3 times faster than commercial Turbo 10 times faster than Commodore.

Sprite Control
Unique Sprite Monitor lets you
disable them, Save them! Change
them!! Customise your games!!!

Unique! Save ANY Multicolour Picture, including title screens. Compatible with Blazing Paddles, Koala, Graphic Slideshow etc. Built-in Slideshow for tape users. ■ Disk Fastloader

Superb bonus feature loads five times faster. Takes up NO memory. **■** Code Inspector

times faster than commercial Turbos
10 times faster than Commodore,

Super Compact
Intelligent compacting techniques

Super Compacting techniques

Intelligent compacting techniques minimise program size into single files. Save 3 or more per disk side.

MultistageSaves
Transfers MORE multistage loaders from tape to disk than any other. And all parts Turbo load—another feature unique to Action Replay.

March 1541, 1541C, 1570, 1571 and Experimental Program of the Compatible tape recorders, FastDOS, and Turbo ROM—can the others say that???

Save 1541, 1541C, 1570, 1571 and Experimental Program of the Compatible tape recorders, FastDOS, and Turbo ROM—can the others say that???

Save 1541, 1541C, 1570, 1571 and Experimental Program of the Compatible with Commodore for the Compatible with Commo

And all parts Turbo load—another feature unique to Action Replay.

So Easy to Use
Action Replay V.3 is a delight to use. All functions described on screen. No user knowledge is required.

Buy Action Replay with DiskMate in ONE cartridge ONLY £39.99

Action Replay and DiskMate are also available from Datel Electronics

DiskMate Cartridge V.2

DiskMate Cartridge V.2

This is the way Commodore should have their DOS. Single keystroke commands: e.g. LOAD and RUN. straight from directory, and much, much more! Works with all drives: 1541, 1570 and 1571.

2 minute complete Backup • Very fast disk functions • Invisible • Toolkit • 10 second Format • Powerful 'Floating' Monitor • SAVE "@\(\phi\) bug cured • Takes up NO memory • Unstoppable reset

3 14 • 99

TERRIFIC VALUE

Buy DiskMate with Action Replay

Buy DiskMate with Action Replay in ONE cartridge ONLY £39.99

Graphics Slideshow

w pix from games, graphic packages sading screens singly or in sequence tures per disk. Tarboload, Disk only LOOKING GOOD AT &4.95 SPECIAL OFFER! Enhancement and Slideshow on one disk ONLY £11.95

Buy NOW and SAVE! SAVE! SAVE!

The DoSoft Collection

BEATABLE OFFER The latest versions OUR FAMOUS Tape-to-Tape utility for Megalizations, Megalization, Megalization one Datassette at an unbeatable price of ProSorties ALL on One Disk HALF PRICE £12.50 WOW!

DoSoft Super Disk Kit

AS ABOVE but with 12 Xidex Precision Boxed Disks. A great start to get your programs on disk at a givenway price! SAVE! SAVE! SAVE! £19.99

Mega MegaTape Savings

BUY NOW &5 BRILLIANT! Xidex Precision Disks

From the WORLD'S LEADING SUPPLIER— 12 Double Sided, Double Density 5% Disks complete with sleeves, labels, tabs and FREE high impact plastic storage box TWELVE FOR ONLY £8.50!

100% SUCCESS? WE ASK: WHO'S KIDDING WHO?

Action Replay V.3 will back-up ANY program which ANY other cartridge can—and much more! It also has unmatchable features. For instance. 'Freeze Frame' uses more disk space, saves SLOWER, has a SLOWER tape loader and has NO built-in disk fastioader, NO picture, NO Sprite, NO restart-features, yet costs £10 more!! So, come on, who's kidding who? If Action Replay V.3 doesn't live up to our claims, return it within 7 days of receipt and you can have your money back!

Enhancement Disk

Get even more from Action Replay with this Bonus Disk to back up the new non-

GREAT VALUE AT \$7.95

How to get your DoSoftware Please send cash/cheque/P.O. with order for fast despatch (SAE only for full details). Send off now to

Send off now to: DoSoft (Dept YC), 2 Oakmoor Ave, Blackpool, FY2 0EE

UK Postage included. Europe add £0.75, or £2 if order includes Blank Disks. Overseas add £1.50 for Airmail, or £3.50 if order includes Blank Disks

You'll Do it Better with DoSoft

FAST DISK UTILITIES ● LOADERS ● 2-MIN DISK COPY ● FAST DISK FILE COPY ● FAST FORMAT ●

• HARDWARE TRANSFERS MULTI-PARTS • DUMPS HI-RES SCREENS •

at ips

olay

ews ion, on ext or or pe, our

nd wn lts,

80

Using the Z80 Micro processor on the C128

Did you realise that you could use the Z80 microprocessor without running CP/M?

By Leigh Brown

As everyone that has a C128 knowns, it has a Z80 used for CP/M-However, not everyone knowns that you don't have to be running CP/M to use it. To facilitate the Z80, you clear bit zero of location D505 by:

POKE 54533, 176

However, this will reset the machine as the Z80 will execute an RST 08, which is the reset outline. As the next instruction is at FFEE all we need to do is replace the RST 08 with a

jump to our Z80 program. First, the Z80 program.

As the monitor only assembles 8502, enter:

>1400 21 40 21 11 00 20 01 00 >1408 1E ED BO C3 EO FF

Now, redirect the Z80 code at FFEE:

>FFEE C3 00 14

Finally, enter the 8502 loader:

A 1300 SEI

A 1301 LDA # 3E

A 1303 STA FFOO

21 40 21 LD HL,2140 11 00 20 LD DE,2000 01 00 1E LD BC,1E00 ED BO LDIR C3 EO FF JP FFEE start address of block destination address number of byte to copy copy block return to FFEE A 1306 LDA # BO

A 1308 SRA D505

A 130B NOP

A 130C CLI

A 130D RTS

To call the Z80 routine, call the routine at 1300 hex.

Finally, here is a demonstration:

10 GRAPHIC 1,1

20 CIRCLE 1,159,99,99


30 BANK 15

40 SYS 4864

50 END

Just replace my routine with yours and if you want to move the start address of your Z80 code, change the jump at FFEE. Also, the Z80 BIOS ROM is located from 0 to FFF so do not use this area for programmes or data. And remember that to access the I/O area you must use the IN and OUT commands. Who knows? There may eventually be a Z80 assembler for the C128.


STACK COMPUTER PRODUCTS





PACK OF 4 PENS BLACK, RED, BLUE, GREEN.





ALL CBM COMPUTERS

ALL CBM PRINTERS

 64K BUFFER...... 590 32K BUFFER... £70



IEEE/R5232 — C64 ● USE 4040/8050 DISKS

BI-DI RS232



(IEEE LEAD £18)

C64 C128 128D



NEOS MOUSE & CHEESE


● TAPE £24 95

C64 128's IN 64 MODE

 EXPERT WITH ESM ... £29.95 • FREEZE MACHINE £28.95

WE WILL ALWAYS SUPPLY THE LATEST VERSIONS

64128 + 4 C16 VIC20128D



● TV LEAD.....£1.75

 USER PORT CENTRONICS.....£18.00

 AMIGA 500£18.00 PRINTER.....

SERIAL SPLITTER....£7.25

RS232(2 metres)£15.00

128

64 128 128D V2O



RESET & POKE **USER PORT TYPE**

NEW PRODUCT



CENTRONICS/C64 INTERFACE INCLUDING 8K BUFFER CENTRONICS IN/CBM SERIAL OUT

CBM SERIAL CBM USER PORT CENTRONICS DEST 3900 33032 38000 CBM 39000 92064 9800 29008 SERIAL A0031 A0068 32032 92088 A0003 A0043 CENTRONICS 22064 98000 28064 88120 A0012 K0209 A0031 CBM

INTERFACE MODEL-NUMBER-FINDER CHART

 ARROW + £11
 HIGH SPEED CASSETTE
 MIC MONITOR ASSEMBLER/DISASSEMBLER

O SUPER HELP £12

C64

20 BASIC COMMANDS
 ASSEMBLER/DISASSEMBLER
 MONITOR & D.O.S. SUPPORT


. BLITZ COMPILER £15

ACCEPTS EXTENSIONS
 SIMPLE OPERATION

DISK CLEANER	£7.50
COPY HOLDER	£15.90
MONITOR SWIVEL 12"	£13.80
MONITOR SWIVEL 14"	£17.25
SURGE PROTECTOR	£22.00
LO-LINE CASE	£19.95
• 1525 PAPER	£23.80
C16/+4 CASSETTE ADAPTOR	£3.75

● C16/+4 JOYSTICK ADAPTOR .. £3.75

VIC MODULATOR



● 64 POWER SUPPLY £26.95

 C16 POWER SUPPLY £22.00 +4 POWER SUPPLY £28.98

128 POWER SUPPLY £52.44

VIC 20

· 4 SLOT £6.95 MOTHERBOARD **SWITCHABLE**

3/16K RAM PACK...

 3/16/32K RAM PACK... £49.95

C16

· 16 RAM PACK

£29.95

£34 95

C64 128 128D



FREE 40 PAGE CATALOGUE AVAILABLE ON REQUEST

PRICES INCLUDE VAT P&P £1.90 U.K. (FREE OVER £20) OVERSEAS £3.00

MEEDMORE (Distribution) LIMITED 28 Farriers Way Netherton Merseyside L3O 4XL

Tel: 051-521 2202





Mastertronic

The latest catalogue from Mastertronic contains nearly 100 C64 games - look ahead at the new Autumn releases from the cut-price kings.

By Tony Hetherington

In just over three years Mastertronic has grown from the first budget software house to become a major publisher with eight software labels, including the relaunched Melbourne House, a range of music cassettes and videos, Arcadia coin-op machines(based on two megabyte Amigas) and the marketing rights to the Sega Master System.

From Strength to Strength

28D

The original Mastertronic range (£1.99) now boasts over 50 games that include the top selling Formula One Simulator, which is an adventure based on Monty Python's Holy Grail, the Gauntlet Clone Storm, BMX Racers and Trials, Speed King (the motor bike game that gave the full priced Super Cycle a race for your money), the return of Tasket's Super Pipeline II (in which you and your plumbers mate must battle against lobsters and Venusian Pipe spiders to fix a leaky pipe) and countless arcade and platform games including Pod, Video Meanies and Molecule Man.

It's a Mad, Mad World

Two years ago, Mastertronic launched its MAD. (Mastertronic Added Dimension) range of games that cost slightly more (but still only £2.99) and contained games such as Spellbound and Mastertronic that still rival their full priced counterparts.

Spellbound added "Windimation" to the adventure world as its animated hero (Magic Knight) wanders through the rooms of the mythical castle of Karn in an attempt to save Gimbel the Wizard. Whenever an adventure action such as pick up, drop, read or give is required, they are selected from window menus.

Spellbound also has six incredibly unhelpful characters including Thor, who needs a hammer, Samson who is strong but what use is Florin the dwarf, Orik the Cleric, Lady Rosmar or the wailing Bansee?

To succeed in your quest to save yourself, Gimbel and the others, you will have to keep these characters alive and

get them to help solve a series of devious problems such as how do you get across a dark room full of explosive gas. Clue - using the candle has disasterous results!

If you've solved that then why not try to survive an exploration in dungeon of Master of Magic. A split screen display is your guide in this joystick-controlled role-playing game, as you attempt to escape the deadly grip of Thelric's spell.

By selecting commands you can walk, run and flee through the caverns of this dungeon and do battle with skeletons, orcs, giant bats and vampires that are displayed in lurid detail at the bottom of the screen. Defeat them and you could find magic armour, weapons, magic scrolls and rings that may help you to survive to fight another day.

Attack of the Mutant Camels is my favourite Jeff Minter game and has returned as part of the MAD range. Now for only £2.99 you can climb into your fighter and blast away at the laser bolt spitting, 90 foot high, genetically engineered killer camels. Manic arcade action with Minter at his best.

On Cue, Angle Ball and Motos form a trio of new games in this exceptional range. On Cue combines two excellent versions of Snooker and Pool on one tape and allows you to



set the power and direction of your shot, as well as the amount of spin on the cue ball for those key position shots that will beat your human or computer opponents.

Angle Ball takes pool into a dimension as you must battle




Angle Ball

against your opponent and the unusual angles found on a six-sided table!

Motos is a simple-to-learn, but impossible-to-master coin-op conversion of a Namco arcade machine. In this incredibly addictive game you must defend a space grid from the invasion of the space bees. These invaders must be thwarted by shoving them off into oblivion and clearing the grid to progress to the next one where you will meet more stuborn bees that will require bonus power parts to shift them. A simple but incredibly addictive game.

Ricochet is Mastertronics £1.99 label that brings back full-priced games at a budget price. The original line up of Eddie Kidd's Jump Challenge and Brian Jack's Superstar Challenge is now joined by the frantic but fun shoot'em up Crazy Comets and soon by the Ultimate arcade adventures Blackwyche, Dragonskulle and Outlaws.

Americana which was formerly US Golds budget label is now with Mastertronic and features a line-up of full-priced



Motos

American software brought back for only £2.99!

Soon you'll be able to storm the beaches in the multistage arcade game Beach Head and in its screaming sequel Beach Head II, fly daring bombing missions in Dambusters, fight them in the ring in Fight Nights and beat them up as Bruce Lee or a Kung Fu Master.


Each of these games has already featured at the top of the charts so represents amazing value at their new budget price.

Melbourne House, one of the oldest software houses was bought by Mastertronic and poses a new challenge. If Mastertronic already produce some budget games that are as good as full-priced games, then its own full priced games must be even better.

The first batch of releases include two conversions of Mastertronics own Arcadia coin-op games Road Wars and Rockford, and the amazing world of Metropolis.

Roadwars is a high-speed duel between two Battlespheres (you and your human or computer opponent to clear the road that circles the Moon of Armageddon of obstacles that range from simple barriers and spikes to powerful spaceships and creatures.

In Rockford you're on your own in a fight against time to either collect the Pharoahs gold coins in the Caverns of Craymar of the Emeralds of Erasmus hidden in the sunlit seas of Tiresuis or even the Apples of Eternal Youth from the Kitchens of Kyssandra. However, these treasures aren't gained easily as you'll have to run the gauntlet of falling rocks, battling bats, maddening monkeys and even



Fight Nights

poisonous pizzas

Soon you'll be able to enter the world of Metropolis. You came looking for a stolen tape, instead you found the once sprawling city, now empty apart from a few droids. Your job is to find out where all the people went.

Amiga owners will find cheap and cheerful games for their machine ranging from the action of Ninja Mission, Chopper X and Space Ranger to the magical world of Feud, the excitement of Vide Casino and the mind boggling hexagonal action of the six sided Pub Pool table. (All for £9.99 each.)

There's more to come not only from the labels mentioned above but also from the Bulldog (£1.99) range, Entertainment USA and now from Rack-It which is a joint deal between Mastertronic and Hewson!

Finally, the Sega Master System is a dedicated games console (that costs £99.99) and plugs into your TV and allows you to play coin-op conversions such as Quartet, Out Run, Enduro Racer and Space Harrier that are supplied on cartridges with as much as two megabytes of memory! We

Touchline:

Mastertronic: 8-10 Paul Street, London EC2A 4JH. Tel: 01-377 6880.

LOGOTRON

SPREADSHEET

£12.95

High-quality, low-cost
personal productivity software

INCLUDES
100,000

WORD

SPELLCHECKER

up as

of the price. es was ge. If are as

games

ons of s and

onent on of es to

me to

ns of unlit

n the

ren't lling even

ou nce job

on, ud,

ing for

ed

ge, int

nd ut





LOGOTRON

1295 BUSINESS SERIES

Fully integrated software for the Commodore 64/128, IBM PC and all IBM compatibles

LOGOTRON

For all the information telephone or write to Richard Laidler at;

Logotron Business Products, Dales Brewery, Gwydir Street, Cambridge England CB1 2LJ (0223) 323656

May I Interrupt?

Interrupts are simple to create and effective in use, once you learn the secrets.

By Eric Doyle

All organisations have teams of workers behind the scenes who keep the environment clean and uncluttered. These nocturnal operations often go unnoticed and their value is frequently underestimated but without this army of night staff the wheels of industry would grind to a halt impeded by a pile of litter and dust.

Inside your Commodore there is a comparable team consisting of routines which prevent the computer from grinding to a halt.

A computer is not a very sociable creature. Left to its own devices it is quite happy to refresh the power-up screen and busy itself with the fairly demanding job of being a Commodore. Unfortunately, just 'being' is not enough; a machine has to work for a living otherwise it is not a machine but an artwork or curio. To work effectively a computer must communicate with the outside world: there has to be a dialogue between man and machine.

The Secret of Communication

The only way to interact with a computer is through the use of joysticks, lightpens, graph pads or a similar peripheral device. The main method of communication is the keyboard. While I'm typing away on this wordprocessor I expect to see my perfect prose exactly reproduced on the monitor screen. The fact that the Commodore is performing technical miracles at the rate of several hundred per second does not matter, but to program the next game or utility I need to fully understand what is going on

behind the screens.

Like humans at work, the computer has two basic tasks. One is to outwardly perform the job the boss wants done and the other is to stay alive while doing it. As we work so we breathe, hear, feel and see. Our hearts beat, our digestive systems churn and our glands secrete. We can control some of these functions, but often they run without us fully appreciating their presence or function.

In computer terms this selfmaintenance is serviced by the Interrupt system; a series of routines which operate so fast that they are undetectable and yet they are run sixty times every second!

Non-mask or Ask?

There are two kinds of interrupt: the non-maskable type (NMI) and the far more important interrupt request (IRQ). The NMI is of little interest other than to note that it can be caused by a peripheral device demanding attention or by the RESTORE key. In other words an NMI occurs when something shouts, 'Oi!'. An IRQ occurs every sixtieth of a second and is equivalent to the computer saying to all its peripheral devices, 'OK, be quick, what do you want? I've a million other things to do, you know.'

To the computer anything other than its own 'brain' is a peripheral; the video chip, disk drives, printers, cassette recorders and, most important of all, the keyboard. It is because of the frequency to the IRQ that response to a keypress is so swift as to appear instantaneous.

Although the central processing

unit (CPU) has a lot to do during an interrupt, there is still plenty of time left for other things. If we can latch our own routines onto the interrupt chain we could effectively run two programs at once.

With great forethought, the Commodore computer architects have created an interrupt servicing routine which calls upon a vector stored in RAM to see where the main interrupt routines are stored. If this vector is found we can point it to our own routines which will then be executed as though it was part of the normal IRQ.

According to the C64 memory map these locations are the two bytes starting at location 788 (\$0314).

Examining Listing one. This is a standard model for replacing the old vectors with new ones. The old vectors point towards the ROM interrupt routine at \$EA31 which basically scans the keyboard. The vectors must be forced to point to \$C040 which is the location of the additional routine which exits by calling the old vectors (JMP \$EA31).

Caught Us Interrupting

The only real problem with changing vectors is that an interrupt may occur between changing location 788 and changing 789. If this did happen the interrupt would be thrown towards location \$EA40 and a system crash would occur. This has been avoided by using the SEI instruction and the following commands which prevent interrupts occurring until the CLI command is reached.

This is all there is, just put your routines at \$C040 and you need never

use any other routine to set up your interrupt.

You'll notice that the routine also changes the NMI vector at \$0318. This is just to demonstrate that NMI may be used for special RESTORE key functions. The simple routine at \$C060

ig an

time

nour

hain

two

the

have

itine

d in

rupt

or is

own

das

RQ.

nap

ytes

old fors upt ans be the

ine

ors

ng

ur

nd

he

ds

sh

by.

ne

nt

I

ar er merely clears the screen, disabling the RUN/STOP-RESTORE break. You did remember to save your program before running it didn't you?

While the interrupt is running you might like to type NEW and enter and run the Basic listing. You've just

turned your computer into a three-ring circle. This may seem pretty clever at the moment, but in future months I'll start going into multiple interrupts, split screens, smooth scrolling and many of the other tricks of the professional programmers' trade.

```
10 0000
                        :LISTING 1
50 0000
                        ; SET UP FOR INTERRUPT
30 0000
                        .ORG
                                 $0000
40 C000 78
                        SEI
                        ; DISABLE IRQ
50 C001
60 C001 BD0DDC
                        STA SDC0D
70 C004 BD0DDD
                        STA $DDØD
80 0007
                        ; ENABLE IRQ
90 C007 ADODDC
                        LDA SDCØD
100 COOA ADODDD
                        LDA SDDØD
110 C00D
                        ; CHANGE $0314 VECTOR TO MAIN ROUTINE AT $C040
120 C00D A940
                        LDA #540
130 COOF BD1403
                        STA $0314
140 C012 A9C0
                        LDA #$CØ
150 C014 BD1503
                        STA $0315
160 C017
                         ; CHANGE $0318 VECTOR TO ROUTINE AT $0060
170 C017 BD1903
                        STA $0319
180 C01A A960
                        LDA #$60
190 C01C BD1B03
                        STA $0318
                        ; ENABLE IRQ
200 C01F
210 C01F A901
                        LDA #$01
220 C021 BD1AD0
                        STA SD01A
530 C054
                         ; RETURN TO BASIC
240 C024 58
                        CLI
250 C025 60
                        RTS
```

```
10 0000
                      ;LISTING 2
50 0000
                        ; INTERRUPT ROUTINE
30 0040
                        .ORG
                                SC040
40 C040 A900
                       LDA #500
50 C042 8D0004
                        STA $0400
60 C045
                        ; INCREASE LDA VALUE IN 30
70 C045 EE41C0
                        INC $C041
80 C048
                        ; INCREASE STA SCREEN LOCATION BY TWO BYTES
90 C048 EE43C0
                        INC $C043
100 CO4B EE43CO
                       INC $C043
110 C04E
                        ; RE-ENABLE VIC IRQ
120 CO4E A901
                       LDA #501
130 0050 801900
                        STA $D019
140 C053
                        ; TEST FOR KEY PRESS
150 C053 4C31EA
                        JMP SEA31
```

10	0000		:LISTING 3
20	0000		RESTORE KEY ROUTINE
30	C050		.ORG \$C060
40	CØ60	48	PHA
50	CØ61	BA	TXA
50	C062	48	PHA
70	CØ63	98	TYA
80	CØ64	48	PHA
90	CØ65	A993	LDA #\$93
100	CØ57	20D2FF	JSR \$FFD2
110	CØ6A	68	PLA
120	CØ6B	AB	TAY
130	CØSC	68	PLA
140	CØ6D	AA	TAX
150	CØSE	68	PLA
160	CØSF	40	RTI

5 SYS12*4096

10 A=(A+1)AND 15

20 POKE53280, A

30 B = (B + .1)

40 IF B>15 THEN B=0

50 POKE53281, B AND 15

55 IF B<>0THEN100

60 FORB=0T0255: POKE53270, B: NEXT

70 B=0:POKE53270,200

100 GOTO10

Ø REM SET INTERRUPT

1 DATA 120,169,31,141,13,220,141 , 13, 221, 173, 13, 220, 173, 13, 221, 16

9,64

2 DATA 141,20,3,169,192,141,21,3 ,141,25,3,169,96,141,24,3,169,1, 141

3 DATA 26,208,88,96,500

4 REM INTERRUPT

5 DATA 169,0,141,0,4,238,65,192, 238,67,192,238,67,192,169,1,141,

6 DATA 208,76,49,234,500

8 REM RESTORE ROUTINE

9 DATA 72,138,72,152,72,169,147, 32,210,255,104,168,104,170,104,6

4,500

10 A=12*4096:GOSUB200

20 A=12*4096+64:GOSUB200

30 A=12*4096+96:GOSUB200

40 END

200 READB: IFB <> 500 THEN POKEA, B: A

=A+1:GDT0200

210 RETURN

COMMODORE PLUS-4/C16 **NEW!-BANGS AND CRASHES!!** RHYTHM BOX

This Rythm/Drum box will set your feet tapping! At a very modest cost you can sequence a wide variety of digitally recorded percusion sounds. Very easy to use. No knowledge of music is required. In seconds you can set up pulsating rythms to accompany your music. A variety of drums, tom toms, cymbals and a bass guitar combine to produce sounds you never thought possible on the C16/Plus 4. Easy entry of rhythms and a powerful pattern editor. An excellent package — good value at 57.95 cassatte £9.95 disc. £7.95 cassette £9.95 disc

NEW!-WISP Amazing new product!

WISP offers you a refreshing new way to operate your PLUS 4. WISP stands for Windows loons Silicon-disc Package. It is packed with many powerful features. Everything in your new operating environment is run through windows— just like on very expensive computers. Built in window facilities include a a calculator b) silicon disc c) note pad d) directories e) fast load and save f) error trapping g) programming windows.

windows. Windows may be closed and neatly stored as icons. A smooth sprite is used to select the windows you wish to use from the pull down menus. With the silicon disc you can instantly save, load and directory — all in under half a second (much faster than even a disc drive!). The fast load and save to cassette is about ten times normal speed! We have never before sold such a feature packed program to give you power to control your computer to its limits. The ultimate programming environment. Incredible value. Plus 4 only. Cassette — cg 95 Disc £14.95.

NEW!-BLACK CAT 2

We have black cat 2 in stock and waiting to be despatched to you! Have you ever wanted to use your PLUS-4. Wordprocessor, Spreadsheet, Business graphics etc. with a cassette unit? This program allows you to save your files to cassette rather than disc (as forced to by Commodore). Version 2 incorporates a FAST load and save system so you can save your files to cassette at disc speed! Quick, convenient, easy to use. Only £5.95.

THE MIRROR-TAPE BACK UP

Super tape to tape back up copier catering for many PLUS-4/C16 games. Backs up both standard and FAST loading software. Very popular utility — Excellent Value — £7.95

THE WAND-TAPE TO DISC

Make full use of your disc drive by effortlessly converting many of your games/software to disc. We have had many letters telling us how much people appreciate this utility. Excellent value — supplied on disc — £12.95

PHOTON LOAD-**FAST LOAD AND SAVE**

Have you ever wasted time waiting for your programs to load or save? PHOTON LOAD, the new cassette operating system loads in seconds and allows you to load and save your programs at about TEN times the speed of a normal load or save. Why spend money on a disc drive when you can load and save this fast. Great value £7.95

SUPER SPRITE

This extremely clever utility allows you to use 8 sprites simultaneously over a low-resolution screen. With this program you can now imitate the sprites found on the Commodore 64! A complete package with FREE demo programs and a FREE sprite designer. What more do you need to bring real power to your games on your C16/PLUS 4. A must for games programmers. Excellent value — Cassette £7.95 Disc £9.95

ELECTRIK PENCIL!!!

A truely excellent high resolution art program. Magnificant masterpieces can be quickly drawn using the powerful facilities provided by this package impressive results in no time at all. Cassette only £7.95 Disc only £9.95

CASSETTE INTERFACES

If you have a Commodore 64 cassette unit which you would like to use with your C16/PLUS 4 then you need one of these. Just plug in and go! — Only £5.95

MERLIN ASSEMBLER

100 o/o machine code assembler for the Plus-4/C16. Very fast assembly of source code. Easy entry/editing of code via the full screen editor. Full load/save and printer facilities. Variable names, labels, hex/decimal, text and data statements, remarks, post indexing of variables etc. Many other facilities too numerous to mention. Highly recommended — A truely superb assembler. Comes with instruction booklet and working examples of machine code routines. READ THE EXCELLENT REVIEW IN YOUR COMMODORE - MARCH 1987. Cassette £8.95 Disc £13.95 Disc £13.95

JOYSTICK ADAPTORS

Converts any joystick to Plus 4/C16 format. Simply plug in and on! Only £3.50

Tape Head Alignment C16/+4

The perfect cure for the majority of loading programs Specification as for the Commodore 64 (see below) Only £6.95

COMMODORE 64 EVER HAD A LOADING PROBLEM?

Then send off for WIZARD'S" TAPE HEAD ALIGNMENT KIT 64" — The most common cause of loading failure is bad alignment of your tape heads. This kit allows you to set up the tape heads of your cassette unit for the BEST possible loading conditions. In many cases this will make a remarkable difference in loading reliability. The complete feature packed kit — £6.95!!!

RAPID despatch of orders.

Send an S.A.E. for our current catalogue with full descriptions U.K. P&P FREE and by FIRST CLASS post. Europeans please ADD 50p. Outside Europe ADD £1.50 for AIR MAIL. Overseas orders welcome. All payments must be made in pounds sterling. Cheques/POs to

WIZARD SOFTWARE (Dept. Y101), 20 Hadrian Drive, Redhills, Exeter, Devon EX4 1SR.

WIZARD SOFTWARE (Dept. Y101) 20 Hadrian Drive, Redhills, Exeter, Devon EX4 1SR.



Adventure Kit III

Continuing our adventure writing series, this month we look at various objects.

By Allen Webb

Il adventures rely on objects, and this month I will look at the various uses they can be put to. They can be things you either pick up or use or they can be people or animals. All objects have basic features and exist at a fixed place, have a fixed size and generally have a fixed mass. These facts need to be stored in some way and manipulated. Lets have a look at one way of saving information and providing a set of routines to use it.

1,141

21,3

192,

141,

47, 14,6

B:A

The code occupies \$C000-\$C2D0 and the area \$8000 to \$87FF allocated to object data. Each object has a record entry rather like conventional databases. Each record holds the following information:

I byte specifying the object's location. I byte signifying whether the object is

I byte holding the weight of the object. I byte holding the length of the text describing the object.

The object description in ASCII.

It then follows that if the maximum description length is N, then each record will be N+4 bytes long. The system requires each record to be the same length so that a simple indexing system can be used. The maximum number of objects that can be stored is given by:

2048/(N+4)

If you specify a name length of 16 characters, there is enough room for 100 objects. In my experience this is sufficient for most adventures. You must tell the code the maximum length of the object names. This is held at location 49182. A length of 16 is assumed by default. You can change it either by POKING in the new value or using the SETUP routine in the code.

You must also tell the code how many objects are stored. This is held in location 849. You should remember that object 0 can be assigned so if you specify five objects, you can use objects 0 to 4 inclusive.

The code provides ten commands:

ISHERE

SYNTAX: SYS SA, OBJNO, LOCNO

The routine checks to see whether the specified object is at the specified location. If it is present, the location 846 contains 255 otherwise it contains 0. The following example is useful where an object must be present to allow an action (e.g. EXAMINE, EAT,

1000 SYS SA,OJ,LN: IF PEEK(846)= 0 THEN PRINT "IT'S NOT HERE": RETURN

Location 255 is used for carried objects so executing ISHERE with location 255 is useful to check if you are carrying something.

GETWT

SYNTAX: SYS SA+3,OBJNO

This routine extracts the weight of the specified object and returns it in location 847. Imagine that the weight carried out by you is in variable CW. The following code checks to see if you can TAKE an object, assuming that the maximum you can carry is 30 units: 1000 SYS SA+3,OJ: IF PEEK(847)+ CW > 30 THEN PRINT "THAT TOO HEAVY": RETURN

TAKE

SYNTAX: SYS SA+6,OBJNO

This routine changes the location of the object to 255 which then adds it to your carried possessions. First of all it calls ISHERE and checks if the object is present. If the object is absent it exits with location 846 set as for ISHERE. If the object is present it takes it. Here are two examples, the second uses GETWT:

1000 SYS SA+6,OJ: IF PEEK(846)=0 THEN PRINT "I CAN'T FIND IT": RETURN

0101 PRINT "TAKEN": RETURN 1000SYS SA,OJ: IF PEEK(846)=0 THEN PRINT "I CAN'T FIND IT": RETURN

1010 SYS SA+3,OJ: IF PEEK(847)+ CW>30 THEN PRINT "IT'S TWO HEAVY": RETURN

1020 SYS SA + 6,0J: PRINT "TAKEN": CW=CW+PEEK(847):

Since you want to check the weight of the object before taking it, ISHERE and GETWT were called first.

SETUP

SYNTAX: SYS SA+21, #OBJ, NL, COL1, COL2, BORDER, SCREEN

This routine sets up the working parameters:

#OBJ: number of objects NL: object name length COL1: normal text colour

COL2: highlight colour for inventory

BORDER: Border colour SCREEN: Screen colour

DROP

SYNTAX: SYS SA+9, OBJNO, LOCNO

This is the reverse of TAKE in that it sets the objects location to the current location having first checked that you have the object. DROP also automatically clears the worn flag. Here is an example:

1000 SYS SA+9,OJ,LO: IF PEEK(846)=0 THEN PRINT "YOU DON'T HAVE IT": RETURN 1010 PRINT "DROPPED": RETURN

If you are using weights, another example is:

1000 SYS SA+9,OJ: IF PEEK(846)=0 THEN PRINT "YOU DON'T HAVE IT": RETURN

1010 SYS SA+3,OJ: CW=CW-PEEK(847): PRINT "DROPPED": RETURN

WEAR

SYNTAX: SYS SA+18,OBJNO

This command sets the worn flag of the specified object. This allows you to specify that an object must be worn. For example, you need to wear gloves to pick up a hot object. WEAR checks to ensure that you have the object:

1000 SYS SA+18,OJ: IF PEEK(846)= 0 THE PRINT "YOU DON'T HAVE THAT": RETURN 1010 PRINT "YOU ARE NOW WEARING IT": RETURN

ISWEARING

SYNTAX: SYS SA+27,OBJNO

This routine checks to see if you are wearing the specified object and returns a value in location 846. PEEK(846)=255 if you are not wearing it

PEEK(846)=0 if you are wearing it

The previous example can be extended to stop you trying to wear something already worn:

1000 SYS SA+27,OJ: IF PEEK(846)= 0 THENPRINT"YOU'RE ALREADY WEARING IT!": RETURN 1010 SYS SA+18,OJ: IF PEEK(846)= 0 THEN PRINT "YOU DON'T HAVE THAT": RETURN 1020 PRINT "YOU ARE NOW WEARING IT": RETURN

INVENTORY

SYNTAX: SYS SA+15, PTYPE. ROW.COL.

This command prints the objects carried. The same format options as for LOOK are provided. Any objects which are being worn are shown in a different colour to highlight them.

LOOK

SYNTAX: SYS SA+12,LOCNO, PTYPE,ROW,(COL)

This routine prints the object present in the specified location. As in the first part of this series, there are two possible print formats:

PTYPE=0 prints the objects across the screen separated by commas. The printing starts at the specified row and a column value is not requred. PTYPE=1 prints the visible objects a s a table with its top left corner at the specified row and column. This allows the use of windows.



MOVEIT

SYNTAX: SYS SA+24, OBJNO, LOCNO

This routine moves the specified object to the specified location. This is a general form of TAKE and DROP and alllows more exotic actions such as summoning something or making objects appear and disappear.

As usual I have included a simple editor. The only real comment to make is that you must use the setup option before starting work since it initialises the number of objects and name length. The view option allows you to step through the object table. You press any key to step onto the next object. I have not included an option to allow you to change the record size halfway through creating your data base. Again work out everything on paper before starting typing.

To help your use of the routines, I have included a trivial demo. This assumes that you are at location one so ensure that you set up the objects at that location. The routine assumes four objects with a name length of 16. This routine is quite primitive and you will have to remember the numbers of

the objects.

See listing on page 89

Diskit 8

Improve the efficiency of earlier programs in the Diskit series with this memory clear routine.

By Les Allan

t has become obvious from correspondence that readers who have used programs presented earlier in this series, have discovered that the effects of the Turbo Cruncher were not as efficient as they should have been. The reason for this is that the clear memory not used by the program being crunched, is not empty.

346) =

NOW

46)= ADY

46) =

T'NC

OW

PE,

ects

ects

in a

NO.

fied

is is OP ich ing

ple

ke

ses me to

ou ext on ze ta n

Memory Clear, presented here, fills the C64s memory between \$0800 and \$FFFF with \$00, i.e. the program clears the computers RAM.

This will ensure maximum efficiency in compresing code to produce a compacted file when turbo crunched in conjunction with the Turbo Cruncher program published in Your Commodore March 1987.

The program is simple to use and if you follow the instructions below you should have no problems crunching programs.

- 1) Load in MEM ALL CLEAR and RUN to fill memory between \$0801 and \$FFFF with \$00.
- Load in the program that you wish to crunch.
- Reset the computer if required.
- 4) LOAD "MEM1",8,1 (May 1987).
- 5) LOAD "MEM2",8,1.
- Type in the SYS call required. e.g. 10 SYS 2061 (if that's the start address).
- SYS 828 to save memory.

See listing on page 77

8) The 2 files BOOT and MAIN are now a complete working copy of the program which can then be crunched.

9) If when the MAIN part is crunched it crunches to less than 154 blocks then the KERN part can be appended to this using the ONE PART MAKER routine.

Getting it all in

The program is presented here as a Basic Loader. This should be typed in using the Syntax Checker that can be found on the Listings page. When RUN this program stores the relevant machine code at a temporary address of \$80000 and when prompted relocates the working program to Basic \$0801 and SAVEs the program to disk.

ITS HIGH TIME FOR HI-TEC

PROMISE-SPELL CHECKING PACKAGE GIZMOZ - TOP U.S. PRODUCTIVITY PACKAGE AMIGA £49.95 OMEGA FILE - PROFESSIONAL DATABASE MIDI INTERFACE

AMIGA£39.95 AMIGA £49.95 AMIGA £39.95

HI-TEC products are distributed by Robtek Ltd, Unit 4, Isleworth Business Complex, St. John's Road, Isleworth, Middx. TW7 6NL. 01-847 4457



Moebius and the Orb of Celestial Harmony

Honourable Origin's inscrutable approach to the chopping and churning world of oriental quests.

By Norman Doyle



ere, on the once-prosperous, oriental paradise of Khantun, the platina of peace and prosperity of the Mandarins has been peeled away with the disappearance of the Orb of Celestial Harmony. The mind of Moebius, the Master of Magic, also known as Windwalker, has been


clouded by the storms, droughts and earthquakes which now shatter the celestial serenity which was once the island's preserve.

The renting of the bamboo curtain separating the realms of Earth, Water, Air and Fire has diminished the Windwalker's power and new, evil forces now rule the domain. Evil monks, assassins and palace guards have breezed in on the wind of change, whipped into a galling gale by the self-styled Warlord of the East Wind.

Moebius, immobilised by the missing Orb, must mobilise a martial arts master to march against the malevolent masses. A novice must be found who can cross the boundaries between the realms, wreaking havoc on the forces which bind the Orb to its new owner. Any takers?

For the first time, the rather crude but clever graphics which have been a hallmark of Origin games, such as the Ultima series, have been overhauled and a new level of realism has been injected. I admit that by current martial art standards the game lacks the fluidity of Fist and International Karate, but it is the strategy of the battle which is the central core of this conflict.

As a novice, the player must be trained to overcome the assassins and guards who police the new state. Only mastery in the three skills of unarmed combat, sword fighting and



divination will allow the character creation menu to include an entry to allow you to venture forth.

As a lowly acolyte of unproven prowess and no experience, you start the adventure with 100 sips of water, 100 bites of food, a low degree of mindpower and minimal strength. Alone in the realm of Earth, you must fight to free the monks of Moebius and restore them to their duties in the shrine.

Movement is difficult, as much of the land is overgrown and you must cut a swath with your sword to enable your character's icon to wander across the symbolic map. As you journey, the palace guards will be called to the attack and assassins will attempt to creep up on you. Creatures of the forest will also molest you but they may also yield some precious ingredients for the spells which are essential to victory.

Other wanderers inhabit the forest. These are the villagers who will help a friendly traveller with gifts of food or advice. Approaching a peasant with your sword drawn will inhibit any communication and thereby damage your Karma.

Karma is measured by a split in a Zen symbol which is on

the screen all the time and gives a measure of your purity. Similarly, dexterity is measured by a pair of wings which gradually migrate towards each side of the screen as you are preyed upon by a thieving guard, attacked by an animal, struck by an assassin's shuriken or singed by an evil monk's fireball.

Your progress is followed by Moebius' omnipotent gaze, and when he is pleased with your progress, he will increase your body and mind potential while returning your karma and dexterity to full unity. When exceptionally pleased, he may even bestow a spell upon you.

Using brain, brawn and magic, the novice grows in manhood as he progresses from realm to realm until the final, firey fury of the confrontation with the Warlord

My one major complaint is the heavy use of the keyboard for issuing the single keypress commands. This is fine for opening doors and picking things up, but it does inhibit the fight scenes when you're groping for the correct key to kick, punch or whatever. The fight scenes could be generally better but they're challenging enough to inhibit your progress which is their main purpose. At times the number of assailants make this feel like Gauntlet - the daunting battle against innumerable foes.

Moebius is a cut above most strategy games, allowing a degree of interaction which is, graphically superior to anything I've seen from the States. Perhaps the interchange of personnel and ideas which is currently taking place between Origin and Microprose's British and American units will benefit the arcade elements in strategy games. Certainly a touch of Exploding Fist would have given this unassailable universal appeal instead of just being a great strategy game.

Touchline:

Title: Moebius and the Orb of Celestial Harmony. Supplier: Origin Systems, Microprose, 2 Market Place, Tetbury. Gloucestershire GL8 8DA. Tel: 0666 54326. Machine: C64. Price: £19.95 (disk). Originality: 7/10. Graphics: 7/10 Playability: 9/10. Value: 9/10.



A Change of Face

If MPS803 printouts are not the prettiest sight you've seen, Printkit IV could be the cosmetic surgery you've been looking for.

By Gordon Hamlett

our MPS803 printer may be fine for dumping off listings and the like but it's not going to impress your bank manager too much when you use it to write that grovelling letter to him. To be perfectly blunt, the typeface looks awful. The lack of true descenders renders the print difficult to read; you keep wondering why a number '9' seems to be printed every time there ought to be a letter 'g'.

Enter Printkit IV from Avon Printer Technology. Not only does it give you proper descenders, but also other features such as italic and bold typefaces and underlining.

The package contains two integrated circuits and two sockets, a resistor, a switch and some solder mop. As the name suggests, it comes in kit form and you must fit it for yourself. To do this you'll need to strip the printer down, remove the printed circuit board, fit the components and then reassemble everything. Tools required include a small soldering iron, wire cutters and a couple of screwdrivers. The whole job could take you a couple of hours.

The instructions included are clear and fully explanatory. Your attention is drawn to the tricky parts and hints and tips are given to help you. The accompanying diagrams are similarly clear and large. If you don't feel happy about approaching this job yourself, then you can send your printer to APT who will do the conversion for you for a fee of £15.

Once the kit is fitted, you are ready to try out the new facilities available to you. Naturally, the descenders are always there and need no special commands but underlining, italics and boldface are switched on and off via special control codes. When using word processors, you'll find that most of them will allow you to use these commands in your text. Included amongst these are the three most popular word processors for the C64, Superscript, Easyscript and Tasword 64.

Bold is effected by a double strike which does not slow the printer down in any way. The descenders make the most obvious difference to your text and, if you intend to send out a lot of letters, the package is worth having for this alone.

The italic script looks a bit disjointed, as if someone has just taken the ordinary text and stretched it across. Because of this, it is probably best only to print the odd word in italics for emphasis rather than italicising whole chunks of text at a time. It does give you five new characters though: left and right curly brackets, a divide sign, a copyright symbol and a right pointing arrow.

Bold can also be used for word

emphasis but would be especially useful for those extra special letters to your bank manager though the extra wear put on your printer ribbon by using this mode should be borne in mind.

Underlining is best used in conjunction with capital letters. Otherwise, it tends to run into the descenders that have been so lovingly created. Spaces can be underlined, or not, depending on the effect you wish to create.

The switch allows the original printer mode to be restored at any time, although the manufacturers are convinced that you will not want to do this very often except as a reminder of the bad old days!

These four additional features will certainly give your MPS803 a new lease of life, and at £30, has got to be a lot cheaper than buying a new printer!

Touchline:

Product: Printkit IV. Supplier: Avon Printer Technology, Swindon House, 4 Howard Road, Southville, Bristol B53 1QH. Tel: (0272) 667167. Price: £30.

Commodore Font

useful

r bank

out on

mode

nction

nds to

en so

n be

n the

rinter ough

t you

xcept

ease

a lot

von

353

0.

T# -# +0×0 + ++ | π T !"#\$%&'()*+,-./0123456789:;<=>?@abcdef9hijklmnopqrstuvwxyz[£]↑←-ABCDEFGHIJKLMNO PQRSTUVWXYZ+% IX ■■ 】 ※ M// It ■ 5 = F--- II I F---- *- *- ABCDEFGHIJKLMNOPQRSTUVWXYZ+ * IX ■ ■ 】 ※ M// It ■ 5 = Avon Font

/ "##% $8^{\prime}()*+,-./8123456789:;<=>?@abcdefghijkImnopqrstuv<math>wxyz[f]$ $\uparrow\leftarrow$ ABCDEFGHIJKLMHO PQRSTUUNXYZ€3÷@→ THE PARTY OF E

Italics

!"#\$%&'()*+,-./0123456789:;<=>?@ABCDEF "π| ¾++| +0×, |+-0| ■ □ □ □ ※ ko ▼ | ト = ┗っ = ┌┴┬┤| 目 『 □ ■ _ b = □ □ □ □ → | !"#\$%&'()*+,-./0123456789:;<=>?@abcdef PQRSTUVWXYZ+X IX HHII 1 -- W WAX

3456789::<=>?@ABCDEFGHIJKLMNOPQRSTUVWXY 3456789::<=>?@abcdefqhijklmnopqrstuvwxy HILL " ABCDEEGHIJKLMNOPORSTUVWXY

Underline

Bold

GEOS INSIDE and OUT

A thorough guidebook to effectively using GEOS, whether you are a beginner or a seasoned user. Topics covered include geoWrite & geoPaint applications, a utility to convert your own programs to GEOS format and create custom icons, creating custom windows, details of GEOS file format, a digital display clock and a single step simulator to display GEOS memory locations and registers. 293 pages.

Optional diskette £5.00

NEW GEOS TRICKS & TIPS

A collection of helpful hints and techniques with easy to understand explanations. Revised to cover GEOS 1.3. Includes a font editor to create up to 64 point text and a machine language monitor, 265 pages.

Price: £11.95 Optional diskette £5.00


CADPAK Enhanced Version! For C-64 or C-128

SPECIAL OFFER: Both GEOS books for £22.50 AVAILABLE ON DISK

CADPAK is a superb tool for computer aided design and drawing. Using either the keyboard or optional lightpen you draw directly on the screen to create and edit pictures, drawings, layouts and renderings—quickly, accurately, creatively. The new dimensioning feature allows exact scaled output on your designs. Choose from the menu options and draw on the screen at an exact location using our AccuPoint cursor positioning. Using the two graphics screens, you can draw LINE's, BOXes, CIRCLEs, ELLIPSESs; fill with solid colors or patterns; freehand DRAW; COPY sections of the screen; ZOOM-in to do detailed design on a small section of the screen, With CADPAK's improved object editor, you can define and save furniture, electronic circuitry or machinery as intricate as the screen resolution permits. Hard copy to most dot matrix printers. Perfect for all your design needs,

For C-64 £24.95

For C-128 £24.95



Cadpak-64 + Mouse £59.95 Cadpak-128 + Mouse £69.95 Upgrade Disk £5.00 Upgrade Disk + Mouse £39.95 (Return Original Disk)

LIGHTPEN (standard version) £12.95 (1901 or green screen monitor) £14.95 Commodore 1351 Mouse £39.95

The C64 version works at 320x200 resolution with hardcopy to most printers in single or double size. The C128 version works at 640x360 resolution, though an 80 column monitor is not required. Hardcopy various sizes.

NEW - Both CADPAK packages now include versions to work with the Commodore 1351 mouse (no other mouse is suitable).

ADAMSOFT, (Dept YC), 18 Norwich Avenue, Rochdale, Lancs. OL11 5JZ. ACCESS orders accepted by telephone 0706-524304.







AT LAST

Top quality performance from your MPS803 Printer. Simply fit 'PRINTKIT IV' directly to your MPS803 printer and you will get:

*TRUE DESCENDERS *UNDERLINING

*A BOLD OPTION *ITALICS

And up to 50% speed increase!

All facilities are fully CBM compatible "'PRINTKIT IV' is a very impressive upgrade kit" CCI Nov '87. "Will give your MPS803 a new lease of life" YC Dec '87. Send just £30.00 to join the hundreds of satisfied

NEW! Coming soon... Connect your MPS803 DIRECTLY to your Amiga, ST, PC,... Full information when you order 'PRINTKIT IV'

We also supply: Ribbons, Tractor feeds, Serial leads etc. Call for details.

AVON PRINTER TECHNOLOGY

SWINDON HOUSE; 4 HOWARD ROAD; SOUTHVILLE; BRISTOL BS3 1QH. Telephone BRISTOL (0272) 667167 (enquiries from non-UK Distributors welcome)* add £2.00 P&P for overseas orders 7 days delivery. Full guarantee.



STORT SOFT

INCREDIBLE LOW PRICES!

ALL DISKS CARRY A NO QUIBBLE REPLACEMENT GUARANTEE ARE CERTIFIED 100% ERROR FREE & COME WITH LABELS, 5 1/4" ALSO HAVE SLEEVES & WRITE PROTECTS. FLIP SIDED DISKS HAVE 2 INDEX HOLES AND 2 NOTCHES HOLES AND 2 NOTCHES.

			SF	ECIA	L OF	FER!			
25 SS	48TPI	5.25"	DISKS 8	100	CAP	LOCKING	DISK	BOX	16.00
50 SS	48TPI	5.25"	DISKS 8	100	CAP	LOCKING	DISK	BOX	25.00
						LOCKING			39.95
						LOCKING			17.00
50 DS	48TPI	5.25"	DISKS &	100	CAP	LOCKING	DISK	BOX	26.50
						LOCKING			42.00

5 1/4" DISKS FROM AS LITTLE AS 33 PENCE

BLANK 5-1/4" DISKS - DISK NOTCHER FREE WITH EACH 100 DISKS PURCHASED UNBRANDED plastic 1lb. case

SS48 TPI	4.50	9.00	17.00	33.00	5.50
DS48 TPI	5.50	11.00	19.00	35.00	6.50
DS96 TPI	6.50	13.00	21.00	37.00	7.50
DS96 TPI FLIP SIDE	7.00	14.00	22.00	38.00	8.00
MIMIC FLIP SIDED DS96 TPI	8.95	20.00	38.00	70.00	9.95
MIMIC HIGH DENSITY 1.6meg	23.00 52.	.00 10	0.00 1	80.00	24.00
COLOURED - mix & match or all in one of	olour				
SS48 TPI	6.50	12.00	22.00	42.00	7.50
DS48 TPI	7.50	14.00	24.00	44.00	8.50
DS96 TPI	8.00	16.00	28.00	50.00	9.00

SPECIAL PRICE II DYSAN DS48TPI BOX OF 10 ONLY

8.00 16.00 28.00 50.00 9.00

7.95 5 1/4" HOLDS 100 -7.95 60/90 (HOLDS 60 3" or 90 3 1/2") 5 1/4" HOLDS 50 -3 1/2" HOLDS 40 -

1 MEG AMIGA CUMANA DRIVES £129.00

Just write for more information, Cheques etc. payable to STORT SOFT. (International orders add 10% and remit in pounds Sterling by bank draft or Intl. money order. Write for quote in any other currency).

ACCESS/MASTERCARD/EUROCARD/VISA accepted
CREDIT CARD ORDER LINE - 0279 89509 24 HOURS A DAY, 7 DAYS A WEEK
V.A.T. & P&P INC. NO HIDDEN EXTRAS - WHAT YOU SEE IS WHAT YOU PAY

18 CROWN CLOSE, SHEERING, BISHOP'S STORTFORD, HERTS. CM22 7NX

A Powerful Wordprocessor



From the author of Fontmaster II comes Fontmaster 128 an enhanced version for the Commodore 128. This powerful word processor with its many different print styles (fonts), turns your dot matrix printer into a more effectual tool. Term papers, newsletters, and foreign languages are just a few of its many applications.

- * Program disk with no protection uses hardware key
- * Supplement disk includes foreign language fonts
- * 56 Fonts ready to use
- * Font editor/creator included
- * On screen Font preview
- * 80 column only
- * Supports more than 110 printers
- * Includes a 102,000 word Spell Checker
- * Insert graphics within text or superimpose text over them & turn this package into a Desk Top Publisher. Clip-Art disk with 110 images #5

149.95 incl

- Send large SAE for more details of our 128 software and the 20/40 megabyte hard disk giving access for up to four 128's on one hard drive.
- Sole UK importers and distributors are BYTES & PIECES, 37 Cecil Street, Lytham, Lancashire, FY8 5NN.

(commodore

- Amiga A500 with 512K RAM, 880K 3.5" disk, mouse, software
- Amiga A500 TV As above, £475 plus A521 TV/composite modulator
- M Amiga A500M with A1081 £735 high-res colour monitor

Prices include 15% VAT, a FREE copy of DeLuxe Paint, FREE delivery to your door, one year warranty. Overnight delivery £12

■ Amlga A2000 with 1.5MB RAM, £ 1099 880K 3.5" disk, mouse, software

- Amiga A2000M As above,
- plus A1081 hi-res colour monitor
- Amlga A2000 XTM As above, £1849 plus PC XT bridge board & floppy
- Amiga A2000 HDM As A2000M £ 1949 plus 20MB AmigaDos hard disk

1 YEAR ON-SITE MAINTENANCE WITH EVERY A2000 AMIGA SYSTEM... PLUS

FREE GOLDEN KEY CARD!

stay at over 200 top hotels as often as you like for a year, and for each night's stay, just pay for breakfast and dinner!



£20 10 dlsks in plastic library case A521 TV/composite modulator A501 plug-in RAM/clock 512K £105 A1081 high-res colour monitor £299 A1010 3.5" external disk drive £225 ■ Cumana 3.5" external disk drive £129

■ A2010 3.5" internal disk drive £199

- A2088 PC-XT bridge board with 5.25" internal disk drive €529 ■ A2286 PC-AT bridge board with 5.25" internal disk drive €749 A2090PC 20MB internal hard disk with MS DOS controller €529 €629 A2090 20MB internal hard
- disk with Amiga DOS controller £399 A2052 2MB internal RAM Precision printer 480cps, NLQ £399 Canon PJ1080A colour printer €499 £1095 Xerox 4020 colour printer £1995 HP LaserJet laser printer

K

en

Y U

ha

th


VC

gl

d

80

07		City Desk	£139.95
/// CREATI	VITV	De Luxe Music	59.95
///	~ 4	De Luxe Paint II	59.95
	_4	DigiPaint	54.95
VITTIVIA	JA	De Luxe Video II	89.95
■ VizaWrite DeskTop	£89.95	Aegis VideoScape	124.95
Word Perfect	259.95	Aegis Animator	94.95
ProWrite	109.95	DigiPic fast frame grabber	299.95
Page Setter	94.95	Aegis Draw Plus	169.05
Scribble II	79.95	Dynamic CAD 2.3	359.95





UNBEATABLE SUPERBASE & SUPERSCRIPT BARGAINS!

■ SuperBase 128 99/5 £44.95 ■ SuperScript 128 99/5 44.95 ■ SuperBase: The Book 11.95	SuperBase 64 & Plus/4 79/45 SuperScript 64 eg/45 SuperBase Starter 64 39/45	34.95
--	---	-------

MORE SOFTWARE BARGAINS FOR YOUR C64 AND 128!

■ VizaWrite Classic 128	99/95	£79.95	■ GEOS 64 V1.3	49/95	£39.95
VizaWrite 64 (disk)	59/55	39.95	SwiftCalc 128	59.60	54.95
VizaWrite 64 (cartridge)	19/55	69.95	■ Data Manager 128	59.60	54.95
■ VizaStar 128	129/95	99.95	WordWriter 128	59/95	54.95
VizaStar 64 XL8	99/55	79.95	Pocket Planner 128	49/95	44.95
VizaStar 64 XL4	79/05	69.95	MicroClerk 128	99/15	94.95

COMMODO	RE 128 and 64 PROGRAMMER'S CORNER	10	
PetSpeed 128	The Basic 128 compiler, from Oxford Systems	49/95	£19.95
Oxford Pascal 128	The complete J & W Pascal for your 128	49/95	19.95
Super C 128	Complete C language, with extensions	59/95	42.95
Cobol 128	The complete COBOL package from Abacus	34/95	32.95
Hack Pack 128	All-in-one Programmer's Toolkit & Ram-Disk	39/95	17.95
C128 Tricks and Tips	Essential reading for the 128 programmer	12/95	9.95
1750 Expansion RAM	512K expansion RAM cartridge for the 128		149.00
RamDos 128	Lightning fast Ram-Disk for 512K expansion RAM	D	32.95
BrainBox IEEE	Supports IEEE/PET disks & printers etc. (128 & 6		79.95
Super Disk Doc	Rescue your lost disk data! (1541/70/71, 4040)	19/05	14.95
Simon's Basic 64	Programmer's cartridge from Commodore	50/00	29.95
Oxford Basic 64	All-in-one Basic compiler, toolkit, compressor	14/95	19.95
Oxford Pascal 64	The complete J & W Pascal for your 64	49/95	19.99
Super C 64	Complete C language, with extensions	59/95	42.95
Cobol 64	The complete COBOL package from Abacus	34/55	32.95

■■■ IF YOU WANT IT TOMORROW... CALL US TODAY! ON 01-546-7256 ■■■
Retail callers are welcome at our Gulldford showrooms, please telephone 0483-504125

Prices are POST FREE & include VAT. Prices are POST FREE & include VAT. Order by phone with your credit card, or send cheque/PO or your credit card number. Official orders welcome. We despatch same day by FIRST CLASS post. Please allow 5 days for delivery of hardware orders. Prices quoted are subject to availability. Ref. Asz





Software for Sale

If you think that one of our programs looks very interesting, but you can't afford the time to type it in then our software service will help you out.

It's three o'clock in the morning. You sit at the computer Keyboard having just finished a marathon typing session entering one of the superb programs from Your Commodore. Your fingers reach for the keyboard and press the letters R. U and N. You press RETURN, sit back and nothing happens.

Everyone has probably faced this problem. When it does happen it's a matter of spending hours searching through the program for any typing mistakes. No matter how long you look or how many people help you, you can usually guarantee that at least one little bug slips through unnoticed.

The Your Commodore Software Service makes available all of the programs from each issue on both cassette and disk at a price of £6.00 for disk and £4.00 for cassette. None of the documentation for the programs is supplied with the software since it is all available in the relevant magazine. Should you not have the magazine then back issues are available from the following address:

INFONET LTD, 5 River Park Estate, Berkhamsted, Herts HP4 1HL.

TEL: (0447) 76661

Please contact this address for prices and availability.

The Disk

1349 1849

1949

RD!

529

995

39.95

29.95 89.95 64.95 39.95

199

275

4.95

19.95 19.95 42.95 32.95 17.95 9.95 49.00 32.95 79.95 14.95 29.93 19.95 42.95 32.95

Programs on the disk will also be supplied as totally working versions, i.e. when possible we will not use Basic Loaders thus making use of the programs much easier. Unfortunately at the moment we cannot duplicate C16 and Plus/4 cassettes. However programs for these machines will be available on the disk.

What programs are available?

At the top of each article you will find a strap containing the article type, C64 Program etc. So that you can see which programs are available on which format, you will also find a couple of symbols after this strap. The symbols have the following meaning:



This symbol means that the program is available on cassette.



These programs are available on disk.

Please Note

Since the programs supplied on cassette are total working versions of the program, we do not put disk-only programs on tape. There is no sense in placing a program that expects to be reading from disk on to tape.

JULY 1987 ...

UTILITY COMMANDS - This provides many vital commands missing from Basic 7.0 on the 128.

PLUS/4 AND C/64 CRUNCHER - Speed up your programs with these handy utilities.

PROGRAMMABLE FUNCTION KEYS — A utility to make more use of the function keys on the C64.

DISKIT 5 — A handy routine to convert memory to data statements on the C64. (Disk only.)

ARCADE ACTION — Get those sprites with these handy arcade routines on the C64.

CROSS REFERENCE - This program helps you sort out your variables on the C64.

SUICIDE RUN — A fast and stimulating game for the C64.

ORDER CODE DISK YDJULY87 £6.00 TAPE YCJULY87 £4.00

AUGUST 1987 __

DISKIT 6 — Fast file copier for disk users. (C64 – disk only.) SCREEN MAKER — Design text and low-res graphic screens with ease. (C64).

SCREEN DUMP — A Hi-Res screen dump for the C64 plus MPS801 printer.

NUMBER BASE TUTOR — A C64 educational program helping with tuition of number bases other than 10.

C16 SPRITE — Does your C16 lack something? Then add sprites with this useful utility. For C16 and Plus/4, available on disk only.

WINDOWS - A text window system for the C64.

ORDER CODE DISK YDAUG87 £6.00 TAPE YCAUG87 £4.00


YOUR COMMODORE december 1987

DISKIT 7 — Copy your disk programmes to turbo tape with ease. (C64 – disk only.) PLUS/4 ANIMATED GRAPHICS — High-Res Animation for Plus/4 owners. (Disk only.) SMOOTH VERTICAL SCROLLER — Professional titling for video owners. (C64) ORDER CODE DISK YDSEP87 £6.00 TAPE YCSEP87 £4.00 SPEEDY ASSEMBLER Your Commodore's own assembler as used in our Byting into the 6510 series, complete with manual. YSPASSD £9.95.			ORDER CODE DISK YDOCT87 £6.00 TAPE YCOCT87 £4.00 NOVEMBER 1987 ADVENTURE KIT II — The second part of our C64 adventure writing kit. KERNAL II — A pull-down menu system giving easy file handling. (C64) FUNCTION KEY TEMPLATE — Use the Commodore plotter to produce templates on your C64. PLUS/4 AND C16 DISK MENU — Access your disk files with ease (disk only). 128 PREFERENCES — Predefine your computer's default characteristics. NUMBER TUMBLE — A frustrating game for the C64.		
SPASSC £9.95.			ORDER	CODE	
CTOBER 1987			DISK YDNOV87 £6.00 TAPE YCNOV87 £4.00		
ystem. (C64) prite Grabber — Grab Spave them for later use. (Colide it — Program protect ORDER FORM — PLE NAME	64) tion for C64 owner	s.	CAPITA	LS ORDER CODE	
		TAPE (£4.00)		YC DEC 87	
DECEMBER '87		DISK (£6.00)		to and the second secon	
DECEMBER '87 DECEMBER '87		DISK (£6	6.00)	YD DEC 87	
	OST £1	DISK (£6	6.00)	YD DEC 87	
DECEMBER '87	OST £1	DISK (£6	6.00)	TOTAL	

All orders should be sent to: YOUR COMMODORE, READERS SERVICES, ARGUS SPECIALIST PUBLICATIONS, 9 HALL ROAD, HEMEL HEMPSTEAD, HERTS HP2 7BH.

PUBLICATIONS LTD.

Please allow 28 days for delivery.



64

file

re

les

ilt

Mirrorsoft Limited Athene House, 66-73 Shoe Lane, London EC4P 4AB Telephone: 01-377 4645

Disk Manager

Get organised with this handy disk utility program.


By M.E. Catley

magine this - a C64 where disk commands are just one or two key presses away. A Copy or Rename command that prompts you to input the old and new filenames, instead of having to remember "is it oldfile=newfile or newfile=oldfile". And a Format command that requests a disk name and i.d. And the ability to load a machine code program at any time without having to NEW the computer afterwards. A Scratch command that tells you automatically how many files have been scratched. The ability to validate or initialise the drive with automatic confirmation of success or failure. No, not the CBM DOS 5.1. program supplied by Commodore which only goes part way to providing these facilities.

Disk manager is a disk utility program that gives you all these facilities although there are a few drawbacks. Commands which are available include:

- C Copy File
- t Save File
- R Rename File
- F Format Drive
- @- Reset Drive
- X Exit Utility
- K Kill Utility S - Scratch File
- V Validate Disk
- L Load File (,8)
- -- Load File (,8,1)
- I Initialise Disk

When the code is in memory, it is activated by 'SYS 53000'. This will not appear to do much, but will divert the IRQ call that occurs 60 times per



second to point to our routine. The only effect this has is to check the keyboard for the CBM and control keys being pressed simultaneously. If they are not pressed, then the standard IRQ routine is carried out, and the computer functions normally.

If the CBM/control keys are pressed together, any program running is temporarily suspended, (it will resume after exiting the utility), the screen and colour memory are stored under the BASIC ROM, and a window is opened on the screen displaying the commands available with an input/outut line for commands, responses and errors. Now all the commands are just one key press away.


Follow the on-screen prompts and disk house-keeping becomes simplicity itself. X will exit the utility, while K will restore the IRQ vectors back to normal, in which case another 'SYY 53000' call will be required to reactivate the facility.

True to life, you get nothing for nothing, and there are a few minor restrictions. Your program must not use the memory under the BASIC ROM, or from 51580 to 53247 (\$C97C-\$CFFF) and the utility assumes the normal character set at the screen default location of 1024 (\$0400). The utility will not work with any graphic screen or mode.

- 8

See listing on page 78

COME HOME TO A REAL LIVE WIRE



Inject the power of a mainframe into your micro.
MICRONET is the only product that provides
you with:—

- Real-time interactive chatlines
- Free and discounted telesoftware
- M.U.G's inc the UK's most popular SHADES™
- Daily computer news and reviews
- Free PRESTEL™ electronic mail

for

nor

not

SIC

at

- Teleshopping holidays, hotels etc.
- 70,000 PRESTEL users 56,000 Telecom Gold users
- National and International Telex
- Technical Support and Help Desk

PLUS: Access to PRESTEL and Telecom Gold, and there's much more – all for one low cost subscription. Modem owners call us now for an on-line demonstration.

With your first annual subscription MICRONET will give you a free modem. Complete and return the coupon for your MICRONET brochure.

MICRONET

MICRONET, Durrant House, 8 Herbal Hill, London, EC1R 5EJ. Telephone 01-278 3143 Please send me a free MICRONET brochure.

Name_

Address_

Tel_

....

N 42----

YCOMM/12/87

Relocator

Reload programs anywhere in memory with this handy utility program.


By William Sellers

he relocator is a utility for the serious programmer. It allows programs which have been saved to cassette or disk to be set to reload at any required memory location. Consequently, it allows a program to be loaded to any location - ignoring the start address given on the header. Saving to tape can also be protected so that the program cannot be reloaded at a different start address by ordinary Commodore routines, although obviously this utility copes with this sort of protection. All information on the tape header is displayed and the presence of a data file or a protected file is indicated.

The program is designed to help in the creating of auto-start programs that need to reload in the area of memory below \$0400 and for saving data that needs to reload underneath the KERNAL ROM at \$E000 to \$FFFF. These are fairly easy to do for disk users since program files can be written byte by byte as data fields but are not possible for cassette users with standard save routines.

How it works

The program works by calling the individual ROM routines involved in saving or loading a program instead of simply using the standard KERNAL routines. This allows custom headers to be created so that the reload address is under independent control. It also enables headers read in to be ignored completely so that new start addresses can be set.



Getting it in

The program is presented as a BASIC program which POKEs the machine code program into memory from, \$0801 to \$106C and then saves this chunk of memory to disk (tape users need to make the changes indicated in the listing) as the program 'RELOCATOR'. It is this second program that is used. For the BASIC program to run, it is necessary to initially move up the start of BASIC, so that there is room for the new program. This needs to be done before the program is typed in and is achieved by typing:

'POKE43,1:POKE44,32: POKE8192, 0:NEW'

There is an error check on each line, but care should be taken to save a copy of the BASIC program before it is RUN.

The Program

Reset the computer and load 'RELOCATOR' from tape or disk. When it has loaded, simply type 'RUN'. The program is completely menu-driven and is very simple to use. The available options are: tape load; protected tape save; unprotected tape save; disk load and disk save. For the Load options you are prompted for a name (optional for tape) and a start address in hexadecimal. After the load, the old and new start and end addresses are displayed. For the Save options you are prompted for the start and end addresses of the area of memory that you require to save and the start address that you wish it to reload at. Again, after saving, the old and new start and end addresses are displayed.

See listing on page 85

DEVIASTATING GAMES. DIFFICULT GAMES. DEVIOUS GAMES. DEATH DEFYING GAMES. DISCOVERING GAMES.

DIAMOND GAMES

ALIEN STRIKE	AMIGA	£14.95
EXTENSOR	AMIGA	£19.95
BALL RAIDER	AMIGA	£19.95
HOLLYWOOD POKER	AMIGA	£19.95
SWOOPER	AMIGA	£19.95
DIABLO	AMIGA	£19.95

Decent Games by Diamond Games.

BUDGET AMIGA TITLES £9.95 : KWASIMODO, OTHELLO, BACKGAMMON, CHECKERS and many more!! ON THE KINGSIZE LABEL

Diamond Games are distributed by Robtek Ltd, Unit 4, Isleworth Business Complex, St. John's Road, Isleworth, Middx. TW7 6NL. 01-847-4457

Tech Troubles

Don't suffer in silence. Let Tim Arnot help you out with your technical problems.

By Tim Arnot

Dear Tim

This might sound like a strange enquiry, but we are hoping you will be able to solve one of our problems that we have come up against.

Could you tell me what is required to use a PET dual disk drive with a CBM 64. I understand that a couple of POKE commands may be required.

We are not in a position to use this setup until we have solved this problem.

Mark Powell, Shrewsbury College of Arts & Technology.

Hi Mark.

Connecting a PET dual disk drive to a Commodore 64 is not quite as straightforward as you think. There is an obvious difference in that the connector on the back of the 64 is a six pin din, and the connector on the disk drive is a 36 pin IEC socket. The main reason for this is that the PET used an IEEE-488 interface to talk to its peripherals, whereas the 64 has a proprietry serial bus. The 'PET to IEEE' cable supplied with the drive looks like it might plug into the user port on the back of the 64, however, even though it fits, it will not work.

In 1982, when Commodore were designing the VIC-20 (the forerunner to the 64), they decided they needed to cut costs and use readily available cabling for the peripheral interface. This was prompted by the fact that the sole supplier of PET to IEEE cables had just won a large defence contract and couldn't supply for several months. So, a fast serial cable was

invented, that still used the IEEE protocol for software compatibility. Unfortunately, there were flaws in one of the major chips, and faced with the choice of Jack Tramiel's wrath or slowing the system down chronically, the engineers chose the latter option and whistled quietly.

After the history lesson, back to your problem! You will need to convert the serial bus format into a parallel IEEE format. There is no simple way to do this other that by buying a proprietry interface. The one I normally recommend is made by Brian Boxes (051-220 2500) and costs £69.95 + VAT. It plugs into the cartridge port of the 64 (or 128), but has a feed through connector so that cartridges, memory, modem, etc, can still be used.

Dear Tim

Can you please help?? I have just bought a Sony portable T.V. for my C64 & would like to know how to connect up the 21 pin SCART plug from the T.V. to the audio/video socket on my C64. In the users manual it shows a 5 pin socket, but on my C64 it has an 8 pin socket. could you please give the appropriate connections from the SCART plug to the audio/video socket.

Steve Norman, Shepton Mallet.

Hi, Steve

The original Commodore 64s were shipped with a 5 pin A/V socket, but

later ones have the 8 pin socket. The pinout for the 8 pin version is as follows:

- 1 Luminance/Sync
- 2 Ground
- 3 Audio Out
- 4 Composite Video
- 5 Audio In
- 6 Chroma
- 7 N/C
- 8 N/C

The pinout for the SCART socket is as follows:

- 1 N/C
- 2 Audio I/P
- 3 N/C
- 4 Audio GND
- 5 Blue GND
- 6 Audio I/P
- 7 Blue
- 8 N/C
- 9 Green GND
- 10 N/C
- 11 Green
- 12 N/C
- 13 Red GND
- 14 N/C
- 15 Red
- 16 Fast Blank
- 17 PAL GND
- 18 Fast Blank
- 19 N/C
- 20 PAL
- 21 Screen

The simplest way to connect the two together is to join all the ground connections on the SCART plug together and take them to the ground on the 8 pin DIN. Then connect the Composite output to the PAL input (pin 20) and the audio output to both of the audio inputs. The other connections are for an analogue RGB output, as produced by the Amiga.

Dear Tim,

Computer: Commodore 64 (oldish). Disk: Commodore 1541C.

Printer: OKI Microline with Super Speed RS-232C board.

Interface: Interpod.

If I could get the above to talk to each other I could have printed this letter, but then I wouldn't have needed to would !!

I have wired up the interface cable (printer/interpod) using the following connections, but nothing happens when I direct output to the printer as instructed on page five of Interpod.

Printer

1	Ground
3	RD
20	DTR

Interpod

Ground	1
Tx Data	2

RTS	4
CTS	- 5
DCD	8
DTR	20
RI	22

As you can see, this is using Ready/Busy protocol, which is acceptable to the printer.

I also have an Interfaker, not that I really know how to use it! When I connected it in line between the printer and interface the DTD light (on the Interfaker) came on when the Interpod powered up. Does this mean that I'm nearly there?

I have included copies of as much documentation as I think might be helpful and I really would appreciate any help or recommendations you can give me.

Keith Foster, Gateshead

P.S. I thought the articles on disk drives and the RS-232C interface excellent reading. Please let's have more along familiar lines.

Hi, Keith,

Thanks for your comments on the magazine. I am sure the editors are duly chuffed.

Connecting two RS-232 devices is always a difficult and traumatic time. I don't think I have ever come across an RS-232 system that worked first time around. The connections you have made should work in theory, and the fact that the printer is sending DTR positive indicates that it is waiting for

The first thing you want to check is that you have the printer dip switches set correctly, i.e. SW1-4 is on, and both SW1-7 and SW1-8 are on. This selects the ready/busy protocol and uses DTR for busy control. Also check your wiring is really as you think it is.

Assuming all that to be OK, it could be that the interpod is interpreting the CTS high as busy. You can easily check this by using SSD from the printer for busy and reversing switches 7 and 8.

Being remote from the situation, that's really about all I can suggest. However I'll leave you with the thought that if you know what you're doing, there's a lot of money to be made in the consultancy business setting up peoples RS-232 ports.

ALL OUR PRICES INCLUDE CARRIAGE & VAT

HSV COMPUTER SERVICES LIMITED

23, Hampstead House, Town Centre, Basingstoke, RG21 1LG.

TETTAT I	THE PICE				100000	400
4 2-1	QUANTITY 10 135TPI 13.95 135TPI 15.95 48TPI 5.95 48TPI 6.95 96TPI 7.95 96TPI 8.95 96TPI 8.95	20 26:50 30:50 8:95 9:95 10:95 14:95	30 37.50 43.50 12.75 13.95 14.95 21.95 21.95	40 49.00 57.00 16.00 16.95 17.95 28.95 28.95	50 60.00 70.00 18.75 19.95 21.95 35.95 35.95	100 110.00 130.00 36.95 37.95 39.95 63.95 63.95

* COLOURS AVAILABLE: Red, Blue, Green, Yellow, White, either in boxes *COLOURS AVAILABLE:Red, Blue, Green, Tellow, when ordering.

of ten or mixed, two of each. Please state when ordering.

of ten or mixed, two of each and 2 holes.

*Universal disks are suitable for 40/80 track drives and have 2 notches and 2 holes.

*Universal disks are suitable for 40/80 track drives and have 2 notches and 2 holes. All 51/4 disks supplied in cardboard boxes with write protect tabs labels

and envelopes and come with our no quibble money back or replacement guarantee.

DISKETTE STORAGE BOXES

50×51/4" Library Case	- OKES
	1.25
	6.50
120×51/4" Ling Lockable	7.50
IUX 31/4" I :L Ockable	3
40 x 31/2" LI: 7. Cuse	12.50
80×31/2" Listinged Lid Lockable	1.25
80×3½" Hinged Lid Lockable	1.75
- excepte	70.00

PRINTER STANDS 80 COLUMN

Nylon coated wire for rear or centre feed printers

£12.95

TILT 'N' TURN MONITOR STANDS

12" Monitor £12.95 14" Monitor £14.95

NO EXTRAS TO PAY

Credit Card Hotline (0256) 463507 Faxline (0256) 841018



Eight Speed Scroller

Learn the art of smooth scrolling with this handy program.

By Richard Ikin

The routine I have presented here is a hardware scroll routine for the Commodore 64. It is an 8 speed, 8 directional scroll routine. The two speeds (horizontal and vertical) are set at I pixel, however these can be altered by changing XSPEED or YSPEED in the assembly language program or by breaking out of the program (after running the basic loader) by using RUNSTOP/RESTORE and poking the two locations shown below.

The routine works by altering the hardware scroll registers whenever the joystick is used and changing a pointer to the top left of the screen in memory when needed. The screen contents are not moved by a software scroll as usual but the screen is taken from the map and printed onto the video matrix.

The routine is a very smooth hardware scroll routine. I use this routine myself in my own games so I know it works.

Use a joystick in port 2 to scroll the screen. None of the ROMS are switched out, therefore you may notice them on screen as you will all 64K (in IK sections) printed on screen and ROMS switched out to eliminate this.

The scroll moves in the opposite direction to the way the joystick is moved, as it would in a game, i.e. to scroll left, move the joystick right.

The routine presented here is not really a complete program for you to use. What it does do is illustrate how you would produce sugh a routine for your own programs.

The Program

The eight speed scroller is presented both as a Basic program in the form of a series of data statements, and as an assembler listing. As you can see from the assembler listing, the first task is to set the raster interrupt. This is what the 'setint' routine does. It also switches the Vic chip to look at memory locations 16384 to 32767 instead of the default (0-16383).

You may notice that the program does not switch out any of the ROMs. The Basic ROM can be switched out by clearing bit \emptyset of location \$0001. However, if you do this you must change the RTS in line 998 to an endless loop, as the RTS will cause a return to Basic and as you have just switched Basic out this will cause nasty problems.

OK, whenever a raster interrupt is generated, the 64 will divert its attention to the interrupt routine. The first thing that should be done when the routine is entered is to check the direction of the scroll. This is held in the variable 'way'. If you look at lines 6160 to 6174 in the assembler listing you will see what values need to be in 'way' to cause scrolling. As you can see, a zero will cease all scrolling.

When the direction has been decided and appropriate action taken, the raster split is processed. The comments in the assembler listing explain what action is taken.

Lines 1741 to 2620 are the four routines that perform the actual hardware scrolling of the Commodore screen. These are the routines that provide the smooth part of 'Smooth Scrolling'

As you may know, the Vic II chip can alter the horizontal and vertical position of the screen with up to eight vertical and eight horizontal positions. Therefore to achieve smooth scrolling we must:

a) alter the scroll register until it

reaches its maximum or minimum value.

b) when this point is reached we must change the address of screen (2) in the map.

After every second interrupt the contents of screen (2) are displayed on screen (1). If you look at the 'window' routine you will see that the section of memory/addressed by the 16-bit value 'map' is loaded into the video matrix at 17408.

The contents of 'map' is the address on the top left corner of screen (2) in the map. Screen (2) is an exact replica of the screen you see when you look at your TV. All it does is point to the data which is displayed on screen.

As the routine will scroll through the whole 64K of the Commodore's memory you will at times no doubt see some pretty weird data printed up on the screen. This is because none of the ROMs are switched out and what is being printed up is the ROMs working storage areas being displayed on the screen. When you set a limit to the size of the scrolling area and switch the Basic ROM out, none of this occurs.

The control routine is a fairly standard routine and can be replaced by your own, as long as you store the correct values in 'way'.

The speed of scroll is set by the value in 'Xspeed' and 'Yspeed'. The value should not be less than one and not more than seven. They are independent of each other.

In the future I will add a routine to set the size of the scrolling, and will also present any further alterations that I make. I would be interested to see anybody else's ideas.

See listing on page 91

TOTAL BACK-UP POWER CBM 64/128

PERIPHERALS..THE FINAL FRONTIER...OUR MISSION..TO BOLDLY GO WHERE NO OTHER UTILITIES HAVE GONE BEFORE

CRPTRIN'S LOG...THE TOTAL SOLUTION TO ALL YOUR BACK-UP NEEDS... THE ULTIMATE BACK-UP CARTRIDGE HERE NOW !!

REPORT ON FINDINGS

Action Replay Mk III is more powerful, more friendly and will back up more programs than any competing utility by taking a 'Snapshot' of the program in memory so it doesn't matter how it was loaded... from disk or tape, at normal or turbo speeds... the results are the same – Perfect!! Amazing!!!

STARBASE UPDATE

- Simple to use: just press the button and make a complete backup: Tape to Tape, Tape to Disk, Disk to Disk, Disk to Tape.
 THE PROCESS IS AUTOMATIC JUST GIVE THE BACKUP
- All backups will reload at turbo speed independently of the
- Dual speed tape turbo system. Programs can load up to 3 times faster than commercial turbos that's over 10 times normal Commodore speed.
- Freeze the action then view the program with the monitor feature. Add pokes for infinite lives etc. Then restart the game or backup - ideal for customised versions of your games.
- Picture Save. Save any multi-colour. Hires screen to disk or tape. Compatible with Blazing Paddles, Koala, Slideshow etc
- Fully compatible with 1541, 1541C, 1570, 1571, and chancer or any CBM compatible data recorder.
- For C64, 64C, 128, 128D (in 64 mode)

31111

- Unique Sprite Monitor. Freeze the Action and view all the Sprites, watch the animations scroll across the screen. Save Sprites to disk or tape. Customise your games by loading sprites from one game to another - then restart the program or make a backup
- Compatible with fast DOS and Turbo ROM systems.
- Backup process in turbo speed faster than any rivals.
- Special compacting techniques. Each program is saved as a
- Transfers multistage tape programs to disk more than any other cartridge even the extra stages are turbo load a unique
- Sprite Killer! make yourself indestructible by disabling Sprite lisions in games
- Fast disk format (20 secs).
- Built-in unstoppable reset button.

um

we (2)

the on

ow' of Ine

cat

the een act ou to en. gh e's see on he

is ng

he ze he S. ly ed he

ne. 1e id re

0

III

IS

0



PLUS Built In

Action Replay III even has a built in disk fast loader which speeds up loading 5 times. Uses no memory-invisible to the system. You could pay £20 alone for

BREAKS THROUGH THE 10 SECOND BARRIER!

Action Replay III now comes with an arrang riew*

Disk Bootloader that will reload your backups at TWENTY FIVE

TIMES normal speed. The fastest disk turbo yet devised!! There are NO

CATCHES: WARP'25 works with ALL your games. Works with any disk drive. Nopreload required – No hardware modifications necessary – No user knowledge required –
programs load INDEPENDENTLY. LOADING TIME – 9.8 SECONDS (for a typical game saved by

WARP'25 in conjunction with ACTION REPLAY III). This time is for the COMPLETE load process from start to
finish. Reload is entirely INDEPENDENT of the cartridge or any other hardware.

Compare these (accurate!) figures for some rival backup systems:

	SYSTEM	LOAD TIME	PROGRAMS PER DISK	CARTRIDGE REQUIRED?
	ACTION REPLAY MK III SAVED WITH NORMAL TURBO.	25 SECS	THREE	NO
	ACTION REPLAY MK III SAVED WITH WARP + 25	9.8 SECS	THREE	NO
	FREEZE FRAME (MK IV)	40 SECS	TWO OR THREE	NO
1	FREEZE FRAME (LAZER)	25 SECS	TWO	YES
9	EXPERT SYSTEM	30 SECS	THREE	NO

All purchasers of Action Replay III will receive WARP*25 FREE with their cartridge. Existing Action Replay III owners can obtain WARP'25 Disk turbo by sending £2.50: post free. (No need to send your cartridge). OR obtain it FREE on the Enhancement Disk (£7.95).

THE ACTION REPLAY ENHANCEMENT DISK

THE ACTION REPLAY ENHANCEMENT DISK

The best collection of tape to disk transfer routines for nonstandard multicod programs (eg Dragons Lair land III. Championship Wrestling, Summer Games. Ace of Aces, Gauntiet, Supercycle, Marble Madness, World Games). 31 titles in all. Uses our unique parameter system. No user knowledge required. Turboload throughout. NOTE: Standard cartnoge transfers normal multiloaders eg Winter Games etc. etc. Disk includes file copy and disk backup utilities.

PRICE 57:95 with FREE! Multicolour Stideshow for display of loading screens, hires pictures etc. saved by Action Replay. Great entirtainment!

PERFORMANCE GUARANTEE

PERFORMANCE GUARANTEE

100% Success? Rival Claims? Who's Kidding Who?
Action Replay Mk III will backup any program which any other cartridge can backup—and more! If also has an unmatchable range of features.

Consider 'Freeze-Frame' for example, which uses more disk space, saves at slower speed, has slower tape loader, has no built in disk fastloader, no picture. Sprite or restart features and costs £10 more than Action Replay So who's kidding who? Bury Action Replay Mk III.

If you find that it does not live up to our claims return it within 7 days of receipt and your money will be refunded.

USUALLY SAMEDAY DESPATCH ON ALL ORDERS.



orders to: **DATEL ELECTRONICS**

Send cheques/postal


SEE OUR DOUBLE PAGE ADVERTISEMENT ELSEWHERE IN THIS MAGAZINE FOR OUR FULL RANGE OF COMMODORE ADD ONS. SEE US ON PRESTEL PAGE No 258880000A 12 PAGE CATALOGUE + ORDER PAGE.





CALL 24HR CREDIT CARD LINE 0782 273815

DATELECTRON



3 SLOT MOTHERBOARD

Save wear and tear on your Expansion Port

- Accepts 3 cartridges. Onboard safety fuse.
- Switch in/out any slot. High grade PCB.
- Pully buffered.
- Reset button.

ONLY £16.99

DATA RECORDER

- Quality Commodore compatible data recorder.
- Pause control. Suitable for 64/128.
- Counter
- Send now for quick delivery.

ONLY **£24.99**



SMART CART 🕾

Now you can have an 8K or 32K cartridge that you program like RAM then acts like ROM!

- 38K or 32K pseudo ROM.
- Battery backed to last up to 5 years (lithium battery)
- ☐ Simply load the program you require then flick the switch. The cartridge can then be removed just like a ROM cartridge.
- ☐ Make your own cartridges including autostart types - without an EPROM burner.
- Can be switched on or off board via software.
- ☐ I/O 2 slot open for special programming techniques.
- 32K version has 4 x 8K pages.
- ☐ Some knowledge of M/C is helpful but full

instruction are provided. **£14.99** 32K VERSION **£29.99**

SMARTCART UTILITIES

A series of utility programs for use with Smartcart. Simply load in the program and you have a powerful cartridge. When you have a different requirement — load in another program and you have a new cartridge. The process takes seconds, and can be repeated any number of times. We intend to release a range of programs. The first available are:

DISKMATE!

all the features of Diskmate II (see ad). Loaded in seconds - with full instructions. ONLY \$9.99



PRINTERIV

Now you can turn your MPS 801 into 4 printers in one!!

- ☐ Alternative character set ROM fitted in
- All four sets have true descenders.
- 100% compatible with all software.
- Descender, Eclipse.
- Scribe. Puture.
- Choose any set at the flick of a switch.

"For anyone who uses their printer often this chip is a must. It's quick and easy to use and the end results are impressive" - Your Commodore, Jan 87.

ONLY £19.99




ROMII

Turbo Rom II is a replacement for the actual kernal inside your 64. It provides superfast load/save routines.

- Loads most programs at 5-6 times normal
- Saves at 5-6 times normal
- ☐ Improved DOS support including 10 sec format.
- Programmed function keys:- load, directory, old, etc.
- Return to normal kernal at flick of a switch.
- ☐ FCOPY 250 block file copier.
- ☐ FLOAD special I/O loader.
- Plus lots more.
- ☐ Fitted in minutes no soldering usually required. (On some 64's the old ROM may have







BLAZING PADDLES

A complete lightpen/graphics illustrator package.

- A fully icon/menu driven graphics package of a calibre which should cost much more.
- Complete with a fibre optical lightpen system for pin point accuracy.
- Multi feature software including:
- Range of brushes Airbrush Rectangle Circle Rubberbanding Lines Freehand
- Zoom mode Printer dump Load/save Advanced colour mixing over 200 hues!!
- Out and paste allows shapes/windows/pictures to be saved to/from tape/disk.
- Blazing Paddles will also work with many other input devices including, Joysticks, Mice, Graphics lets, Trackball etc.
- Pictures can be saved from Action Replay and edited with Blazing Paddles.

Complete Blazing Paddles & Lightpen ONLY £24.99

Blazing Paddles available separately for £12.99







- A disk toolkit is an absolute must for the serious disk hacker. Tholkit IV has more features than most
- ☐ DISK DOCTOR V2 Read and write any track and sector including extra and renumbered tracks. Repair damaged sectors. Look underneath
- ☐ HEADER/GAP EDITOR Decodes and displays ALL header information including off bytes and header gap. Rewrite the entire header and header gap. Renumber sectors. Also edit any sector tail gap.
- ☐ DISK LOOK Sort directory. Recover lost files. Display file start/end address Disassemble any file program directly from the disk to SCREEN or PRINTER including undocumented opcodes. Edit Bam. Much, much

Disk type commands: load, save, directory,

Program data retained when computer is

☐ Full command ONLY £9.99

RAM DISK

Load/save instantly

set with instructions.

- ☐ FILE COMPACTOR Can compact machine programs by up to 50%. Saves disk space. Compacted programs run as normal.
- ☐ HAST DISK COPY Copy an entire disk in 2 minutes or less using single 1541.
- ☐ BAST FILE COPY Selective file copy. Works at up to 6 times normal speed.
- FORMATTER 10 second format an entire disk or format any individual track or half track 0 to 41. Redefine any of 30 parameters to create or recreate unique disk formats.
- ERROR EDIT Quickly find and recreate all read errors including extra and renumbered tracks or sectors and half tracks from 0 to 41. Even recreates data under errors and allows you to redefine any necessary parameters.

ONLY **£9.99**



Now

□ 8 soc

On b

to load.

] Prog

program

No E

make a

Dire

D Full

Sele

Uni

your or

them i

require

Acc

On On

Un

Re

progra

☐ Ad

☐ Fit

☐ Si

DIGITAL SOUND SAMPLER

- ☐ The new sampler allows you to record any sound digitally into memory and then replay it with astounding effects
- Playback forwards/backwards with echo/ reverb/ring modulation etc.
- Now with full sound editing module to produce outstanding effects.
- Pull 8 bit D to A and ADC conversion.
- MIDI compatible with suitable interface. (Le. Datel unit for \$29.99, see ad).
- Live effects menu includes real time display of waveforms.
- ☐ Line in/mic in/line out/feedback controls.
- Powerful sequencer with editing features.
- Load/save sample.
- Up to 8 samples in memory at one time.
- Tape or disk (please state).
- ☐ Complete software/hardware package £49.99
- Com-Drum software is available separately at £9.99 to turn your Sampler II into a Com-Drum system as well as a sampling system.



COM-DRUM

Digital Drum System

- Now you can turn your computer into a digital drum system. A Hardware/software package.
- 8 digital drum sounds in memory at one time.
- Complete with 3 drum kits.
- Real drum sounds not synthesised.
- Create superb drum rhythms with real and step time. Full editing. Menu driven.
- Output to hi-fi or through tv speaker.
- Load/save facilities.

ONLY **£29.99**

(state tape or disk)

COM-DRUM EDITOR

- 24 drum sounds supplied on disk to enable you to construct your own drum kit.
- Re-arrange sounds supplied with a Com-Drum to make new kits.
- With sound sampler hardware you can record your own kits. Load/save facilities.

ONLY £4.99 disk only

Turn your Smart Cart into a 32K RAM/disk. ROBOTEK 64 32K of instant storage area for files/programs.

- Robotek 64 is a comprehensive hardware/ software package which enables you to connect your 64/128 to the outside world.
- 4 cutput channels each with onboard relay
- 4 input channels each fully buffered TTL level sensing.
- Analogue input with full 8 bit conversion.
- Model & Robot Control made easy
 - Dice input for voice control. ☐ Software features:- test mode/analogue
- easurement/voice activate/digital readout etc. Recellent value! ONLY £39.99

including hardware/software/ mic etc. (State tape or disk)

DATEL ELECTRONICS

256K SUPEROM EXPANDER

- Now you can select from any of 8 32K EPROMs instantly.
- 8 sockets to accept upto a 32K EPROM in each.
- On board operating system no programs
- Program your own EPROMs using our EPROM
- No need to have loads of cartridges just make a selection from the Superom menu.
- Directory of utilities on power up.
- Pully menu driven on power up.
- Select any slot under software controls.
- Unique EPROM generator feature will take your own programs - basic or m/c and turn them into autostart EPROMs. (EPROM burner
- ☐ Accepts 2764/27128/27256 EPROMs.
- On board unstoppable reset.


eoduce

9.99

pe

ONLY £29.99






4 WAY KERNAL BOARD

- This board fits in place of the kernal in your 64 and accepts a 16K or 32K replacement kernal giving 2 or 4 different operating systems.
- Just flick the switch supplied to select
- ☐ This is a carrier only ready to accept your own chip.
- Now you can have all your different systems available at one time.
- ☐ Full instructions. ☐ Fitted in minutes.


ONLY £8.99



5 WAY KERNAL EXPANDER

- A multi carrier board accepts up to 3 chips.
- ☐ Fits in place of original kernal of 64.
- ☐ Three sockets one for the original kernal plus two others each accepting a 16K chip that's 5 operating systems available at the flick of a switch!
- ☐ Fitted in minutes.
- Pull instructions.

ONLY £12.99



RESET CARTRIDGE

- Unstoppable reset button.
- Resets even so called "unstoppable"
- Add pokes from magazines etc.
- Pits in cartridge port.
- Simply plug in.

ONLY £5.99



QUICKSHOT

- ☐ Top quality fast action.
- ☐ Top & trigger fire buttons.
- Rapid fire/auto action
- Suction feet for one handed action.
- Rxtra hardwearing.

ONLY £12.99 for 64/128 ONLY £13.99 for C16

QUICKSHOT

- World's top selling joystick
- Top & trigger fire buttons.
- Rapid fire control.
- Suction feet.


ONLY £7.99 for C64/128 ONLY £8.99 for C16

DISK NOTCHER

- Quickly and easily double your disk capacity.
- Use both sides of your disks.
- Simple to use.
- Takes seconds.

ONLY £4.99








DEEP SCAN BURST NIBBLI

- ☐ The most powerful disk nibbler available anywhere, at any price
- ☐ Burst Nibbler is actually a two part system a software package and a parallel cable to connect the 1541/1570/1571 to 64/128 (state type).
- ☐ What gives Burst Nibbler its power? Conventional nibblers have to decode the data from the disk before it can transfer it using the serial bus — when non standard data is encountered they are beat. Burst Nibbler transfers data as raw GCR code via the parallel cable without the need to decode it so you get a perfect copy of the original.
- Will nibble upto 41 tracks. Copy a whole disk in under 2 minutes. Pull instructions.
- Regular updates we always ship the latest.
 Fitted in minutes no soldering usually required.
 Full cr ½ tracks.
 No need to buy parallel cable if you have Disk Demon/Dolphin etc.
- Cable has throughbus extension for other add ons.
- ☐ Whether to choose PastHack'em or Burst Nibbler? Fast Hack'Em is unbeatable value as an "all-rounder" — with nibblers, 1 or 2 drive copy, format, file copy, 1571 copy etc. etc., so if you have a more general requirement perhaps FastHack'Em is for you. Burst Nibbler is a pure nibbler second to none, for the reasons stated. So if it's just making backups you are interested in, there is no other product to beat it.

ONLY £24.99 COMPLETE SOFTWARE ONLY £12.99 CABLE ONLY £14.99








EPROMMER 64

- A top quality, easy-to-use EPROM programmer for the 64/128.
- ☐ Fully menu driven software/hardware package makes programming/reading/verifying/copying EPROMs simplicity itself.
- Will program 2716, 2732, 2764, 27128 and 27256 chips. 12.5, 21 or 25 volts.
- ☐ Fits into user port for maximum compatibility with cartridges/Superom Board etc.
- ☐ Full feature system all functions covered including device check/verify.
- ☐ We believe Eprommer 64 is the most comprehensive, most friendly and best value for money programmer available for the 64/128
- ldeal companion for Superom Board, Cartridge Development System, our kernal expanders or indeed any EPROM base project.
- ☐ Comes complete with instructions plus the cartridge handbook.

ONLY £39.99 COMPLETE




16K EPROM

BOARD

- Accepts 2 x 8K EPROMs.
- Switchable to configure as 2 x 8K or 16K
- On board unstoppable reset.
- Pull instructions.

ONLY £8.99

DATELECTRON



PROFESSIONAL DOS @ MIKROTRONIC £64.99 POST FREE with Disc Demon operating system "The world's fastest parallel operating system"

Loads a typical 202 block program file in under 3 seconds!

60x faster load (PRG files).

25x faster load (SEQ files).

20x faster save (PRG files).

20x faster save (SEQ files).

Screen on or off during loading.

and usually requires no soldering.

could pay \$15.00 for this alone

verify, scratch etc.

disk copier free!

Speeds up other DOS functions including

☐ Enhanced command set — over 30 new

☐ Easily fitted — Disk Demon plugs inside the 1541 and the new operating system chip plugs inside the O64/128. Fitting takes only minutes

User port throughbus supplied free - you

Supplied complete - no more to buy.

Comes complete with superfast file and whole

PLUS AN ADVANCED COMMAND STRUCTURE INCLUDING:

☐ Fast format — up to 40 tracks (749 blocks).

16 function keys: list, run, load, directory, format, save, old, verify, etc.

Fload will fastload files up to 250 blocks (other similar systems will only cope with 202 blocks)

☐ Number conversion. ☐ Reset.

Unique built in file copier will copy files up to 250 blocks like lightning — multiple copy options

- perfect for copying Action Replay files.

Highly compatible with commercial software - can be switched out for non compatible

Perfect for use with Action Replay 3 - a typical AR3 backup will reload in about 3 seconds - ves 3 seconds!

C128 version

■ Works on C128/1541 in 64 or 128 mode.



BLUE CHIP DRIVE • Pully 064/128 compatible.

At last a top quality drive at a sens

☐ Super slimline case

Rxternal power supply for cool

Direct drive motor.

Supplied complete with all cables — no more to buy.

ULTRA CRUNCHER The ultimate cartridge based

program compactor.

Compacts by upto 30%! More programs for disk.

3 compacting programs on one cartridge.

Fast loading/saving routines - works with Disc Demon.

Can even further compact AR III files!

250 block file copy function. Pull DOS support including fast format.

ONLY £12.99 on cartridge.
Available as chip only for 256K Superom Board for only £7.99

This drive is now probably the most compatible drive available for the Commodore. More so than even Commodores own 1841C. Much more so than other so called compatibles. In fact we have been unable to find a program including the latest that would not work. (At time of Press).

No need to look elsewhere - this is the best.

ONLY £139.99 POST FREE

(If you require courier delivery add \$5.00).

FAST HACK'EM TM • Multi Module Disk Nibbler - all on one disk.

Single 1541 Nibbler - Copy a disk in 2 minutes.

☐ Auto Nibbler — Copy an entire protected disk in 3 minutes.

Super fast File Copy — Under 9 seconds typically.

Copes with Fat Tracks.

Superfast Copy — Entire disk in 36 seconds with verify.

☐ Twin Drive Copier — Even faster!

Plus unique "Parametere" mode, These files "Unicok" the more heavily protected programs with a parameter for a particular brand or even single program

Mo other product is such a good "All Rounder" at this price its unbeatable.

ONLY \$9.99 POST FREE



DISKMATE II

The Disk Utility Cartridge

Disk fastload cartridge

Up to 5 times faster.

☐ Fast save. ☐ Fast format (10 secs). ☐ Improved DOS — single stroke commands —

load/save/dir/old etc

Redefined function keys for fast operation of common commands.

Powerful toolkit commands including: old/delete/merge/copy/append/autonum/

☐ Plus a full machine code monitor — too many features to list but it has them all!

 Special switching techniques make Diskmate invisible to the system. Therefore it is a more compatible fastloader than other types.

Diskmate II is

ONLY £14.99





ИIDI 64

A Full Midi Interface for the 64/128 at a realistic price

MIDI in. MIDI thru. 2 x MIDI out.

Compatible with most leading software packages including: Seil, JMS, Advanced Music System, Joreth, Steinburg etc.

ONLY **£29.99**

MOUS

CBM 64/128 mouse

Wide compatibility with software including: Blazing Paddles

Works by mimicking joystick so will work in any joystick application including graphic packages only designed for joystick.

Punctions on either joystick port.

Optical system operation.

ONLY **£24.99**

CHIPS

□ 27128 **£3.00** EACH

□ 27256 **£4.50** EACH



CARTRIDGE DEVELOPMENT SYSTEM

All the necessary parts to produce an 8K/16K auto-start cartridge

☐ Top quality PCB. ☐ Injection moulded case.

Reset switch.

☐ 16K EPROM.

"Cartridge Handbook" gives full details and tips on building and configuring the cartridge for

ONLY £12.99

complete with handbook

ALL ORDERS NORMALLY DESPATCHED WITHIN 48 HRS

W TO ORDER







24 hr Credit Card Line









BY PRESTEL/FAX Prestel Pages * 25880000A

> Fax Orders 0782 264510

ECTRONICS

units 8/9, dewsbury road, fenton industrial estate FENTON, STOKE-ON-TRENT TELEX:

> SALES ONLY 0782 273815

TECHNICAL ONLY 0782 202258

Spot the Ball

Win one of five videos of the 1966 World cup, plus a chance to see the European Championships Final.

Your Commodore is pleased to team up with Addictive Games in a superb competition based around their Football Manager II game.

On offer are five copies of the video of the 1966 World Cup, the one that England won.

Plus for the first correct entry pulled out of the hat is the chance to take part in a game of Football Manager II against three competition winners from other magazines. The overall winner of this game winning a trip to see the European Football Championship Finals in Munich in June 1988.

How to Enter

ails and stridge for

HRS

30000A

On this competition page you will find a photograph of some football action.


In the time honoured tradition the ball has been erased from the picture and it is up to you to point out where the ball is.

Study the picture carefully and mark with an X the position where you think the ball is.

Then complete the entry form and return it together with the picture to the *Your Commodore* editorial address. Closing date for the competition is December 31st 1987.

The Rules

Entries will not be accepted from employees of Argus Specialist Publications and Addictive Games. This restriction also applies to employees' families and agents of the companies. The How to Enter section forms part of the rules. The Editor's decision is final and no correspondence will be entered into.



Football Manager II Competition	
Entry Coupon	
Name	
Address	
Postcode	
Post to: Your Commodore, Football Mar London W1R 3AB. Closing date: 31st	

Typro

Give your Plus/4 powerful typing and wordprocessing facilities.

By P.G. Simonds

The inbuilt wordprocessor of the Plus/4 is great for producing small notes or documents. However, when it comes to planning out large documents or tables it isn't really of much use.

Typro for the Plus/4 gives your computer advanced typewriting and wordprocessing facilities. The following is a list of some of the main functions that are offered by the program:

Each line is printed as you compose your document, either on a dot matrix printer or on a daisy wheel.

Line length can be set up to 164 characters; this is great when using the Commodore DPS 1101 daisy wheel, with end of line audible warning.

Characters can be printed in either cursor up, uppercase and graphics, or cursor down, upper and lower case, modes. Reverse can be used as well as normal text, facilities are also present to allow use of expanded characters if using a dot matrix printer.

If you are using the DPS 1101 daisy wheel printer you can access the double strike and underline modes.

Documents of up to 200 lines can be entered, subject to line length. With a document of 100 lines, line length, the full 200 text lines are available for use. The amount of memory left is shown in the single line menu mode.

Text and graphic (bit image) modes are available for normal or zerospacing between lines on a dot matrix printer.

Wordprocessing modes include the ability to insert or delete lines, copy lines to another part of the document, review and edit modes as well as file saving and document merging modes together with full or part document printing facilities.

One major plus for Typro is that the whole program is written in Basic. This means that the program can easily be modified to work with cassette or to work with other printers. It may even be possible, with a little work, to make the program run on a C64.

Rather than simply giving a description of how to use the program, a detailed breakdown of the program is given, this should enable people with a little programming knowledge to alter it to suit their own requirements.

Initialisation

(1000 - 1070 and 2000 - 2080)

This section of the program initialises all of the variables required by the program – screen colours are also set here. This section of the program allows entry to typing mode (new page), loading of a disk file (old page) or to the full page menu.

Entry is made to this routine every time you RUN the program or the Commodore key and X are pressed in menu mode.

If a new page is started this routine will set the line length. A typing grid is also set up to assist with the planning of text layout. This mode also checks to see if the printer (device number 4) is switched on.

Typing (new page)

(1080 - 1690 and 3000 3120)

This routine assembles and then prints each new line as it is added to the bottom of the page in memory.

Entry to this mode is made by pressing 'C' from the main menu or after printing the previous line.

When this routine is entered for the first time the document width will be set. The new line will automatically be

printed when it is full or if terminated early by pressing CLEAR/HOME.

After printing a new line, you must press either 'M' to enter menu mode or 'C' to enter a new line. Any other response will generate an audible tone.

Inverted commas can be used in the text. However, it is worth pointing out that some printers produce a control code at the end of a line that has an odd number of inverted commas on a line.

The following keys are used in this mode:

CLEAR/HOME - terminates a line and prints it.

ESC - Returns program to menu losing any text.

CURSOR LEFT - deletes a character. CURSOR RIGHT - acts as space key.

Pressing CONTROL with one of the colour keys gives access to facilities such as underline, etc. Figure 1 gives details of all of these. You can see control codes at a glance since they are displayed as flashing, reverse field black numbers.

If you turn underline on or reverse field the text will be reversed on the screen.

Menu Mode

(4000 - 4290)

This is where you can select which part of the program that you want to go to. Entry to this section of the program is usually made by pressing M in other options. Entry can also be made by errors or tasks completing their operation. While in this mode the single line menu will display the memory available. The full screen menu can be entered by pressing 'H' while in single line mode. The text currently in memory can be deleted by pressing the Commodore key and 'X' at the same time.

Width or				Reverse Or Underline On	Reverse Or Underline Off	Upper Case & Graphics	
A=15	A=14	B=15	B=8	C=18	C=146	D=145	D=17
Control	Control 2	Control 3	Control 4	Control 5	Control 6	Control 7	Control 8

Edit Mode

(5000 - 5310)

This section of the program allows you to alter a line of text that already exists within the program. Entry to this section is made by pressing 'E' while in the menu or review modes.

If you try to edit a line that does not exist you will return to the menu. Exit from this routine can also be made by pressing ESC as long as the text and control codes are unchanged.

When you enter this mode the existing text will be printed to the scree, together with a blank typing grid to allow you to retype the line. Should you only want to change the start and end of line control codes you can change them and then press the ESC key to use the old text with the new codes.

If the text or embedded control codes are to be changed the whole line must be rewritten. While typing an audible tone starts as you reach ten characters from the end of the line.

As with normal editing mode cursor left deletes a character, cursor right acts as space and clear/home terminates line entry. When editing a line the same routine is used as for line entry at 1080 - 1430 and the same control code display and delete routines at lines 1435 - 1600 and 1605 - 1690 are also used.

Printing

(6000 - 6210)

Entry to this section of the program allows you to print out the whole of the document or just a small part of it. Entry is made to this routine when you press 'P' while in the menu mode.

When in printing mode you can print the full document by pressing 'F' or simply part of it by pressing 'P'. Should you want to return to the menu you can do this by pressing 'M'.

Should you want to print a single line you can do this by making both the start and end lines for a partial print the same. Return to the main menu if the start of printing lines does not exist or if the end of printing is zero or less than the starting line.

Save File

(7000 - 7200 and 8000 - 8130)

Entry to this section of the program allows you to save the documents that you have entered to disk. Entry to the save mode is made by pressing 'S' when in the menu mode.

Should you enter save mode by mistake the 'N' key or entering a file name 'M' will return you to the main menu. The names of the files on disk can be indexed using a file name of 'I'.

Should you give a file the same

name as one that already exists on the disk, the new file will overwrite the old one. When you save a document the page length, page width and commas/colon usage flag)variables N, W and S) are also saved.

Each line of the document is saved in two parts. This is because retrieval of strings greater than 84 characters in length form disk or tape which can cause problems. Saving strings that include commas and colon causes problems, these are therefore substituted and translated before saving. Formatting of the strings so that they are ready for filing is done by the subroutine at lines 8000 - 8130. When a file is saved confirmation will be reuired if you have used commas or colons. A response of 'N' will save translation time when the file is read, however don't type 'N' if you want to use commas in this file.

Load file

(9000 - 9290)

This section of the program loads a disk file into memory, erasing any text already in memory. Entry to this section of the program is made by pressing 'L' when in menu mode.

Facilities to exit this routine and list files on the disk are the same as for

C CONTINUE NEXT LINE OF PAGE. COPY LINE(S) OVER OTHER LINE(S). EDIT AN EXISTING LINE. H FULL MENU ON SCREEN. I INDEX OF FILES ON DISK. LOAD FILE FROM DISK DRIVE. M MERGE FILE ON DISK WITH MEMORY. P PRINT FULL OR PART COPY OF PAGE. R REVIEW PAGE FROM LINE ONE.	n	ADD OR DELETE LINES.
E EDIT AN EXISTING LINE. H FULL MENU ON SCREEN. I INDEX OF FILES ON DISK. L LOAD FILE FROM DISK DRIVE. M MERGE FILE ON DISK WITH MEMORY. P PRINT FULL OR PART COPY OF PAGE.	С	CONTINUE NEXT LINE OF PAGE.
E EDIT AN EXISTING LINE. H FULL MENU ON SCREEN. I INDEX OF FILES ON DISK. L LOAD FILE FROM DISK DRIVE. M MERGE FILE ON DISK WITH MEMORY. P PRINT FULL OR PART COPY OF PAGE.	0	COPY LINE(S) OVER OTHER LINE(S).
I INDEX OF FILES ON DISK. L CARD FILE FROM DISK DRIVE. M MERGE FILE ON DISK WITH MEMORY. P PRINT FULL OR PART COPY OF PAGE.		
L LOMD FILE FROM DISK DRIVE. M MERGE FILE ON DISK WITH MEMORY. P PRINT FULL OR PART COPY OF PAGE.	Н	FULL MENU ON SCREEN.
MERGE FILE ON DISK WITH MEMORY. P PRINT FULL OR PART COPY OF PAGE.	I	INDEX OF FILES ON DISK.
P PRINT FULL OR PART COPY OF PAGE.		LOAD FILE FROM DISK DRIVE.
THE PROPERTY OF PROPERTY.	M	MERGE FILE ON DISK WITH MEMORY.
R REVIEW PAGE FROM LINE ONE.	P	PRINT FULL OR PART COPY OF PAGE.
	R	REVIEW PAGE FROM LINE ONE.

inated

u must

ME.

in the ng out ontrol n odd a line.

line menu

key. he of lities gives

y are field

the

part
to.
m is
ther
by
heir
the

'H'

X'

saving files. If the variable S, read from the text file, is set to I the file contains commas and colons. These will be translated after a file is loaded. This does increase loading time.

Review Document

(10000 - 10190)

This part of the program displays each line of the document with its embedded control codes and the end of line control codes. Entry to this section is made by pressing 'R' from the main menu.

While in review mode the cursor up and down keys are used to move up and down in the document. Should you want to move a little quicker the cursor left and cursor right keys move you ten lines up and down. If a line is to be changed you can go straight to edit mode by pressing 'E'. The menu is accessed as normal by pressing 'M'.

The four control codes shown below each line of text show the printer control codes at the start of the line. Embedded control codes show how the printing control changes, and where, along a line of text or graphics.

If the text is to appear underlined or reverse on the printer it will be reversed out on the screen.

The screen switches between graphics modes and text mode as required by the text, should you want to check text yourself then you can change mode by pressing Commodore and shift at the same time.

Add or Delete

(11000 - 12160)

It is possible to add lines or delete lines in the middle of an existing document. Pressing 'A' while in the main menu will bring you to this mode.

Should you enter this section of the program by mistake, pressing 'M', adding 0 lines or adding too many lines will all'return you to the menu.

You can add lines in either text or graphics mode. When you insert a line the line will be empty, enter the edit or copy modes to add text in its space.

You can delete any number of lines from the document. Lines are erased and existing lines are closed up to make the document smaller.

Copying Lines

(13000 - 13290)

This function allows you to copy lines from one part of the document to another. If lines are copies beyond the length of the document, any unused lines between the original document are added as empty text lines with normal spacing.

Merging Documents

(14000 - 14290)

Entry to this section of the program allows you to insert a document that is filed on disk onto the end of the document that is in memory.

The width of the existing document will be increased if the file being merged is wider than the one in memory.

That's all there is to it! The breakdown of the program should enable you to alter the program should you need it. You should soon be producing extremely neat, well laid out documents.

See listing on page 79

NEW! AMIGA Bitstream INFO MAT

Features

- All AmigaDos 1.2 Commands in easy ref. format.
- Understand what those dreaded "Gurus" mean.
- Ideal for use as a MOUSE MAT.
- Virtually indestructable high grade plastic.
- Approximately 11" by 13"
- Only £4.95 (inc p&p)*
 - (Available soon: MSDOS and Atari ST versions)

COMMODORE 128 COMPANION by Tim Arnot

- More about BASIC 7.0 than you knew existed.
- Kernal, Editor & Basic jump tables revealed!
- Complete memory maps for 128 and 64 modes.
- Detailed hardware descriptions.
- Lies flat when open!
- 340 pages
- Only £9.95 (inc p&p)*
- * Add £1.00 for overseas orders.

Available from:

BitStream Publishing (Dept.Y)

26-28 Osborne Road, Southsea, Hants, PO5 3LT.

I-C-P-U-G

the Independent Commodore Products Users Group is the largest and most friendly computer club in the country

- Many local groups with regular meetings
- Superb FREE Newsletter 80 plus pages of reviews, news and information every two
- We support all Commodore Machines old and new: PET, VIC20, 64, 16, +4, PC, 128 and AMIGA...
- Free Software Library of public domain programs for all the above machines available to members on supply of blank disk or tape and payment of p&p
- Help and Advice
- Discount scheme
- Subscription only £10 per year (UK) plus £1 joining fee

If you are seriously interested in using or programming any Commodore computer, then joining ICPUG is a must! For full details, send a stamped, addressed envelope to:



ICPUG Membership Secretary, Jack C. Cohen, 30, Brancaster Road, Newbury Park, Ilford, Essex, IG2 7EP

Games Reviews

A look at what's new on the games front.

RENEGADE

y lines ent to ad the nused iment with

gram

hat is

ment being e in

The

ould

i be

lout

MG

he streets aren't safe but you must cross town to collect your girl. You take the subway without any trouble, so far, so good, but when you get off the train you're met by a gang of thugs and one is wielding a crowbar.

You move around the screen using standard joystick controls and deliver your blow by pressing one of the attack keys. These keys are 1 to jump (jump and kick if a thug's in range), and 2 and left arrow to attack forwards and



backwards. You press the key and the C64 decides whether you're punching or kicking.

Unfortunately, these keys are at the top of the keyboard and therefore nowhere near your joystick so you're either going to have to practice a lot, buy a joystick that you can stick to the table or enlist a friend to move you as you deliver the killing blows.

If you manage to survive the subway you then face peril on the pier as you battle with a gang of bikers who you must dislodge from their bikes before you can beat them into a pulp. Wipe them out and you have to face Big Bad Bertha and her whip-wielding female marauders, then a scrap in End Street with thugs armed with razors that will floor you with a single blow before a final battle inside to finish off this gang who also have a gun!

At each level you have to mash the band of minions

before the boss appears. Bash the boss and progress to the next screen. Complete them all and you have a few moments before you start the whole game again, only this time the gangs are even madder.

Renegade adds a new lease of life for the tried and tested beat'em up game with variety of opponents and some good backdrops.

Touchline:

Title: Renegade. Supplier: Imagine, 6 Central Street, Manchester M25NS. Tel: 061-8326633. Machine: C64. Price: £8.95 (Ca) £12.95 (Disk).

Originality: 6/10. Playability: 7/10. Graphics: 7/10. Value: 7/10.

HYSTERIA

ow, what a brill game - they were my first words when I saw Hysteria.

You are aware that someone or something is changing the past and shaping the future. Millions of light years away, three evil demons are playing with the fabric of time.



And being a real hard guy you decide to try and discover the demons and kill them. While you are waiting for them to show their ugly heads, you suddenly get caught up in a time warp and find youself in ancient Greece, surrounded by ruined temples. There are also busts (no – not Sam Fox) that spit at you, and if you shoot these, either a piece of puzzle or a lemon (!) will be revealed which can be picked up to select a weapon.

The weapons come in many forms. You start the game with lazer eyes, but it is quite a weak weapon. However, the next one is the more powerful lazer arrows which can be used to blow away nasties, and thirdly you have the protective dog, which isn't rally a dog but a white dot (I can see the resemblance) that hovers around killing any monster that strays into its path. For those tight spots a jet pack always comes in handy, and at a pricy four lemons this is good while it lasts.


Last but least there is the wonder weapon, and at a modest five lemons this little baby will bring a load of spinning death orbs all around you, killing all nasties.

This game is first class - neat sound, nice graphics and very playable. It's a shame that there are only three levels though, oh well you can't have it all.

K.R.

Touchline:

Title: Hysteria. Supplier: Software Projects, Bearbrand Complex, Allerton Road, Woolton, Liverpool L25 7SF. Tel: 051-428 9393. Price: £8.99(Ca) £12.99(Disk). Machine: C64. Graphics: 8/10. Playability: 8/10. Originality: 7/10. Value: 9/10.



WATER POLO

ongratulations, Gremlin Graphics, they've managed to find a sport that hasn't been done before! Now thanks to Gremlin's extensive research you can sample the excitement and end to end action as you take the plunge into Water Polo.

The six swimmers either side start at either end of the pool in a race for the ball. Whoever gets it can then swim with it or pass it hopefully to another player or try a shot or lob at goal. Naturally the other side (either human or computer controlled) try to get the ball off you by tackling you from the front as you swim with the ball or by intercepting one of your passes. If you try and tackle from

behind, the poolside referee will get very excited and award a foul. Totals of these fouls are stored for each player and when one collects three fouls that player is sent off for about two minutes but returns before that if the opposition score a goal.

When you manage to score, the game shows you an action replay so you can either bask in glory or suffer a replay of an awful mistake.

The game is actually quite good and is full of end to end action and is ideal for those who want to perfect their tactics before they head for the swimming pools of Benidorm.T.H.

Touchline:

Title: Water Polo. Supplier: Gremlin Graphics, Alpha House, 10 Carver Street, Sheffield S1 4FS. Tel: 021-356 3377. Machine: C 64. Price: £9.99 (Ca) £14.99 (Disk). Originality: 7/10. Playability: 7/10. Graphics: 5/10. Value: 6/10.



MEGA APOCALYPSE

ell, on the tail of that groovy game Crazy Comets is the follow up in the shape of Mega Apocalypse. But is it as groovy? Yes, it's acid stuff, as you play the part of a space ace, equipped with a super-duper space craft.

Your mission is to boldly go where no man has been before, seek out new and exciting worlds and then blow them to bits. That sounds fair to me as most of the inhabitants are stupid creatures such as welks.

The welks do not make easy prey however, and the planets they occupy have a will of their own and attack you with surprising force.

In between blasting planets you discover debris that turns out to be quite useful, as you can acquire goodies such as speed-up and rotate missiles and shields.

Mega Apocalypse also hosts a two-player option; you can play as friends or enemies, blasting each other, as well as the hostile planets, racing to collect the goodies. I discovered a good technique to get hold of the extras, was a shift kick to your opponents head – ask my brother!

Well, plenty of blasting, dodging and collecting, but is it worth the asking price? Hmmmmmmm, it's good, but I feel it could soon become boring doing the same thing all the time.

And those of you who already have Crazy Comets, will

see the similarities in Mega Apocalypse, except of course for the superb speech and improved graphics.

Touchline:

ward a

er and

about

core a

ou an

iffer a

to end

actics

T.H.

louse. 3377.

alue:

Title: Mega Apocalypse. Supplier: Martech, Martech House, Bay Terrace, Pevensey Bay, East Sussex. BN24 6EE. Price: £8.95 (Ca) £12.95 (Disk). Tel: 0323 766616. Machine: C64. Graphics: 8/10. Originality: 5/10. Playability: 7/10. Value:



hen obscure planets were mined, huge quantities of rare materials were discovered, rendering minerals such as gold and diamonds valueless. Instead, marble became the most prized substance as it was only found on the trickiest of

This in turn became worthless as all trade was abolished. Instead, the huge mining complexes were developed into places of entertainment.

Despite the usual inane storyline, Red L.E.D. is an excellent game. Very obviously derived from Spindizzy via Marble Madness, the object is to complete a path across a grid. You have three droids of differing abilities and must select both the droid and the sector you wish to enter.

Each sector consists of a huge scrolling terrain of walls, drops, acid lakes and the like. Four pods must be collected within a time limit in order to activate the exit. Enemy droids patrol the area and collisions with these or falling off the superstructure results in time penalties. Droid generators can be blasted, but then the rest of the droids turn particularly nasty and come gunning for you.

One of the droids can float harmlessly over the acid lakes. Others have to activate special switches in order to temporarily freeze them. Other areas can only be accessed via teleports. You can improve your time allowance by walking into a time-distort capsule - but make sure that it is spinning the right way

Controlling your droid takes some getting used to due to the built-in inertial system. One of your droids handles gravity much better than the others so it obviously makes sense to use him on the extra hilly sections. There is a bonus game to access and extra men, should you do particularly well.

Not only does this game look extremely impressive, but the gameplay matches the graphics and the result is infinitely more playable than either of its ancestors. Very highly recommended. G.R.H

Touchline:

Title: Red L.E.D. Supplier: Starlight, 68 Long Acre. Covent Garden, London, WC2E 9JH. Tel: 01-836 3411. Machine: C64. Price: £9.99 (Ca) £12.99 (Disk).

Originality: 7/10. Graphics: 9/10. Playability: 9/10. Value: 9/10.

he latest game from Mastertronic is a little on the gory side. You play a Rambo-type character on a mission to raid a top security warehouse. Getting into the warehouse is no hard task but progressing to the fifth level sure is.

The levels are guarded by all kinds of various baddies such as armed henchmen, flying grenades and balls of fire; all of which have to be dodged or shot. To progress onto the next level you will have to shoot a huge computer terminal where it hurts - in its revolving red sphere (whatever that is!). If you are successful, a hole in the floor will open and you will fall through to the next level.


If by a freak or pure luck you manage to get to the fifth level you will have to confront a master computer (no, not an Amiga) and if you can destroy this you have won the game.

This game has no stunning storyline, no groovy Rob Jubbard music and the graphics are pretty average - another duff game? Not on your nellie mate. It is really addictive and quite frustrating and for a humble two quid you can't go wrong. Buy this game or your arms will fall off - need I say more?

Touchline:

Title: Rapid Fire. Supplier: Mastertronic, 8-10 Paul Street, London EC2A 4JH. Tel: 01-377 6880. Price: £1.99. Machine:


Graphics: 5/10. Originality: 7/10. Playability: 8/10. Value: 9/10.



YOUR COMMODORE december 1987

ts is tas ace een

Oll



PITFALL 1 & 2

emember the good old days, when the VCS's from Atari were all the rage? You do? Good, then you will also remember those fab games in Pitfall 1 & 2. Well, Firebird have now bought the rights and re-released them.

In both of the games, you play the part of Harry, the intrepid hero who is in search of lost and valuable treasure. In Pitfall I you find yourself in a jungle full of traps, where there are gold bars lying around which you find hard to resist (understandably!). The gold however is not easy to get at as it is guarded by croes with snapping jaws that need to be jumped over, huge holes that open and close, and voids that have to be swung across by a vine which requires perfect timing.

At the beginning of the game you are given 2000 points and these will decrease everytime you fall down a hole or the like. Scorpians are also a hinderance as these home in on you and are quite hard to avoid. Pitfall 1 is quite a playable game, but it is basic. Another point, this game was converted from a 16K machine, "so what" I hear you say. Well, it has been copied almost exactly, the Commodore has 64K, wouldn't it have been better if they looked to improve it?

There I rest my case; if you haven't got it have a little look at it, you might like it.

Next comes the sequel in Pitfall 2. This is quite a good game going by its age.

Again you play Harry the explorer, but this time it's not just the gold you're after, it's your friends, who have got themselves lost in a huge underground labyrinth, you must also seek out the legendary cave rat and capture him. This will also boost up your money.

When you start off, you are in what looks like a jungle (Pitfall 1) but as you make your way across the screen you will discover potholes which have to be jumped down to reach the underground river which is unfortunately inhabited by electric eels.

An annoying feature of this game is the lack of a death system, which seems to be replaced by a number of red crosses scattered about the playing area, and if touched by any creature you will be transported back to the last cross you touched. Sometimes this can take quite a while and is always frustrating.

The music in the game is not bad. The graphics are nothing special but I highly recommend this game if you do

not have either of them. In their era these games were wonderful, but now at €1.99 they still represent good value.

K.R.

Touchline:

Title: Pitfall 1 & 2. Supplier: Firebird, First Floor, 64-67 New Oxford Street, London, WC1A 1PS. Tel: 01-379 6755. Price: £1,99 each. Machine: C64.

Title: Pitfall 1

Graphics: 5/10. Originality: 8/10. Playability: 6/10. Value:

7/10.

Title: Pifall 2

Graphics: 7/10. Originality: 6/10. Playability: 8/10. Value:

8/10.

DRUID II

It's been 103 years since Hasrinaxx the Druid wiped out the evil being Acamantors, but somehow he has returned.

It was a cool summer's day in the forest of Argoth, the sun shone brightly as a warm breeze filtered through the trees, rustling their leaves. Hasrinaxx walked down the beaten path looking for some mistletoe which he needed for a new spell – Zapper.

As he walked along, squinting to keep the blazing sun out of his ageing eyes he noticed a bush in full bloom ahead. Suddenly, from out of the blue, came a wild boar with a look of terror on his face. Before the old Druid could react the boar was upon him and attacking his leg. Hasrinaxx swiftly pointed a finger at the creature, chanted two mystic words and an electric bolt hit the boar between the eyes, and the boar funs off screaming with pain. As the Druid tends his wound with a 'heal spell' he thinks back to the strange



occurence that has just taken place, and wonders "what could have gotten that boar in such a state?"

He paused for a while - he could sense men in the woods, but there was something else, something weird.

A huge clap of thunder broke the unearthly silence, and the sky grew dark. Hasrinaxx's senses were tingling – he could smell something disgusting, the smell of ... death. From out of the bushes came scores of humans, dead humans – the living dead. One single thought entered the Druid's head, "Acamartors." He searched franticly in the canvas bag that held all his belongings and pulled out a silver cross, holding it high and causing the zombies to back off

into the trees and bushes. Hasrinaxx then begins his long walk back to the village...

Well, that's roughly the story line for Druid II and now we move onto the game.


You start off in the village and come under constant attack from zombies and skeletons. You will also find various spells lying around which can be picked up and used. There are 32 spells and four elementary servants, which is a lot more than Druid I. The graphics have been improved and the game is much more playable than the first.

So there you have it, if you liked Druid and want some more of the same, get Druid II, you will not be sorry.

Touchline:

Title: Druid II. Supplier: Firebird Software, First Floor, 64-67 New Oxford Street, London WC1A 1PS. Tel: 01-379 6755. Machine: C64. Price: £9.99.

Graphics: 8/10. Playability: 8/10. Originality: 5/10. Value: 9/10.



BISMARCK

In May 1941 the entire British home fleet (reinforced by ships urgently needed to protect convoys) were involved in an amazing search and kill operation designed to find and sink the Bismarck!

The Bismarck was the biggest battle ship the world had seen and was ready to hunt and kill in the shipping lanes. It was to be paired with the Cruiser, Prince Eugen and fight off the British warships while the Prince Eugen destroyed the convoys.

The Admirality sent out the order, "sink the Bismarck!". You can play either the British or German commander in this deadly game of hide and seek. The German player starts North of Iceland and must escape, relatively undamaged, off the bottom of the screen and into the open seas. The British player must stop him.

Both players can get regular weather forecasts, intelligence reports and can fly reconnaissance missions (if the weather isn't too bad) that will help them find the enemy and attack or avoid. The British player controls six of 12 ships (the others are controlled by the Admirality) the German only has two (the Bismarck and the Prince Eugen). It's going to be a close fight.

Whenever ships meet they can engage in battle which is fought in an arcade sequence in which you must select icons to control the ships speed to close, retreat or maintain the same distance between you and the enemy, fire and aim your guns and man the damage control systems to put out any fires.

Some British ships also have torpedo tubes and the Aircraft carrier Victorious can attack with Swordfish aircraft.

The British player cannot hope to sink the Bismarck in one fight and so must use its lesser ships to inflict as much damage as possible so the Battleships have a chance to sink it.

Bismarck is an excellent game based on one of the most decisive battles of the war. If the Bismarck had escaped...

T.H.

Touchline:

Title: Bismarck. Supplier: PSS, 452 Stoney Stanton Road, Coventry CV6 5DG. Tel: 0203 667556. Machine: C64. Price: £9.95 (Ca) £14.95 (Disk).

Originality: 8/10. Playability: 8/10. Graphics: 7/10. Value: 8/10


DIZZY DICE

Now here's something original – a fruit machine game! I thought they had died out with the ark. Although after playing this, it might have been better if they had.

To be sure, the game itself is very slick and looks good on screen even if you are not sure what is happening. There are four reels, and winning combinations pay out when they read either from left to right or vice versa. Reels can be held when the appropriate lights flash.

Should you manage to light a sequence of six fruits, you get to take part in a dice game, in which you must guess whether the next roll is going to be higher, lower or the same as the previous one. Getting into the dice game requires you to lose an awful lot of games on the trot as a winning combination, e.g. one cherry resets the fruit sequence.

When you get a winning combination, you can gamble your non-existant money although my strong recommendation is to not bother - the odds you get are



terrible. You must select the symbol a spinner is going to stop at. If you choose the bar, the odds against it coming up are fifteen to one against. The machine pays you six to one.


Computer fruit machine games fall into the same category as decaffeinated coffee or alcohol free beer. Why bother? The whole idea behind gambling is the risk that you might lose, coupled with the possibility of a big win. Playing with non-existant money defeats the whole object of the exercise.

G.R.H.

Touchline:

Title: Dizzy Dice. Supplier: Players, 2 Mineguae House, Calleva Park, Aldermaston, Berks RG7 4QW. Tel: (07356) 77288. Price: £1.99.

Originality: 3/10. Graphics: 7/10. Playability: 2/10. Value: 2/10.



SOLOMON'S KEY

ho needs parallax scrollings, ultra-fast 3D solid graphics and super-bouncy, mega groovy music to make a decent game? Well, most people seem to, except U.S. Gold who have converted a highly playable game which a few of you may remember. It goes by the name of Solomon's Key, which was fab in the arcades.

The story line is concise. You play a treasure seeker (aren't we all?) and on entering Solomon's mines. You must search through the levels avoiding all the deadly perils. Your main goal is to reach the key on each level and make haste towards the door. Each door you go through will bring you closer to your ultimate goal – Solomon's treasure room.

At the end of the third level you go into a bonus room, where you are instructed to cast a spell on the key. However, it is unclear what this actually means and the instructions give away no clues, I'm afraid.

The screens are littered with objects, but there are too many to mention them all. The main ones are flames which can be used to fry the little monsters that wander around the screen. Your other option is to pull a block away from under the monster's feet and watch him fall to his death (yeah!).

There are also alot of little bells around, which when touched, summon a fairy which you can eat for dinner. Eat ten of these and you will get an extra man, plus indigestion.

Your only real help is a magic wand, which for some strange reason makes mud bricks appear and disappear.

These are necessary to build stepping stones to the exit or to trap monsters (similar to the game Pengo, except you don't push the blocks).

I have been playing this game for hours (that's interesting to hear: ED) and I'l take it home tonight and play it for hours (you've got work to do: ED).

Well, what can I say, buy this game or it'll be a case of spontaneous combustion? Maybe.

K.R.

Touchline:

Title: Solomon's Key. Suppliers: U.S. Gold, Units 2/3 Holford Way. Holford, Birmingham, B6 7AX. Tel: 021-356 3388. Price: £9.99. Machine: C64.

Originality: 5/5. Graphics: 7/10. Playability: 8/10. Value: 9/10.

ON FIELD FOOTBALL

On Field Football is the latest Activision game to be re-released as a Firebird budget game. Written by Gamestar, On Field Football attempts to capture the essence of Super Bowl excitement and fails.

Four-aside football played between two teams of pyjama clad players captures the essence of a poor game. The instructions are brief to a point, of not telling you everything you need to know and only presents an almost meaningless table of plays, formations and the joystick movements required to select them.

If you manage to decipher the table you find an extremely limited selection of offensive and defensive players and with only four players you barely have the manpower to execute them. The quarterback not only passes the ball, he also doubles as the runningback and the shooter!


The game also features a computer opponent that will pummel you into the ground and leave you wondering why you spent £1.99 on a game like this.

T.H.

Touchine:

Title: On Field Football. Supplier: Firebird, First Floor, 64-67 New Oxford Street, London WC1A 1PS. Tel: 01-379 6755. Machine: C64. Price: £1.99.

Originality: 4/10. Playability: 3/10. Graphics: 4/10. Value: 3/10.



Easy Count

A word counter for Easy Script users.

By M. P. Leach

Easy Script is probably the most common wordprocessor in use on the C64. One of the main problems with the program is that it will not allow the user to perform a count of the number of words that are in a document. If you need an accurate count then the only way is to count the words by hand. Until now that is.

Easy Count is a program that will count the numbers of words that are in any Easy Script file.

The program looks for a non-space character, then searches for the next space once the counter is increased.

If a format or printer command is

found (i.e. F1 or F3) the count is halted until a semi-colon is reached or a carriage return is found. This does mean that all format or printer commands which are not followed by a semi-colon must be on a separate line. The enhancement commands (see pages 8,9 of the manual) must not have a space between them and the following text, or they will be counted as single letter words.

Getting it in

The program is presented here as a Basic Loader and should be typed in

using the Syntax Checker program found on the LISTINGS page.

When RUN the program will automatically execute the machine

Follow the on screen prompts to use the program. The directory of the disk in the drive may be read from inside the program. For those technically minded the program resides in memory from \$C000 to \$C3EC and is executed with SYS 49287.

See listing on page 84

CRAZY CHRISTMAS BARGAINS

NEOS MOUSE + SOFTWARE * (THE COMMODORE MOUSE) *



ts

n

le. ie ly

ne

111

ıy

I.

NEOS MOUSE WITH "CHEESE" CASSETTE INC. "GENUINE CHEESE" ON DISK = £29.90

Wigmore disc version includes genuine save and load to disc.

"GENUINE CHEESE" on disc - £8.00

(including save and load of pictures with fast and slow load.) Soon available Geos Compatible Mouse - Watch press for details.



ARTIST 64

(For use with Mouse or Joystick)

This is the most sophisticated. powerful and advanced art or graphics package available on a CBM 64 or 128.

"Artist 64 is an excellent graphics package and we were extremely impressed with its range of capabilities. It is in fact probably the most versatile graphics program that we have seen".

Your Commodore takes over where cheese leaves off. Although friendly and fun - can be used professionally with over 250,000 combinations of

GIVE YOUR 64/128 - AMIGA TYPE GRAPHICS
Full colour working. Full screen working. Zoom and Pan. Create any brush fill, pattern or icon. Variable Text. Commodore and Epson printdumps. Add other print routines. Innovative colour commands. "Over and Under" -(colours weave over and under each other) "Colour Cycling" objects without certain colours."

P.C.W. "Artist 64 is a compulsory purchase"

Tape or Die

Tape or Disc = £27.50

113 Godwin Road Forest Gate E7 02W 01-555-3751

P.O. CASH ORDERS Dealer, Export and Edu

AUTUMN SOFTWARE EVENT	_	-
C128	5375	C128
C128 BASIC Compiler DBASE II		47.000 110.00d
Micro Clerk (Complete accounting pac PLUS Spreadsheet, Database and wo		89.500
Expert Cartridge		27.506
Superscript 28 Swift Spreadsheet 128		69.95d 22.50d
C64 BUSINESS	OFFI END OF	C64
Mini Office 2 NEW	16,801	18.50d
Paperclip (Word Processor) NEW DFM Database SPECIAL Swift Spreadsheet 64 Superbase 64 Superbase 64 Superscript 64		42.50d 10.00d 22.50d 69.95d 59.95d
C64 EDUCATIONAL	THE REAL PROPERTY.	C64
Court with Oliver (5-9 yrs)	7.951	
French Mistress A and B (each) German Master A and B (each)	7.95t	
Look Sharp (5-9yrs)	7.951	
Know your own Psi-Q (10yrs +)	9.951	
C64 UTILITIES/GENERAL	DATE OF THE PARTY OF	C64
Art studio	12.751	15.95d
GEOS (Operating System) Laser BASIC Compiler	19,00t	48.00d 24.00d
Optical Mouse & Graphics Pack	10.00	47.50d
Quickdisc Plus Quill + Illustrator	16.50t	19.50d 19.50d
C64 FLIGHT SIMULATORS WAR	100000	1000000
ACE II		C64
Ace of Aces	7.25 7.951	
Acro Jet		12.95d
Colonial Conquest		19.754
Destroyer Europe Ablaze by SSG		12.95d
F15 Strike Eagle		24.00d 12.25d
Field of Fire	8.50	
Gunship (Helicopter)		14.754
Revs + Reach for the Stars by SSG	8.501	11.504
Sky Runner	8 504	24.00d 00.00d
Silent Service	8.50	
Twin Tomado	-	18.954
U.S.A.A.F. by SSI	233	28.006
Vietram War Games Construction Set	8.500	
1 = cassette tape	d = d	15.75¢

Defender of the Crown Guild of Theires Into the Eagle's Nest Killed Until Dead Masters of the Universe Moormist by Infocorn Murder on the Atlantic Shadows of Mordor Ultima III (Special) Ultima IV	7.15c 7.95 11.50 8.501 12.95d NEW 8.501 12.95d 7.501 12.95d NEW 11.151 14.85d 7.501 12.15d 14.85d 7.751 12.95d 7.751 12.95d
Vera Cruz Affair Wishbringer by Infocom	23.00d 23.00d
C64 ACTION GAMES/SPO California Games Gauntlet Eagles NEW Epics NEW Leader Board - World Class Last Ninja Living Daylights Paper Boy Road Runner Star Gilder Tenth Frame Tracker They Sold a Million 3 World Games C16 — PLUS 4	8.501 12.95c 8.581 12.95c 7.751 11.50c 7.252 12.95c 7.952 12.15c 7.952 12.15c 7.954 12.15c 7.954 12.15c 7.951 12.50c 12.751 18.00c 8.501 12.95c 8.501 12.95c 8.501 12.50c
Blockbusters GIC Classics 3 Future Knight Home Office (Database & WP) Ronam's Coin-Op Hirs Paper Boy Scooby Doo Sports 4 Traiblazer PLUS 4 only ACE II Bridge Head Mercenary Jerra Nova Winter Events	C16 — PLUS 4 7.001 8.501 6.501 9.75: 7.201 7.001 7.001 7.001 8.001 PLUS 2 7.251 7.501 8.501 6.951 6.951
c = ROM cartridge	

SPECIAL PRICES ON FLIGHT SIMULATORS JET the brilliant new F16/F18 Fighter Simulator. C64 Disc only £33 FLIGHT SIMULATOR II without doubt the best Flight Simulator on the C64 * * * Cassette/Disc £33 * * * *

SCENERY DISCS San Francisco or Japan-only £16 each

Please send stamp for our new list (state which computer) & list of special offers.

Please include 50p for Post and Packing for all orders less than £20. Outside UK please include £1 plus 75p for each additional item on all orders. Send Cheque, Eurocheque, Sterling money order or UK Postal Order with order to:

UK SOFT CENTRE LTD (YC) .

TEL (24 HRS) CANTERBURY (0227) 459608

CANTERBURY, KENT, CT2 7XG

t = cassette tape

Communications Corner

Keep up to date with what's on in the communications world with David Janda.

As I write, the PCW show is coming to an end. There was nothing new, comms wise for the C64/128, but there were several new developments with regards to on-line services. Both Compunet and Micronet were at the show attracting new customers and showing off their latest features, and in all it was an interesting show for the comms enthusiast. Let's have a look at what was on offer.

Gateway Developments

Micronet is developing new gateways to and from its database. In simple terms, a gateway is an electronic link between one computer and another. Shades, Micronet's Multi-User Game (MUG) is an example of a gateway, and Micronet's announcement of a scrolling gateway is a development from this.

The scrolling gateway enables users with dumb terminal software to use scrolling types of services via Micronet. Going back to Shades, the output from this game is converted into the viewdata format in order to be displayed on the screen. The new scrolling gateways simply remove the conversion process and leave the output as text on a plain background with no fancy graphics or colour.

Technologically speaking this is no big deal, and begs the question, why have scrolling text when you can have viewdata?

Well, some applications such as using Telecom Gold via the Interlink gateway are best suited for scrolling type displays. Micronet are developing a scrolling gateway for Interlink users, but this shall not be ready before Christmas.

The first scrolling gateway should already be in operation and is for Shades players. Users will be given the option to play Shades in the standard format, or with scrolling software. Apparently, there is a speed advantage to playing MUGs with scrolling software.

Andy Waller, who runs the excellent Soley Sixty Four (*SSF£) area on Micronet has developed a stand-alone scrolling package for C64/128 users that can be downloaded from his area free of charge. This will be compatible with the Commodore modem, OEL comms pack, multimodem and Mustang software, and will display blue text on a white background. The idea is that you use it to log onto Micronet and go to the area where the scrolling gateway is. The software will automatically detect

when the gateway is being entered and will display 40 columns by 24 lines.

Let's Chat

Micronet are also working on a conferencing system. The idea being that you go to a particular area (called a centre), meet in the reception area or bar, pick up a key, go to a room and have control over who can and cannot enter. You can even pull down a shade thus preventing anyone from knowing who is in your room. Of course there will be commands such as lock, close, etc to enable you to do all this.

Teleconferencing is not a new idea. British Telecom operate such a service whereby several people can have their phones 'linked'. American databases such as the Source and CompuServe have them as well. It is important for Micronet to ensure easy use of the conferencing system, with simple, clear commands to operate it. The idea of a conferencing system is for a group of people to meet and discuss, and not get bogged down in the technology of the system itself.

I understand that the system will also have the option of being accessed by a scrolling gateway.

Both the Shades scrolling gateway

and the conferencing system will be chargeable services, but these have not been fixed yet.

Commodore Modem RIP

Compunet have a problem - they have no modems! The Commodore modem is no longer in production and Compunet Teleservices have run out of stock. Currently they are looking for an alternative modem for C64/128 users, and it's my belief that they or Ariadne Software (who wrote the original Compunet Terminal software for the Commodore modem) will develop a software patch to be used in conjunction with the Miracle multimodem and Mustang software packages. Compunet hope to have an alternative by Christmas.

New Look Compunet

Compunet is now running on its own mainframe which reaps the benefits of a system which is much faster in operation (although not as fast as Prestel/Micronet). The system is

having a bad case of teething trouble but this should be sorted out in time – there is still a long delay when initially signing on, and more often than not I have suffered the 'Sorry, all links to Compunet full' message. This is no fun expecially when it costs 4.4p plus VAT for the phone call only to be greeted with that message!

Compunets MUD and FEDERA-TION MUGs are not operational either, but all should be in order by Christmas time.

Do not despair – not all is doom and gloom. The speed increase has to be believed, and when I tried out the system there were very few of the C, N and S type errors that were common on the old system, Partyline is now so fast that the special scrolling software is being given away as a free link. This is because the text scrolls by so fast that you need the buffering in the software to look back at what has just whizzed by!

A new development from Compunet is that by Christmas time (a popular date it seems!) both the Amiga and ST will be supported Concentrating on the Amiga; the software to access Compunet will cost £19.95. It makes full use of Intuition, with a windowed mouse operated display, pull-down menus and point and click gadgets for commonly used functions.

Finally, the pricing structure for Compunet has now been greatly simplified. There is the standard subscription which costs £12 per quarter, and gives you limited access and not as many privileges as the Gold subscription, which costs £15 per quarter. In addition, for an extra £3 per quarter you can get unlimited offpeak access without the additional network change. Obviously, the Gold plus unlimited off-peak package is going to be attractive for those who would like to use the system on a regular basis. However, for those who would like to test the water a Standard subscription is ideal, and you can upgrade to Gold and request unlimited access online.

Well, that's it for this month - I'll be back soon with some more communications chit-chat.

YORK ELECTRONIC RESEARCH

Commodore 64/Plus 4 Products

6502 ASSEMBLER 64/Plus 4* tape/disk* £12.99

A sophisticated two-pass symbolic assembler and text editor which supports tape and disk filing. The assembler, the editor, and your source and object code may all be resident in memory simultaneously, facilitating rapid and interactive code development. Recently extended manual with many examples.

Z80 EMULATOR/CROSS-ASSEMBLER 64 only disk £12.99

A unique integrated Z80 development package. The emulator compiles Z80 source code into optimised 6502 which runs on the 64 at approximately one sixth the speed of a 2MHz Z80. It supports all but 20 of the 688 Z80 operations, calls to 6502 routines, and interrupts. The cross assembler generates hex or binary Z80 object files. The disk also contains a powerful editor and several example programs.

BI-DIRECTIONAL RS232 INTERFACE WITH COMMUNICATIONS SOFTWARE 64 +4*.. tape/disk* £29.99


The 64 KERNAL supports RS232 via the user port. This interface provides the necessary voltage conversion for direct connection to RS232 printers, modems and other devices. It is compatible with Easyscript and Superscript. The unit is supplied with 1 metre of cable (add 75p per extra metre*) terminated in a 25-way male (or female*) D-connector. The software includes a terminal emulator which supports split baud rates and auto-dial, file transfer utilities, a menu driven port initialisation program, and a transparent printer driver which vectors the KERNAL to redirect device 4 printer output to the RS232 port.


*Please specify.

Prices are fully inclusive. Overseas orders add £2.50
Allow up to 1 week for delivery
Manuals available separately £1.00

YORK ELECTRONIC RESEARCH

The Fishergate Centre, Dept YC, 4 Fishergate, York YO1 4AB Telephone: (0904) 610722







YOL

Features . . .

- * Extremely compatible
- * Xcellent value
- * Compact size
- * Extra reliable
- * Low noise
- * External 8/9 switch
- * Rave reviews
- * Attractive appearance
- * Turbos, no problem
- * One year guarantee
- Runs cool
- * +Direct drive motor

and GEOS

Excelerator+

and GEOS, PLUS

Freeze Machine

Excelerator+

my only complaint was that the label on the front of the drive was put on crooked!

EXCELERATION PLUS

The Excelerator behaved admirably throughout. It does exactly what the 1541 does

Commodera Hea

"The Excelerator+, though, seems to cope faultlessly with commercial software

Popular Computing Weekly

wish the Excelerator had come out two years ago "

Commodore Computing International

"... I'd rather buy an Excelerator + than a 1541C or a 1570 or a 1571

ZZAP 64

the drive does have dramatic improvements over the 1541 in quality and reliability

COMPUTETS Gazette

GEOS

A SUPERB BUNDLING OFFER

A superb bundling offer that combines the critically acclaimed Excelerator + with the super sophisticated GEOS (Graphic Environment Operating System) GEOS is the GEM-like operating system for the 64/128 from which you can access geoPAINT, a full-featured graphic workshop, geoWRITE, an easy-to-use WYSIWYG word processor and the Desk Accessories which include Calculator, Notepad, Alarm, etc. Many more extensions are available, such as geoCALC, geoDEX, etc.

This package normally retails

but you can obtain it absolutely **FREE** with the purchase of an Excelerator+

We guarantee that this drive is MORE compatible than the 1541C

SLIMLINE 64

Your '64 could look like this for just . . .

A stylish modern replacement case for the CBM 64 of which your Commodore magazine said "Fitting the case is simplicity itself and should present

no problem to anyone with even a rudimentary knowledge of how to hold and use a screwdriver." The Slimline 64 case is a vast improvement on the old style. It not only

looks nicer but does make it a lot more comfortable in use. My only question is, why didn't someone think of it before?

Evesham Micros Available from good computer stores or direct from Evesham Micros

Prices include VAT Delivery FREE
Send cheque P O or ACCESS VISA details
Or phone with your ACCESS VISA No
Same day despatch whenever possible
Govt educational & PLC orders accepted
Callers welcome open 6 days 9 30-5 30
Next day delivery £5.00 extra

Evesham
Micros
63 Bridge Street
Evesham
Worcs. WR11 4SF
Tel: (0386) 765500
Telex: 333294 EMICRO



EATURES

- · Ultra compatible
- Very quiet
- External 8/9 switch
- · Direct drive motor
- Handles disk turbos
- Doesn't overheat
- Compact size
- · Super reliable
- · Y ear guarantee

THE PROPERTY OF

00-00

ONLY

69.95

· Great value

COMPUTERS

Don't buy a 1541C when you can buy this compact, reliable & modern drive for less money!

GUARANTEED MORE compatible than 1541C

> SEE RAVE REVIEWS IN ALL THE MAGS

One reviewer said, "the only thing I could find wrong with it was that the sticker was on crooked".

TWO PURCHAS

SPECIAL INTRODUCTORY PRICE 159.95

COMBINATION OFFER:

Excelerator-

PRINTERS FOR

BUSINESS This is the class printer in it's price category. The perfect choice for Commodore owners because the interface is changeable. So buy with the 64/128 cartridge then if

you change computer at a later date just buy a new cartridge! In a group test with other popular printers in the price category such as Epson, Citizen & OKI What Micro described the NL-10 as "THE ROLLS ROYCE OF THIS GROUP". Why settle for less? (Amiga users order with parallel cartridge, price includes cable).

New LOW price

ncludes 2 spare ribbons FREE! (value £ 13.90)

- · Auto single sheet feed
- Tractor & Friction feed
- "Front Panel"
- mode selection Interchangeable i/face cartridges
- Double & Quad height characters
- Low cost cut sheet feed
- Superb "NLQ"

Utility of year

Selected Products

DISK NOTCHER. Double your disk capacity, allows you to easily & accurately cut a second write protect notch.......

POWER PACK. Replacement £ 24.95

ver pack to suit '64... AZIMATE 3000. Check and adjust CBM cassette head alignment. Easy to use.....

MOTHERBOARD. 4 slot with either all upright or with one straight thro' for modem use,

please state type when £28.00 XETEC SUPERGRAPHIX

The best centronics i/face for 64/128. 8K buffer downloadable fonts etc. very good..... € 69.95

DATA RECORDER. CBM compatible type. Same performance etc. as C2N/1531 but cheaper and with pause..... £24.95 1541C DISK DRIVE. We will sell you one but why not buy an Excelerator, less money and £189.95

We have a good stock of Commodore related equipment. If you don't see what you want please give us a call

AMIGA 500

In stock (voucher price)....£469.00 price includes Deluxe Paint, Silent Service, One on One (or similar) & 5 disks full of demos etc

Philips CM8833 (STEREO) Monitor to suit A500...£279.00 (Price includes cable to suit) Buy both together for....£738.00

SPECIAL OFFER: PRICE NOW INCLUDES DOLPHIN COPY 30 THE EFFECT IS STAGGERING.

The established standard parallel operating system for the 64/128 and 1541 disk drive. Now in use with most of the top software houses including Gremtin, Software Projects, Thalamus, CRL Atligata, Superior etc. etc. as well as many of the top independant software programmers. The speed and efficiency is incredible, who would believe that the humble old 1541 could load 202 blocks in less than 5 secs. It is compatible with the majority of commercial software and can be switched out when necessary. One of the real pleasures of using this system is to use it with the likes of Easyscript & Superbase to speed up both the normal loading and the sequential files. It is important to point out that this is achieved using standard CBM disk format and not a special system, therefore you can still use your existing disks.

[INSTALLATION]

INSTALLATION

Fitting involves litting two sub assembly boards, one in the 64/128 and one in the 1541. Normally these just plug in but some '64s need a small amount of soldering.

EXTRAS AVAILABLE

£ 14.95 £ 9.95 £ 44.95 User port expansion card..... Kernal for '128 in '128 mode. Second drive assembly £44.95
Dolphin Copy (selection of copiers includes very powerful nibbler, extra fast unprotected and selective file) £7.95

OME OF THE EATURES

LOAD speed 25x normal (PRG)
SAVE speed 12x normal (PRG)
LOAD speed 12x normal (SEQ)
SAVE speed 8x normal (SEQ)
SAVE 3x normal (SEQ)
LOAD/SAVE 3x normal (REL)
Easy & fast DOS commands
Format 40 tracks (749 blocks)
Monitor built in
LOADs 202 blocks in 5 secs
Enhanced screen editor
Drives centronics printer
Extra BASIC commands
Compatible with standard DOS
Can be switched out

Disks Boxes

25 bulk packed DS/DD disks. With sleeves, w/p tabs and labels. Good quality & fully £ 13.95

In Australia contact: Micro Accessories of S.A., Unit 8, Hewittson Rd, Elizabeth West, S. Australia 5113.Tel: (08) 287-0191

Now with. "Single part save" Includes... "Freeze Frame MkV & Lazer II"

Saves in as little as 15 sec. more!
onds. Nothing else can • Fast Format...
match this Formats your disks in about

match this

Multiple Save...
Make as many saves as you want once frozen, in Built in fast copier handles files up to 248 blocks long and is really easy to use.

The most efficient compact...
The most efficient compacter? Our tests indicate this, as many as 5-6 games per disk.

Game Killer...
Incorporates an effective routine to disable collision detection.

Independant...
Even produces stand alone Lazer files that reload in as little as 10 seconds.

Ease of use...

Always a strong feature, now even more enhanced.

A mormal disk turbo at 5-7 times normal PLUS the astonishing Lazer at 20-times normal...BUILT IN.

Selectaload...

Selectaload...

Reset...

Incorporates an effective seconds.

Fase of use...

Tape Turbo...

Tape Turbo...

Tape Turbo...

·Multi-Load... Totally unstoppable Freeze Standard cartridge handles facility from the originators. many games of this type.

•Fast Save... With the utility disk even more!

Formats your 12 seconds.

FREEZE FREEZE MACHINE

CHILLS THE REST!

'...far outstrips the opposition on both price and performance ..."

Commodore Review

"...the most exciting and lightning fast I have ever used..."
Commodore Computing International

Why Freeze Machine?

This is the latest and most effective backup cartridge from Evesham Micros, the originators. It's speed of operation is the staggering feature. Imagine being able to SAVE & reLOAD your favourite games in as little as 10 seconds and no more than 18. No other "device" can remotely match these figures...remember these facilities are built in. Buy the "Freeze Machine" and see it perform, if you don't agree that it is the most formidable cartridge available return it within your statutory 28 days for full refund, we are that confident.

ONLY

UPGRADES

Mkl, II, III, IIIB £ 19.95 MKIV.....£ 7.95 Lazer.....£ 2.00



Freeze Machine Utility Disk V3.0

Latest version of the disk that complements the use of the Freeze Machine. Includes well over 30 routines, Allows the complete transfer to disk of many programs that load extra parts as the game progresses (the ones the standard cartridge cannot handle). Includes many of the latest popular titles like Last Ninja & Gunship plus many "standards" like World Games & Supercycle. Avery useful add-on to your Freeze Machine.

ONLY £ 7.95

DUCKDISC + Disc Disector V5.0

Our highly popular fast load/save plus utility cartridge has received many favourable reviews.

1541 Quiet Stops

FAST LOAD (5-7 times faster)
FAST SAVE (5-7 times faster)
FAST FILE COPY (up to 248 blocks)
RESET BUTTON (unstoppable)
PRIVES CENTRONICS PRINTER

*FAST FORMAT

*FAST DISK BACKUP *EASY DOS COMMANDS

*EASY TO FIT

* 128 COMPATIBLE ('64 mode)

Cures the dreaded 1541 drive "hammering"!!

DETAILED INSTRUCTIONS

ALIGNMENT PROBLEMS

ONE KIT DOES TWO DRIVES
HELPS PREVENT

Not suitable for "turn lever" type drives

rival products can not. Beware of American & German copy programs that will not handle the popular British titles.

INCLUDES THE FOLLOWING

EVESHAM 3 MINUTE NIBBLER

EVESHAM 8 MINUTE NIBBLER

Our well established and extremely popular disk backup/utility package. The powerful nibblers can produce backups of most protected software. Also includes many parameters for difficult to copy software. This latest version will handle many titles by Hewson, Ocean, Domark & U.S. Gold that rival products can not Reware of American

MANY PARAMETERS (the vital code for the protection schemes)
DUAL DRIVE NIBBLER

MENU MAKER

DISK ORDERLY

DISK RESCUE

* UNSCRATCH * DISCMON+

* ETC., ETC.

The whole package is easy to use and menu driven. Works with '128 in '64 mode and most routines 1570/1 compatible. Perfect operation THE Tape Backup "device"

Many thousands of this popular product have been sold and still sales flourish. Why? We think because it is the best product of it's type. It consists of hardware and software and uses a unique method, controlled by the software, that will allow you to make a perfect backups of your tape software.

* EASY TO USE * VERY SUCCESSFUL

* USES TWO CBM TYPE

DATA RECORDERS

£12.95

1541 Physical Exam

Does your 1541 suffer from..

ALIGNMENT PROBLEMS

If so you need this package. Contains digital alignment disk and drive fault diagnosis software that allows you to both check and correct head alignment & speed

· CHECKS ALIGNMENT

CHECKS SPEED
CHECKS BELT & CLAMPING
DETAILED INSTRUCTIONS INCLUDES QUIET STOPS

39.95

€4.95 with Excelerator+

All prices INCLUDE VAT/delivery. Next day delivery £5.00 extra How to order

Send cheque/P.O. or Access/Visa details By phone with Access/Visa no. Government, educational & PLC orders welcome Same day despatch whenever possible Callers welcome, open 6 days 9.30-5.30 TELEX: 333294 EMICRO

with Access/Visa details
with Access/Visa no.
nt, educational & PLC orders welcome
despatch whenever possible
icome, open 6 days 9.30-5.30
33294 EMICRO

Also at; 1756 Pershore Rd., Cotteridge, Birmingham B30 3BH Tel; 021 458 4564

Budget Calc

Keep track of your money with this budget program.

By Simon Phillips

Budget calc is a budget utility based around two spreadsheets. The first contains the actual monthly figures, the second contains the estimated figures.

Budget Calc is split into several sections, the main program, review program, end program, changing subjects and changing months. The first three RUN automatically, and interact with each other. The last two programs have to be LOADed separately.

Changing subjects and months

Budget Calc has the capacity for 16 subjects, and these can be changed to suit the user. The subjects are stored in a sequential file on disk, the same for the month order. Each of the subjects must be no more than 12 characters in length.

For different people, financial years change. With *Budget Calc*, you can have your financial year from Jan to Dec.

When LOADing and RUNning Budget Calc, you will be asked for the present month, this is for the printout, file purpose, and the advance year facility. The program compares the month with the start of the financial year, and if they match, then the year is updated. Once the space bar is pressed, data is loaded. This is in three separate sequential files. The first data is the actual and estimated figures, along with back—dated figures, in the 'budget data' file. The second data is the subjects, LOADed from a file called 'budget subjects'. The last is the month sequence.

Once the red light on the disk drive goes off, a command window is printed at the bottom of the screen, and the spreadsheet window is displayed in the upper and middle of the screen. The window is moved around the spreadsheet by using a joystick in port(No.)2. Pressing the fire—button and moving the joystick

left or right will cause the large cursor to move through the five commands. The cursor has a wrap—round feature, and the inverse command denotes which mode you are in. Pressing the fire—button will execute these commands. They are:

REVIEW, MOVE, AMEND, END, ACTUAL/ESTIMATED

REVIEW

Further LOADing is required for this function and this is done automatically. Once LOADed, a menu screen is printed and five options are given:

Review months; Review subjects; Review totals graphically; Review profit and loss; Return to the main program.

The first two options allow the user to review figures back—dated by three years. Once these options are executed, only half of the months or subjects are displayed. By moving the joystick up and down, access can be gained to the rest of the figures. Pressing the fire button will display the menu once again. Review Totals displays graphs of the past and present annual totals. There are two subroutines for this option. The first is for totals not exceeding 4000, and the second is for totals greater than 4000.

Pressing the fire button will return you to the menu.

Review profit displays the spreadsheet as a grid. After a couple of seconds boxes will be coloured either red or green. A red box means that at that position on the spreadsheet the actual figure is greater than the estimated one, and so is classed as a loss. A green box means a profit and that the actual figure is lower than the estimated. No doubt there will be a lot of red boxes at the end

of the grid because there are as yet, no actual figures. Pressing the space bar will return you to the menu.

MOVE

This command enables you to move around the spreadsheet.

AMEND

This command is used in conjunction with the 'move' command. It is used to change, add and correct figures. Use the move command to position the entry place on the screen. Enter the amend routine and press fire. Three reverse characters will be displayed in the top left hand corner of the first figure. This is now your cursor and you can move it around the four by four square of figures. Simply type in the new figure (only using three characters) and then press RETURN. If you have made a mistake in keying in the new value and you have not yet pressed RETURN, then type out the figure again and it will be printed over the mistake. If you have made a mistake and have pressed RETURN, then you will have to go through the routine again. If at any time you want to get out of the amend routine then press the fire-button and you will return to the move command.

END

After selecting this command, the 'bud end' program will be LOADed and RUN. The program does not need any explanation of how to use it. It allows the saving of data, and the process of making hard copies. Data will only be saved if: –(a) figures have been altered or added, (b) the advance year facility has been executed.

Printing is straight forward, and if you have not switched the printer on, the program will tell you to switch it on. you can return to the main program or end which will result in a cold start of the computer.

ACTUAL

This displays the spreadsheet you are viewing. There are two spreadsheets, as explained. The word 'estimate' replaces 'actual' when the estimated spreadsheet is displayed, and visa—versa. This is displayed everytime you use the spreadsheet, so as not to get confused when amending figures. All of the above commands are available in estimated and actual mode.

Getting Started

When starting off with Budget Calc only the listings presented here will be on disk. The data files have to be create. before any of the program will function. Thee small programs BUD DATA CREATE, BUD SUB CREATE, BUD MON CREATE are those that I actually used when wanting to make the individual files.

BUD DATA CREATE

This file will create sequential data for BUDGET DATA on disk. This is the longest file that has to be made.

The variables have the following meaning:

SR year advance status CM present year – 3

Y\$(a) dim of estimated figures

H\$(a) dim of estimated figures SR,SS,SU are strings which contain last three years monthly totals.

BA,BB,BC are strongs which contain the last three years subject totals GT(1), GT(2), GT(3) contain the last

three years actual totals

BUD SUB CREATE

This file will create the data for BUDGET CH\$(a) is a DIM containing an unpadded string

NB and NC contain the number of spaces needed to pad the start and end of the string.

BUD MON CREATE

This will place the data for the file BUDGET MONTHS on disk.

The variables M\$(1) to M\$(12) simply contains the month names.

NOTE The above are only needed when creating the files for the first time.

BUDGET CALC PROGRAM DESCRIPTION

LINE	DESCRIPTION

100-420 Printing of screen and input of present month.

430-480 Dimensioning variables and strings.

490-500 Loading actual and estimated figures.

510-580 Loading past figures and totals.

590-640 Loading subjects.

650-690 Conversion of zero figures into ---.

700-710 Conversion of figures to spreadsheet variables.

720-730 Loading month sequence. 740-990 Setting variables and strings.

1000-1380 Printing of the spreadsheet.

1390–1630 Boundary limitations. 1640–2090 Amend routine.

2010-2550 Movement of command cursor.

2560-2910 Subroutine for calculating subtotals for actual figures.

2920-3190 Subroutine for calculating subtotals for estimated figures.

3200-3460 Advance year routine.

3470-3490 Loading of other programs.

3500-3640 Conversion of variables to the spreadsheet.

3650-3930 Saving of important variables to be loaded again.

BUD REVIEW

LINE DESCRIPTION

100-370 Loading of important variables.

380-550 Converting actual figures to past figures.

560-780 Menu.

790-980 Review subjects (1).

990-1180 Review subjects (2). 1190-1350 Review months (1).

1360-1510 Review months (2).

1520-2150 Graph 1 (0-4000).

2160-2800 Graph 2 (0-9999).

2810-3260 Profit and loss screen.

BUD END PROGRAM DESCRIPTION

LINE DESCRIPTION

100-350 Loading of important variables.

360-380 String defining.

390-750 Save.

760-960 Menu.

970-1040 Test to see if printer is on.

1050-1170 Inform user that printer is not on and systems reset.

1180-1200 Branching of different hard copies.

1210-1430 Actual figures hard copy.

1440-1650 Estimated figures hard copy.

1660-1920 Actual and estimated figures hard copy.

AMIGA SUPERDEALS

AMIGA 500 + £464.95

FREE Mouse, Mouse Matt, Karate Kidd II Game, Ten Public Domain Discs with Graphics & Sound Demo's and Utility Programs and Delivery!

INCLUDING VAT!

AMIGA 500 + £489.95

All the above Products FREE AND a TV Modulator and Delivery!

INCLUDING VAT!

AMIGA 500 TV MODULATOR ONLY £24.45p

C-64 ABACUS (Disk)	C-128 ABACUS (Disk)
Synthy-64 £14.75	Cobol-128 £32.75
Cadpak-64 £24.75	Cadpak-128 £34.75
	Chartpak £34.75
Cobol-64 £32.75	Super C £42.75

C-64 Supersoft
Rhythm King
Cartridge £37.50
Rhythm King
S'ware only . . . £14.75

Cartridge £14.75

Cartridge £19.75

ACCESS ORDER HOTLINE 0706 43519

ALL PRICES INCLUDE P&P IN THE U.K., ADD £1 per S'ware & £20 per H'ware Abroad. AMIGA C128, C64, PLUS/4 & C16 Catalogues now available. SEND CHEQUE/P.O. or your ACCESS No. to:-RAMSOFT, 24 Bankfield Lane, Norden, Rochdale, Lancs., OL11 5RJ.



·SOFTWARE




C64/128	cass disk	C64/128	cass	disk
Airborne Ranger	11.20 14.95	Stealth Fighter		0 14.95
Hernate World Games	7.25 11.20	Street Baseball	7.2	5 11.20
Rankok Knights	7.25 11.20	Street Basketball		5 11.20
Battleships	7.25 11.20	Subbattle Simulat	or	5 11.20
Blood Valley	7.25 11.20	SuperSprint		5 11.20
Bubble Bobble	6.55 9.75	Through the Trap	Door 6.5	5 11.20
Buggy Boy	7.25 11.20	Trantor	7.2	5 11.20
324	11.20 14.95	Victory Road		55 9.95
California Games	7.25 11.20	Wizard Wars		25 9.95
Cant America	7.25 9.95	Wizzball		55 9.75
Compendium	7.25 11.20	World Class Lead	erboard 7.2	5 11.20
Elightenment Druid II .	6.55 9.75	XOR		25 9.75
Flite 6 Pack Vol 2	7.25 11.20	Yogi Bear		5 11.20
Evening Star	6.55 9.75	Zynaps		5 10.45
Eye	7.25 11.20		8 Disk only	
Firetrap	7.25 11.20	Alternate Reality	Dungeon	14.95
Football Director	6.55 0.00	Autoduel	***********	14.95
G Linekers Super Soco	cer 7.25 11.20	Battlecruiser		
Galactic Games	7.25 11.20	Battles in Normar	ndy	18.95
Game Set & Match	9.75 13.50	Broadsides		19.95
Gauntlet II	7.25 9.95	Carriers at War	· · · · · · · · · · · · · · · · · · ·	24.95
Gruzor	6.55 0.00	Defender of the C		
Gunhoat	6.55 10.95	Destroyer		
Gunghin	. 11.20 14.95	Europe Ablaze		
Indiana Jones	7.25 11.20	Flight Simulator I	Lawrence of the Control of the Contr	14.05
International Karate +	7.25 11.20	Guild of Theives . Hitchikers Guide	to Colony	10.05
Knight Orc	11.20 11.20	Hitchikers Guide	to Galaxy	10.05
Last Ninja	7.25 11.20	Hollywood Hi Jin Leather Goddess	(Adulte only)	10.05
Live Amo	0.55 0.75	Eurking Horror	(Mounts omy)	10.05
Magnetron	7.05 0.75	Moebius		14.05
Mean Streak	10 75 14 05	Ogre		
Mini Office II	C EE O 75	Panzer Grenadier		19.95
Morpheus	11 20 14 95	Silent Service		11.20
Pirates	7 25 11 20	Stationfall		19.95
Ramparts	7 25 9 95	The Pawn		14.95
Red LED	7 25 9 75	Ultima I/III/IV/V		14.95
Roy of the Rovers	7 25 11 20	Up Periscope		
Rygar	7.25 11.20	USAAF		
Shoot am Un Const S	Set 11.20 14.95	Wargame Constr	uction Set	14.95
Staine	7.25 9.75	Lockable 100 dis	k storage box	9.95
Solomons Key	7 25 11.20	or Storage box +	10 Blank disk	k 16.95
10 5 1/4" Blank Disk .	7.99	Δ	MIGA	
AMIG	Δ	Q Ball		14.95
Barbarian		Roadwar 2000	**********	18.95
Brian Clough Footbal	1 18.95	SDI		22.95
Defender of the Crow	n	Silent Service		18.95
Goldrunner	18.95	Sinbad		22.95
Guild of Theives		Starglider		18.95
King of Chicago		Terrapods	**********	18.95
Karate Kid II		V-382445 Act (805) (815)		

AMIGA 500 and ATARI STFM computer systems now in stock. All prices include post & packing in U.K. Overseas orders please add £1.00 per cass/disk for AIRMAIL delivery. Cheques or postal orders payable to:

WORLDWIDE SOFTWARE

1 Bridge Street, Galashiels TD1 1SW Tel: 0896 57004 all items subject to availability E & OE



Cut Price Disks from Direct Disk Supplies

from only £10.99 for 20 disks delivered to your door.

Premium Universals One disk for all reasons!

The Premium Universal disk tested to DSDD 96tpi - suitable for all drives needing high quality media. (SSDD, DSDD 40/80 track)

25 disks £ 14.99 50 disks € 27.99 100 disks 49.99 200 disks € 96 99 250 disks £119.99 500 disks £229.99 1000 disks £399.99

Packed in 25's, complete with envelopes, labels, WP tabs and hub-rings. Disks individually certified and tested (on both sides) to 96tpi means no problems and higher reliability. Lifetime Warranty

> **ALL PRICES INCLUDE VAT** & DELIVERY TO YOUR DOOR! NO HIDDEN EXTRAS

Rainbows

Sets of 5 colours in each pack Universal coloured disks to code your files and programs. Without doubt the best value coloured disks on the

market. (SSDD, DSDD 40/80 track) € 18.99 25 disks € 35.99 50 disks € 69.99 100 disks £129.99 200 disks £149.99 250 disks £279.99 500 disks €499.99 1000 disks

Packed in 25's, complete with envelopes, labels, WP tabs and hub-rings. Disks individually certified and tested (on both sides) to 96tpi means no problems and higher reliability. Lifetime Warranty.



Cash 'n Carry prices on disks from **Direct Disk Supplies**

OFFER 3 Flippies

This is the disk for turning! Reversible disk tested both sides 2 notches and 2 index holes Ideal for BBC, APPLE, Commodore etc.

25 disks £ 18.99 50 disks £ 35.99 100 disks € 69.99 200 disks £129.99 250 disks £149.99 500 disks £279.99 1000 disks £499.99

Packed in 25's complete with envelopes labels, WP tabs and hub-rings. Disks individually certified and tested (on both sides) to 96tpi means no problems and higher reliability. Lifetime Warranty.

OFFER 4 **HIgrade Doubles &** PC Preformatted

	Higrade	PC		
	Doubles	Formatted		
25 disks	£ 12.99	£ 18.99		
50 disks	£ 23.99	£ 35.99		
100 disks	£ 45.99	€ 69.99		
200 disks	£ 89.99	£129.99		
250 disks	£105.99	£149.99		
500 disks	£199.99	£279.99		
1000 disks	£359.99	£499.99		

Premium quality, individually certified to DS 48tpi. Made for the PC, giving premium quality at budget prices.

Why not spoil yourself, and buy them formatted-a little extra saves a lot! There's never a disk formatted when you need it.

OFFER 5 Bargain Box

Price per order qty. Approx price per disk ex-VAT

		(infor only)
20 disks	£ 10.99	.48
40 disks	£ 19.99	.44
60 disks	£ 28.99	.42
80 disks	£ 36.99	.40
100 disks	£ 42.99	.38
200 disks	€ 82.99	.36
500 disks	£199.99	.35
1000 disks	£389.99	.34

SCOTCH (made by 3M) SSDD 48tpi at prices below other people's plain label. Certified error free and tested by 3M: disks have hub-rings, tyvek envelopes and

Stocks are decreasing rapidly, these have been extremely pop-

- 3.5" Media Life Disks NEW LOWER PRICES OFFER 6

£1099.99

SS 13.99 £ 15.99 29.99 € 26.99 10 73.99 € 64.99 € 20 139.99 €119.99 € 269.99 £229.99 100 € 329.99 €279.99 200 £ 519.99 £429.99 250 € 599.99

€499.99

£949.99

3.5" disks in plastic library

Made by a leading manuboxes. facturer, all our disks are individually certified to 135tpi. Don't forget the price includes VAT, delivery and boxes!

OFFER 7 3M & Verbatim 5.25" disks 3M/Verb

5.25" disks 3M/Verb SSDD 48tpi 744/525 20 disks £25.99 DSDD 48tpi 745/550 20 disks £29.99 DSDD 96tpi 747/557 20 disks £37.99 DSHD 96tpi 799/HD 20 disks £49.99 3.5" disks

SSDD 135tpi DSDD 135tpi 20 disks £39.99 DSDD High Density 20 disks £49.99 10 disks £49.99 Includes VAT and delivery. Same day despatch

Brand Leaders at Cash 'n Carry

If these are your favourite, then don't miss our CRAZY low prices for 20 disks. Remember there's no extras, just terrific value.

OFFER 8 HI-flvers

400

500

1000

PC-AT High Density Disks made by one of our major manufacturers. Suitable for PC-AT and other High Density drives. Lifetime warranty.

Total price (no extras)

20 disks	£ 32.99
40 disks	£ 62.99
60 disks	£ 89.99
80 disks	£119.99
100 disks	£139.99
200 disks	£259.99
500 disks	£599.99

OFFER 9 3" CF2 disks

Maxell or Panasonic 3" CF2 disks

10 disks 20 disks £ 49.99 50 disks £109.99 £209.00

VAT & carriage included.





OFFER 10 Box Clever

Safe! Clean! Tidy!

Sixers - 6 stylish plastic library cases for 10 disks. VAT & carriage included.

Slimpak 28.99 5.25" Vision-10

Lockable Boxes

3.5" TDS040 40/50 disk box £ 9.99 TDS080 80/90 disk box £12.99 5.25"TDS050 50 disk box £ 9.99 TDS100 100 disk box £12.99

£8.99 IBM parallel printer cable

How to order

-at no extra cost

- DIAL-A-DISK ON 01-979 7811, and give your ACCESS or VISA number and expiry date.
 Send your cheque etc. to Direct Disk Supplies Ltd., Official Orders, Bona-fide orders from Universities. Colleges, Schools, Charities, etc are very welcome.
 Cash orders, no minimum value. Account orders, minimum value £30.



Direct Disk Supplies Ltd

Dept YC12 , FREEPOST, 129 High Street, Hampton Hill, Middlesex TW12 1BR

Across the Board

More and more companies are producing adventures based on well-loved board games – watch this space for the latest releases.

By Tony Hetherington


hat have Trivial Pursuit, 221B Baker Street, Ogre and Autoduel in common? The answer is that along with Chess, Bridge, Monopoly, Scrabble and Cluedo they are part of a growing band of baord games that you can now play on and with your C64.

Intellectual Classics

Classic games such as chess and bridge have always been computer favourites and have now reached the standard where they can usually beat their human players. Most software houses have entered a contestant into the classic games stakes that has now replaced the urge to produce fruit machine or Othello games.

The main players in the chess stakes include Mastertronic's Masterchess, with the cheapest (at £1.99), Audiogenic with Grandmaster (that includes a free Othello game) and CDS's Colossus Chess 4. All three will give you a good game and include features to allow you to tailor the game to your level and alter screen colours, provide you with move hints and allow you to backspace if things didn't go according to plan.

Colossus Chess 4 also includes options to display a 3D board, replay the game so far, and six different types of game from full-timed tournament mode to problem mode where the program will help you solve magazine chess problems.



Colossus Bridge 4


Bridge as a game doesn't seem to convert to computer logic as well as chess, probably because at least half of the game is in the understanding with your party and the rest is a combination of luck, card skill, bluffing and a good bidding system. Unfortunately, the trio of Colossus Bridge 4 (CDS), Classic Bridge (Anco) and Oxford Bridge (Thinking Games) cannot hope to simulate this and ends up being a

poor substitute for Bridge addicts, abandoned without three other players.

There can be some help for beginners who want to learn the game without the embarrasment of the long postmortems that Bridge players seem to relish and will find good value in Colossus Bridge 4 as the pack also contains a copy of Begin Bridge by G. Fox that will teach you more than the limited tutorial.

Old Favourites

The Waddington games, Monopoly and Cluedo are quickly attaining classic status with the world famous property game celebrating its 50th birthday last year. Both are now available in a triple pack from Leisure Genius (along with Scrabble) and will provide computer opponents the 360 days of the years when the family don't want to join in. Leisure Genius has just updated C64 Scrabble and has recently launched Scrabble deluxe which features a vocabulary of 20,000 words and eight different skill levels. A full review of Deluxe Scrabble is included in this month's IQ.




Monopoly

The Latest Craze

Last year, Trivial Pursuit stormed the shops around Christmas time and found its way onto coffee tables throughout the world. Thanks to Domark it has also appeared on the C64 and has now been followed by a young players version and the Baby Boomer collection for all those born in the 60s. Since then there have been other trivia games including Datasoft's Mind Pursuit in which you have to answer questions to get across a game track and Arcana's Powerplay where correct answers gave your pieces the power to fight in the arena.

SSI's Colonial Conquest is obviously inspired by Risk and gives you the chance to quench your thirst for global domination. Against other human or computer controlled opponents that play the major powers of the world, you muster and send out your armies and fleets to conquer new territories. This new land will give you more resources to build more armies, or bribe or undermine neutral regimes, pay off unwanted enemies or get spy reports on opponent army strengths.



Trivial Pursuit

Sherlock Holmes I Presume?

221B Baker Street (Datasoft) casts you in the role of the world's most famous detective as you compete against up to three other players (Doctor Watson, Inspector Lestrade or Irene Adler) to solve one of thirty different cases that include the curious cases of the "empty handed thief", "the amourous sailor" and "the perculiar charwoman".

Once the characters and case have been selected then each player should read the case notes in the enclosed booklet so that they know what they're looking for before the game begins. From then on the play continues as each player in turn, throws a dice, and then moves around the board that represents the town. Whenever you enter a building you will receive a clue or part of a clue that can be coded so that only you can understand it.

Armed with these clues and badges you can lock buildings to keep the other detectives out, the race is on to solve the case. Thirty different cases should keep digital detectives sleuthing for some time.



221B Baker Street

Shoot!

Brian Clough's Football Fortunes is a computer game that's also a board game! Inside the packed box alongside the game tape or disk you'll find a board, counters and over 100 playing cards. These cards represent the individual players that you must buy and sell to form the right combination of

defence, midfield and attack to win league and cup honours.

However the best laid plans of mice and football managers are often disrupted by chance that come in the form of 'computerised chance' or 'managers luck' and 'selection' problem cards in which you can gain and lose money and players. The fun really starts when a star striker comes up for auction just before a big game.

Autoduel is a role-playing game (available through Microprose) in which you must "drive offensively to save your own life". It is based on the incredible Steve Jackson game of Car Wars. In the computer version you must build a custom car, pile on armour plating to protect it then arm it with lasers, machine guns and flamethrowers before you dare take to the open road.

Unfortunately, you need money to buy the weapons and since you begin the game desperately short of cash, your only chance is to risk life and limb by entering Amateur Night in the Arena. Survive that and you may win enough money to build a car. Later on in the game you'll be able to gamble in casinos, truck across futuristic America, carry special deliveries or just go on the open road on a vigilante trip.

Soon Available

second game from the excellent Steve Jackson Microgames series is coming soon from Origin and is a computer version of Ogre. This will be a wargame in which one side has an army of hovercrafts, tanks, howitzers and infantry lined up against a single unit. Unfortunately, that unit is an Ogre. A massive Cybertank that bristles with missiles and guns. It's going to be a close fight.

There's more board game conversions to come as Domark plan several more Trivial Pursuit question packs. Activision is set to release its version in September and Gremlin Graphics has announced that they're computerising the Games Compendium in a "new and wacky form" that includes snakes and ladders but with real snakes, and Leisure Genius (Virgin) has plans to extend its range of games with Scruples and Diplomacy! If you haven't played Diplomacy before you're in for a surprise! Seven human or computer controlled players lieing, cheating, bribing, dealing and fighting for control of Europe!

Touchlines:

Mastertronic: 8-10 Paul Street. London EC2A 4JH. Tel: 01-377 6880.

Audiogenic: 39 Suttons Industrial Park, London Road, Reading RG1 6AZ. Tel: 0734 303663.

CDS: CDS House, Beckett Road, Doncaster DN2 4AD. Tel: 0302 21134.

Anco: 35 West Hill, Dartford, Kent DA1 2EL. Tel: 0322 92513/8.

Leisure Genius/Virgin: 2-4 Vernon Yard, Portobello Road, London W11 2DX. Tel: 01-727 8070.

Microprose: 2 Market Place, Tetbury, Gloucestershire, GL8 8DA. Tel: 0666 54326.

SSI/US Gold: Units 2/3 Holford Way, Holford, Birmingham B6 7AX. Tel: 021-356 3388.

COMMODORE 64, 128 & AMIGAS NOW AVAILABLE

COMMODURE 04, 120 a A	MINIONO HOW ATAILABEE
C64 BUSINESS	VAMPIRE
CUT & PASTE (WORLD PROCESSOR) 21.99	STRIKE
NEW CONSULTANT (DATA MANAGER) 43.99	FLASH 2.85
NEW CONSULTANT (DATA MANAGER) 48.99	TENSOR FILLERS TO THE PARTY OF
PRACTAFILE 64 (DATABASE) 19.99	COMPILATIONS
SWIFT SPREADSHEET 64	COMPILATIONS
FIRSTWORD 64 (WORD PROCESSOR) 31.99	ACCOLADE COLLECTION 8.95
SUPERBASE 64	KONAMI'S COIN OP HITS 8.50 12.95
SUPERSCRIPT 64	10 COMPUTER HITS 8.50 12.95
SUPERSURIET 64	HIT PAK 8.50 12.95
EASY SCRIPT	FIVE STAR GAMES 8.50
	FIVE STAN BAMES
C128 UTILITIES	THEY SOLD A MILLION III 8.50 12.95
C128 BASIC COMPILER	NOW GAMES III 8.50
DBASE II	
MODE II COMPLETE	POPULAR GAMES
MICRO CLERK (COMPLETE	ELITE 9.95 12.50
ACCOUNTING) 88.99	ELIIE 9.90 12.00
NEW PAPERCLIP (WORD PROCESSOR) 41.99	FIST II 8.99 13.50
OXFORD PASCAL 46.50	RANARAMA 7.95 13.95
UXFUND PASCAL	METROCROSS 7.95 13.99
SWIFT SPREADSHEET 128 21.99	ARMY MOVES 7.95 13.95
SUPERSCRIPT 128	KRAKOUT 8.95 13.99
	KMAKUUT
C54 UTILITIES/GENERAL Tape Disc ART STUDIO	HYDROFOOL 7.95 12.95
ADT CTUDIO 12 25 15 45	KINETIC 7.95 11.95
GEOS	EN DURORACER
	ALIE WIEDERSEHN MONTY 7.95 13.99
LASER BASIC	SAMURAI TRILOGY 8.99 13.50
LASER COMPILER 18.50 23.50	MARCON CROOTS 7.05 19.50
MINI OFFICE II	INDOOR SPORTS 7.95 13.50
PRINT SHOP43.99	PAPERBOY 8.99 13.50
OURT (ILLUSTRATOR 15.00 18.00	TOMAHAWK
OUILL/ILLUSTRATOR 15.99 18.99 6502 SYMBOLIC ASSEMBLER 12.99	SHORTCIRCUIT 7.95 11.50
BOUZ SYMBULIC ASSEMBLER 12.39	FUTURE KNIGHT 8.95 13.50
RS INTERFACE SOFTWARE 29.99	ESCAPE FROM SINGES CASTLE 8.95 12.95
Z80 EMULATOR 10.99	ESCAPE FROM SINGES CASILE 0.39 16.30
	HYPABALL 8.99 13.50
TOP 10 GAMES	LIGHTFORCE 7.95 13.50
SHADOW SKIMMER 7.95 11.50	HEARTLAND13.50
SHADON SHIMMEN	THE LAST NINJA 8.99 13.50
FALCON8.95 OINK	BLOOD 'N' GUTS 8.50 12.95
OINK 1.35 13.50	GAUNTLET 7.99 13.50
BARBARIAN 8.99 11.99	FOOTBALLER OF THE YEAR 8.99 13.50
WIZBALL 7.95 11.95	FOOTBALLER OF THE YEAR 6.98 13.00
SHADOWS OF MURDER 7.95 13.50	SACE HARRIER 8.99 13.50
EXEC LEADERBOARD 8.99 13.99	TRIVIAL PURSUIT
TAEL LEAGENDUAND	YOUNG PLAYERS
MAGMAX 7.95 11.95	BABY BOOMER 13.50 18.50
WONDERBOY 8.99 13.99	HABT BUUMEN
FOOTBALL G.F.L 8.99 13.50	ACE OF ACES 7.99 12.50
	COBRA 7.95 11.95
TOP TEN BUDGET	JAILBREAK
MILK RACE	GUNSHIP 12.99 16.99
MILK RAUE	BREAKTHRU' 8.99 13.50
IBALL 1.89	11 COURT 7.00 11 50
BMX SIMULATOR 1.89	ALIENS 7.99 11.50
PARK CONTROL 1.89	SILENT SERVICE 8.99 13.50
DENARIUS 1.89	METROCROSS 8.99 13.50
THUNDERBOLT 1.89	KILLED UNTIL DEAD 8.99 13.50
SUPER ROBIN HOOD 1.89	DEADLINE
SUPER RUBIN HUUU 1,89	DEADLINE

SOFTWARE AVAILABLE FOR AMIGA. AMSTRAD. ELECTRON. SPECTRUM. PRICE INCL. P&P FOR ORDERS OVER £7.00. UNDER £5.00 ADD 50p. CHEQUES & POSTAL ORDERS TO:-

CROWN SOFTWARE 47 CROWN DRIVE, SPALDING, LINCS. TEL: 0775 69058

THE ULTIMATE POOLS PREDICTION PROGRAM

- MASSIVE DATABASE Poolswinner is a sophisticated Pools prediction aid. It comes complete with the largest database available 22000 matches over 10 years.
- PREDICTS Not just SCOREDRAWS, but AWAYS, HOMES and NO SCORES.
- SUCCESSFUL SELEC guarantee that Poolswinner performs significantly better than chance.
 ADAPTABLE Probabilities are given on every fixture –
- choose as many selections as you need for your bet. The precise prediction formula can be set by the user you can develop and test your own unique method.

 Boxed, with deta instruction books.
- develop and test your own unique method.

 SIMPLE DATA ENTRY All team names are in the program. Simply type in the reference numbers from the screen. Or use FIXGEN to produce fixture list automatically (see below).
- LEAGUE AND NON-LEAGUE All English and Scottish League teams are supported, and also the non-league sides often used on pools coupons.
 - PRINTER SUPPORT Full hard copy printout of data if you have a printer.

PRICE £15.00 (all inclusive) MAILABLE

FIXGEN 87/8 AT LAST: No more struggling for hours to get the fixture list into the computer. FIXGEN has been programmed with all English and Scottish League fixtures for 1987/8. Simply type in the date, and the full fixture list is generated in seconds. Fully compatible with Poolswinner. Yearly updates available. POOLSWINNER with FIXGEN £16.50 (for both)



NOW

COURSEWINNER v3

NOT JUST A TIPSTER

THE PUNTERS COMPUTER PROGRAM and occasional punters alike You can develop and test your own unique winning system by adjusting the analysis formula, or use the program in simple mode. Coursewinner V3 uses statistical analysis of major factors including past form, speed ratings, course statistics, prize money, weight, going, trainer and jockey form etc, etc. It outputs most likely winners, good long odds bets, forecasts, tricasts etc. The database includes vital course statistics for all British courses. You can update the database — never goes out of date. FULL PRINTER SUPPORT.

PRICE £15.00 (all inclusive) includes Flat AND National Hunt vers

ALL PROGRAMS AVAILABLE FOR: AMSTRAD CPCs, AMSTRAD PCWs, PC1812, All BBCs, All SPECTRUMS, COMMODORE 64/128.

Supplied on tape (automatic conversion to disc) – except PCW and PC1812 (on disc – add £3.00).

Send Cheques/POs for return of post service to . . . order with



selec



phone 24 hrs 37 COUNCILLOR LANE, CHEADLE, CHESHIRE SK8 2HX. ☎ 061-428 7425

Sprite Library

Kicking off our Sprite Library series, we look at the full potential of the sprite.

By Mike Benn

S prites are undoubtedly one of the most useful graphic aids available to the programmer. They have the ability, on command to move freely around the screen, change colour and shape and to create realistic animation which enables them to become an essential element of good graphic design. They can be easily accessed from Basic even if they do need a few POKEs to get them working.

The 'User Manual' that comes with the computer describes, through instructions and examples how to put sprites on the screen, move them about and manipulate their parameters in a number of ways – but hardly taps their full potential of the sprite or the computer programmer.

Programmers of arcade games are well aware of the difficulties that have to be overcome because the system development of new games. Programmers of the C16 are only too well aware of the difficulties that have t be overcome because the system designers overlooked the need for sprites.

Flexible Sprites

Sprites are not just used in arcade games. Their flexibility makes them adaptable for use in all types of programming. Simulations, education based programs, business software and many utility programs often utilise their special characteristics. It is, however, the arcade game that puts sprites, to best use.

One of the most impressive uses of sprites is the creation of animated graphics. By running a series of similar, but slightly different pictures, the eye and brain are tricked into believing the sprite is alive. As with all

forms of animation, the best results require many individual designs to produce a smooth and credible animation. The oustanding animation quality in 'Summer Game 1 & 2' is a fine example of the excellence that can be achieved.

Pre-planning Required

Creating and developing a new game requires considerable preplanning to attain maximum impact in all areas, and good sprite designs are particularly important. Take for example, a simulation of an aircraft coming into land. If it touches down too hard or overshoots the runway, it could be that a sprite 'explosion' will add realism to the game.

Sprites must be designed to accommodate this or other eventualities even though only one of the designs is ever called upon at one time. The sprite registers include collision detectors which helps the programmer, and can be read by PEEKing them, to see if a sprite has collided with another sprite or hit something in the background. Breaking a game plan down into individual sections will help in the process of deciding which type of sprite designs will be the most effective.

Machine code programmers have the distinct advantage of speed, in programming 'shoot-'em-up' games, where as Basic is slower. In machine code you can put 64 sprites on the screen at the same time rather than just the eight, accessed by Basic. It's difficult to know what type of program would use so many sprites, but it can be done.

There is a half-way house that

Basic programmers can use; SYS calls and Basic extensions. A SYS call is a machine code subroutine that can be called from Basic to handle a part of the program where speed is an advantage. Such subroutines are often published in *Your Commodore* and are well worth looking out for. Basic extension is a software program written to supplement the computer's own somewhat limited Basic commands.

Designing Sprites

Designing sprites can be very time consuming, even more so if you follow the technique used in the 'User Manual' which explains the theory of sprite creation and which requires large amounts of arithmetic to produce one sprite design. This seems a shame when you have a computer that can do this type of simple maths standing on its joystick.

A useful piece of software is a 'sprite editor' which allows you to concentrate on the design and leaves the computer to worry about the mathematics. A word of warning though – a sprite has no artistic skills of its own, and relies totally on the skills of the operator.

Sometimes, one sprite isn't large enough on its own to provide the design you want. This is overcome by placing two or more sprites next to each other in a suitable manner. The pre-designed aircraft that accompany this article use this capability, working side by side, but when run on the screen, appear as one. The sprites are stored in memory alternatively so we start of with Sprite I then Sprite II for the first design. The following designs stored in a similar manner so when the sprites are run in a program, the order



is known. A Basic program that would animate four sprites as one larger design would be used as follows:

FOR SP = 0 TO 20 STEP4:POKE2040,SP:POKE2041 +1 :POKE2042,SP+2:POKE2043,SP +3: NEXT

The STEP command steps every four sprites so that the first part of the design is always read by the first sprite pointer.


The complex animated sequences found in any good arcade game needs a great deal of artistic and creative skill to produce. To design a set of sprites from scratch can take days of work and can still fall short of the standards required. The answer to the problem maybe found in Sprite Library.


A wide selection of pre-designed sprites have been saved in Basic loader form to create the basis of an extensive 'Library', illustrating and animating everything from a porche to a square.


Forms of Flight


Let's start the series by taking to the air in three different forms of transport. Starting wth a small jet followed by a helicopter flight and finally a white knuckle ride under a hand glider. Both the plane and the helicopter approach the viewer from the distance and turn to the right. The hand glider is not fully animated as space did not permit. However, there should be enough key frames for you to fill in the missing animation. All the sprite definitions require two sprites.

Hex	Decimal	Description
		1000000000 (0.0.000000000000000000000000
A0-B7/	160-183	Jet plane approaching and turning to the right.
B8-CA	/184-202	Helicopter approaching and turning to the right.
C0-C3/	192-195	Helicopter blades turning while heli- copter hovers facing the viewer.
CA-C0/	202-205	Helicopter blades turning while heli- copter hovers fac- ing right.
CE-D5/	/206 - 213	Hand glider turn- ing to the right.
D6-D7/	/214 - 215	Hand glider flying upwards to the right.










D8-D9/216 - 217



	just taken off.
DA-DB/218 - 219	Hang glider on the ground
	just about to take off or
	has just landed.
DC-DD/220 - 221	Hang glider on the ground pilot under
	canopy
DE-DF /222-223	Hang glider on the ground.

Hang glider

getting ready

to land or has

Getting it all in

Type in the basic loader as published and save it - don't run it or it will selfdestruct. Before running the loader program you will need to reset the computer and type the following:

POKE43,0:POKE44,64:POKE 16384,0:NEW and press RETURN.

This will trick the computer into believing that the Basic now starts at \$4000 instead of \$0801. Load in the

Basic loader and run it; if error free, the program will automatically save itself as a block of data. If you reload that data in the future remember to add a 1 after the device number. The data is saved in the following location \$2800-\$37FF.

The sprites run from 160 to 223 in a compromise to avoid the area \$2000 traditionally set aside for redefined character graphics and to avoid the need of typing in line after line of data.

If only one or two sprites are required then use this formula: (Sprite block No.-160)* + 190 =the data line number at which that sprite blocks data starts.

Remember to type in the following three lines of data and alter the variable BL to the number of data lines you have in your finished program, less 1.

The small basic program Aircraft Display will animate the sprites in both non-expanded and expanded forms on the screen simultaneously. To hold on any sprite enter the same number for Start and End.

Any Sprite Editor program will enable you to change and adapt the individual sprites to your own requirements.

Lister 128

If you've got a printer and disk drive, you'll find the program a handy utility for your 128.

By Kevin Blight

sing Lister 128 will enable you to take a program saved on disk as an ASCII file and list it to the printer. Nothing extraordinary in that, you may think, except that the program does not have to be loaded into memory. Well, Lister will also perform a few other things. First the listing is printed as pages (50 lines to a page); this will mean that the most important line is not printed across the perforations (as normally happens).

Each page is given a heading of your choice, together with the date. All lines of the program are indented so all lines start in a straight line, irrespective of the line numbers. If a line occupies more than one line on the print out the continuation will also be indented, e.g.

1000 REM THIS IS A TEST LINE IT WILL BE SPLIT OVER TWO LINES

You will have the option to list the program in either upper or lower case characters. A page throw is executed at the end of the listing. To save a program as an ASCII file enter:

DOPEN # 1," < FILENAME > ,S,W" CMD1

LIST

PRINT #1 DCLOSE

Once the listing is finished you will have the option of deleting the ASCII file. The variables used are as follows:

See listing on page 83

FS : Name of the file to list N\$: Heading for listing

D\$: Date for listing

: = "U" or "L" for upper or

lower case : Counter - Number of lines printed

: CHR\$ code for lettering to use for printer (U=145 / L=17)

A\$: Characters read from disk file

LS : Line to print

: Counter Length of L\$

: Line number and spaces for indenting

SP\$: String of 9 spaces


: Used in FOR/NEXT loop for page throw

: List another program Y/N

TURBO-WASHER OFFER

FROM ASPREADERS SERVICES






* NO ELECTRICITY REQUIRED

*HOSE CONNECTOR & 32oz SOFT SUDS SUPPLIED

Connect Turbo Wash to a garden hose and use its unique telescopic jet with 3 interchangeable nozzles for fine spray, power jet and angle spray to cut through the dirt using controlled detergent dispenser facility and clean water rinse in one continuous operation. Its super dirt cutting blade of water cleans cars, caravans, patios, engines, 'too high to reach windows', lawnmowers, gutters, etc. With no parts to rust the Turbo-Wash will last for years and years.



Turbo Wash makes a great Christmas gift.

A.S.P. Readers Service, 9, Hall Road, Maylands Wood Estate, Hemel Hempstead, Herts. HP2 7BH tel: 0442

To A.S.P. Readers Services, 9, Hall Road, Maylands Wood Estate, Hemel Hemp	ostea
Herts HP2 7BH Please supply Turbo Washers +	£23.9
I enclose my cheque/P.O. payable to A.S.P. Ltd., Please debit my Access/Barcia	ycar
A/c. No.	

A/c. No.	П	П	ПП		
Signature				 	
Name				 	

Please allow 28 days for delivery. This offer is available to readers in U.K. only. Overseas enquiries in writing to the above address.



Listings

Get it right first time with our deluxe program system for the C64.

ou may have noticed that our listings are free of those horrible little black blobs which send you searching around the keyboard for a suitable graphic symbol. You may also have noticed the funny numbers by the side of each line of the listing. Fret no more, it's all part of our easy entry aid.

Instead of those nasty graphics and rows of countless spaces in PRINT statements and strings we use a special coding system. The code, or mnemonic, is always contained in square brackets and you'll soon learn to decipher their meanings.

For example, [SA] would mean type in a Shifted A, or an ace of spades in layman's terms, and [SA10] would mean a row of ten of these symbols.

[S+2] means hold down the shift key and press the plus key twice. It doesn't take a great leap of logic to realise that [C+2] means exactly the same thing except that the Commodore key (bottom left of the keyboard) is held down instead of the shift key.

If more than two spaces appear in a statement then this will be printed as [SPC4] or, exceptionally, [SSPC4]. Translated into English this means press the spacebar four times or in the latter case hold the shift key down while you do it.

A string of special characters could appear as:

[CTRL N, DOWN2, LEFT5, BLUE,

This would be achieved by holding

down the CTRL key as you press N, press the cursor key down twice, the cursor left key five times, press the key marked BLUE while holding down the CTRL key, press the F3 key and, finally hold the Commodore key down while pressing the number two key (C2 would of course make the computer print in brown).

Always remember that you should only have a row of graphics characters on your screen with no square brackets and no commas, unless something like this appears:

[SS],[C*]

In this case the two characters should have a comma between them.

On rare occasions [REV T] will appear in a listing. This is a delete symbol and is created by entering the line up to this mnemonic. Then type a closing quotation mark (SHIFT & 2) and delete it. This gets the computer out of quotes mode. Hold down CTRL and press the number nine key (RVSON), type the relevant number of reversed T's and then hold down CTRL and press zero (RVSOFF). Next type another quotation mark and delete it again. Now finish the line and press RETURN.

A list of these special cases is given in the table but remember that only one of these mnemonics will appear outside of a PRINT string: the symbol for pi. This may appear when its value is needed in a calculation so this may look something like:

:CC=2*[PI]*R:

Ignore the square brackets and just type in a shifted upward pointing arrow (ie. the pi symbol).

PROGRAM: SYNTAX CHECKER

5 REM SYTAX CHECKER - ERIC DOYLE

10 BL-10 :LN-70 :SA-49152 20 FOR L-0 TO BL:CX-0:FOR D-0 TO

30 READ A:IF A>255THENPRINT"NUMB ER TO LARGE";LN+(L*10):STOP 40 CX=CX+A:POKE SA+L*16+D,A:NEXT

50 READ A: IF A><CX THENPRINT"ERR OR IN LINE";LN+(L*10):STOP 60 NEXT L:SYS 49152:NEW 70 DATA 173,5,3,201,165,208,31,1

20,169,9,141,32,208,141,33,208,1

80 DATA 169,7,141,134,2,169,13,3 2,210,255,169,64,141,4,3,169,168

90 DATA 192,141,5,3,88,96,120,16 9,124,141,4,3,169,165,141,5,1566

100 DATA 3,169,14,141,134,2,141, 32,208,169,6,141,33,208,88,96,15

110 DATA 32,124,165,72,138,72,15 2,72,162,0,165,20,133,254,165,21 ,1747

120 DATA 24,101,254,133,254,189, 0,2,240,18,69,254,133,254,232,18 9.2346

130 DATA 0,2,240,8,24,101,254,13 3,254,232,208,233,169,1,141,134,

140 DATA 2,165,254,74,74,74,74,3 2,156,192,32,210,255,165,254,41,

150 DATA 15,32,156,192,32,210,25 5,169,13,32,210,255,169,13,32,21 0,1995

160 DATA 255,169,7,141,134,2,104,168,104,170,104,96,24,105,48,20 ,1832

170 DATA 58,16,1,96,24,105,7,96, 0,0,0,0,0,0,0,0,403

by Eric Doyle

Checksum Program

The hexadecimal numbers appearing in a column to the left of the listing should not be typed in with the program. These are merely checksum values and are there to help you get each line right. Don't worry if you don't understand the hexadecimal system, as long as you can compare two characters on the screen with the corresponding two characters in the magazine you can use our line checking program.

Type in the Checksum Program, make sure that you've not made any mistakes and save it to tape or disk immediately because it will be used with most of the present and future listings appearing in Your Commodore.

At the start of each programming session, load Checksum and run it. The screen will turn brown with yellow characters and each time you type in a line and press the RETURN key a number will appear on the screen in white. This should be the same as the corresponding value in the magazine.

If the two values don't relate to one another, you have not copied the line exactly as printed so go back and check each character carefully. When you find the error simply correct it and press RETURN again.

If you want to turn off the checker simply type SYS49152 and the screen will return to the familiar blue colours. You can then do whatever it was you wanted to do and if this doesn't use the area where Checksum lies you can go back to it with the same SYS command.

Lower Case

Many of the listings are presented in lower case. To turn your computer to lower case mode press the Commodore key and the SHIFT key at the same time.

Mnemonic	Symbol	Keypress
[RIGHT]		CRSR left/right
[LEFT]		SHIFT & CRSR left/right
[DOWN]		CRSR up/down
[UP]		SHIFT & CRSR up/down
[F1]		f1 key
[F2]		SHIFT & f1 key
[F3]		f3 key
[F4]		SHIFT & f3 key
[F5]		f5 key
[F6]		SHIFT & f5 key
[F7]		f7 key
[F8]		SHIFT & f7 key
[HOME]		CLR/HOME
[CLR]		SHIFT & CLR/HOME
[RVSON]		CTRL & 9
[RVSOFF]		CTRL & 0

Mnemonic	Symbol	Keypress
[BLACK]		CTRL & 1
[WHITE]		CTRL & 2
[RED]		CTRL & 3
[CYAN]		CTRL & 4
[PURPLE]		CTRL & 5
[GREEN]		CTRL & 6
[BLUE]		CTRL & 7
[YELLOW]		CTRL & 8
[POUND]		£
[LARROW]	8	←
[UPARROW]		1
[PI]		SHIFT & ↑
[INST]		SHIFT & INST/DEL
[REV T]		see text
[Cletter]		CBM + letter
[Sletter]		SHIFT + letter

Compunet

In the third part of our communications series, we look at the various uses of Compunet.

By Jennifer Goldsmith

Compared to other communications services, Compunet is a relatively new system. Its official launch was in September 1974 and was a joint venture of Commodore UK and ADP Network Services with ADP providing the service and Commodore providing the modems. However, once Commodore was no longer able to provide the modems or to continue to repair the faulty existing ones, they pulled out and left ADP on its own.

Security Advantages - Modem

However, the Commodore modem was not all bad for the chip in the modem, provided both the software to access Compunet and a unique identity which ADP could use as security. This security is used in two ways. Firstly, it is used when you log on to the system for you can only log on using your own modem. When you register with Compunet, you have to provide an identity number of your modem, so even if you have the correct password but try to log on using your friend's modem, you will not be allowed on the system.

The second use of the identity number is in downloading protected programs, as protected programs will only run on your computer if your modem is in place. Unprotected programs, on the other hand will run without your modem in place. On Compunet, protected programs are denoted by the letters PP and unprotected programs by a single P.

Logging on to Compunet

Once you have obtained your modem and have acquired and fitted the telephone jack, you can plug your



modem into the phone line (see October's issue for more details), you have to register with them.

This is necessary for two reasons. Firstly they have to know who to charge and the address to which bills and other correspondence can be sent, and also to give you a user identity and password. The user I.D. will be used by other users on the system to send you mail. Once you have registered and plugged your modem into both your computer and the phone line, you are all set to dial up.


To do this you simply type CONNECT (return) and the computer will ask you for the phone number which you type in, not forgetting to hit return afterwards. The modem will then dial the computer and when you are connected the screen colour changes from blue to mauve and various words like 'connecting' are

seen. You will also see the word 'linking'. This linking process is giving you some extra software which you should save immediately once you have left the system. You save it with the command CNSAVE (return).

On future occasions you load this software with the command CNLOAD before typing CONNECT. This additional software stores the phone number you have used, so you will not have to type in the phone number again unless you want to use a different phone number.

The Charges

The various charges are quite numerous but easy to understand and are cheap when you consider what you get for your money. There are three different rates of subscription, basic at £9 per quarter, standard at £12 per



quarter and gold at £15 per quarter. You can upgrade from one to the other at any time by paying the difference between the two rates.

However, to downgrade you have to give one months notice and you can only downgrade when subscriptions are due. The rate which is suitable to you, will depend on how much you want to upload onto the system and/or how long you want to spend on the system. Details will be supplied by Compunet when you apply for registration and full details are on the system.

There are also connect charges, storage, distribution and administration, as well as miscellaneous charges. However, before you turn white with fright, let me tell you it is not that bad. The most significant charge is the connect time charge.


Although this charge is 60p an hour after 6pm in the evenings (weekdays) and all day at the weekend, if you use the system for more than five hours a quarter it is worth upgrading to a gold account and paying a fixed £3 a quarter for unlimited free connect time in the evenings and weekends. There is no substitute for the daytime weekday charge (from 8am to 6pm) of £4 per hour but usually only business users access Compunet during those hours. Storage charges of lp/frame/day/ are small unless you have many frames on the system, in which case a gold account may be preferable.

Distribution charges, are like commission rates. If you want to sell something e.g. a program on Compunet, Compunet will take between 40% and 50% of the price as its share.

Administration charges are only charged if your bank refuses to pay a cheque or a direct debit (once you have filled in the mandate).

Miscellaneous charges are for special facilities, many of which are only available to gold subscribers. Details can be found on the system.

DIR SHOW BACK	reveals another directory reveals a text frame returns to the previous
GOTO	directory goes directly to the frame with that number
UCAT	or name displays a catalogue of your uploaded frames
MAIL	accesses the electronic
ACCNT SAVE	shows you your bill saves a downloaded
EDITR LEAVE	program accesses the editor disconnects you from Compunet (this is the
	only way you should disconnect from Compunet otherwise you may get charged more connect time)
PRINT LIFE	prints the current frame used to extend the life of a frame
BUY	used to download
LOAD	loads a frame or progam from disk into the memory of your
UPLD	computer uploads a text frame or program onto the
VOTE	system the Compunet clap- ometer – allows you to vote on software
HELP	for when you get stuck



Finding Your Way Around

Once you are logged on to Compunet, you will notice that there is a whole series of commands near the bottom of the frame. The other name for this is the duckshoot. Here is a list of the commands with a short explanation.

The editor is an area which allows you to print out frames and to edit. The editor stores the last 12 frames (excluding indexes) which you have accessed. In some areas of Compunet you will find there are 'forms' to fill in, e.g. if you want to join a club you can edit or fill in these 'forms' in the editor without going off line and send them using the mail facility to the correct recipient.

The editor also exists off-line for you to inspect and edit frames. The editor can hold up to 8K of data. The editor commands are:

l		
	PUT	used to save the frame currently on the screen to disk
	STORE	saves ALL the frames in the editor to disk
1	PRINT	prints the current frame
	FREE	shows how much space is left (in editor)
	GET	similar to LOAD but frames go into editor
	RETURN	exits from editor to where you were before you went into editor
١	HELP	for when you get stuck
	EDIT	when you first enter the editor you are not in edit mode. You have to use this command to be able to edit
	LAST	when you first enter the editor you see the last frame you accessed. To proceed 'backwards' you use this command
	NEXT	if you have used LAST and want to proceed 'forwards'
	NEW	erases the current frame WITHOUT showing the next frame
	ERASE	erases the current frame AND shows the next frame
	COPY	to copy from one area to

another

The Structure of Compunet

When you are at the first page, the main index, which is the first index page you will see on the system, you will notice a list of names. These are, at the time of writing: Cnet Highlights, About Cnet, Live Wire, S'ware park, Club 128, Zap Club, The Jungle, Comms, Show Case and Shopping Centre.

As you use the cursor to reach the item you want, you will notice that there are numbers of names to the left of the items – these are the page numbers of names. To the immediate right of the item is the letter T followed by a + sign. T indicates that a frame of text is present and the + sign means that there is a sub-directory.

Other letters apart from T can be found. These are D, P and PP. D indicates a 'dummy' page, P a program and PP a protected program. There is a column to the extreme right of the screen. Use the function keys f7 and f8 (shifted f7) and see what happens!

Function keys fl to f6 are used as short cuts to various routes. Each index shows where these will go. Compunet has a tree structure, i.e. a main index with a sub-directory below each one of the directory items listed and so on.

However, in Compunet there is no limit to the number of levels you may have and the page numbers have no bearing on the levels, unlike Prestel.

What's on Compunet

It is obviously both impossible and impractical to list everything on Compunet. Things are changing every day. Basically, Compunet has something to please everyone, whether it is multi-user games, art gallery, demos, educational software, business software, reviews, communications, utilities, clubs, users groups including ICPUG and ICC, hobbies like CHESS and amateur radio, teleshopping, daily computer news and much, much more.

One interesting and unique area is the JUNGLE, which is the area which you can enter your own contributions. This can be anything from notes and comments to long stories and even software. Yes, you can even sell, yes SELL your own software, at a price to be determined by you, which should be reasonable for the product. Of course Compunet takes its commission but you get the best part. This area gives you a chance to get other people's views on you ideas.

There are six main areas in the JUNGLE, which are software, small ads, clubs and societies (excluding those which have a dedicated area of their own), hobby corner, user noticeboard and jobspot. Thus, the JUNGLE is an exciting ever-changing area.

MUD or Multi-User Dungeon, is an adventure game which was originally developed at Essex University and has become the rage since it was made available on Compunet. The only disadvantage with the excitement MUD provides is the charge for playing it PLUS the phone bill!!

Telesoftware on Compunet is numerous and varied. There are free programs of all descriptions whether it is a user giving away his latest program of all kinds, e.g. utilities, educational,

Likewise you can purchase software for numerous tasks from communications and utilities to business software. And there is software for various commodore machines, such as the C64, C128, Amiga and even the PET & +4 & C16.

The Future of Compunet

When Compunet first started, the system was terribly slow but in July, ADP moved to a new location, with new phone numbers, new phone lines, new computer, new software but the same staff. After the initial teething problems such as BT and the fact that most telesoftware needs to be rewritten in a different language for the new computer, the system is proving faster and therefore friendlier.

ADP has some great plans for Compunet, and some should come into effect before the end of 1987. Amiga users should soon be able to access Compunet with of course, an Amiga modem.

C64 and C128 users will eventually be able to use a modem other than the black box. It is hoped that overseas users will be able to use PSS which would be a great help to those in Eire. There are even plans for non-Commodore machines like the Atari ST and IBM to access the system. It is all very exciting, so if you want to find out what the future holds, then join in and find out!

DISKIT 8

S

S

e

n

e

ie

is

e

it

m

1.

m

0

18

re

6.

ie

th

S.

ne

ie

19

OF

ne

to

ın

he

as

ch

re.

ore

to

g,

he

it!

69

Please refer to Listings before typing in any programs.

PROGRAM: MEM CLEAR BOOT

```
10 M1=32768:M2=34992:CH=0
      11 PRINTCHR$(144) CHR$(147)
12 POKE53280,15:POKE53281,12
97
A2
      13 PRINT
8F
      14 PRINTSPC(8) CHR$(18) "[SU,S*
     22,SI]
15 PRINTSPC(8)CHR$(18)"[S-,SP
26
      C22.S-1
     16 PRINTSPC(8) CHR$(18) "[S-,SP
                STATEMENT[SPC3.S-]
      C41DATA
3C
      17 PRINTSPC(8) CHR$(18) "[S-.SP
      C22 S-1
     18 PRINTSPC(8) CHR$(18) "[S-]
TO MEMORY ROUTINE [S-]
E5
      19 PRINTSPC(8) CHR$ (18) "[S-, SP
4A
      C22,S-1
22
     20 PRINTSPC(8) CHR$(18) "[S-,SP
      C5]BY LES ALLAN(SPC5,S-)
     21 PRINTSPC(8) CHR$ (18) "[S-,SP
6C
     22 PRINTSPC(8) CHR$(18) "[SJ.S*
      22.SK1
     23 PRINT:PRINTCHR$(155)
24 PRINT" THIS ROUTINE READS
AO
     THE DATA STATEMENT,
     25 PRINT
     26 PRINT"
                 CONVERTS FROM HEX
     TO BINARY AND POKES"
     27
82
        PRINT
     28 PRINT" CODE BACK TO THE AREA OF MEMORY FROM"
84
     29 PRINT
     30 PRINT" WHICH IT WAS PRE VIOUSLY GENERATED."
19
     31 PRINT: PRINT
DO
     32 READCODES
     33 LB-ASC(RIGHT$(CODE$,1))-48
BB
      : IFLB>9THENLB=LB-7
CF
     34 HB-ASC(LEFT$(CODE$,1))-48:
     IFHB>9THENHB=HB-7
     35 CH-CH+LB+HB
37
     36 PRINTSPC(5) CHR$(5) "READING
      MEMORY BLOCK ..."; M1:PRINTCH
     R$(145):
95
         POKEM1, HB*16+LB:M1=M1+1:IF
     M1<M2THEN32
E6
     38
        IFCH< >27136THENPRINTCHR$(1
     47) "ERROR IN CHECKSUM!!!!!":E
     ND
5F
     39
        SYS34896
12
2A
     41 ::::::::DATUM STATEMENTS
     111111111
10
     42
    43 DATA 00.0B.08.01.00.9E.34, 30.38.30.00.00.00.45.47.D0 44 DATA 72.74.75.7F.77.6B.76, 72.7D.D0.72.74.75.7F.76.6B
9F
39
    16
F5
     84,84,84,84,84,84,84,84
    48 DATA 84,84,84,84,84,84,84,84,84,85,47,C7,4F,42,47,DE,E1,71
49 DATA 6E,65,55,9A,67,67,67,67,67,67,67,67,67,67,67,67,67
73
30
    28
```

```
67.67.67.67.67.67.67.67
    21
               53 DATA 67,67,67,67,67,9A,47,
               89.4F.40.47.DE.E1.71.6E.65
54 DATA 55.9A.67.67.67.67.E7.
0A.02.0A.08.15.1E.67.67.06
    F7
              E8
             86
    6C
   38
   19
   16
              63 DATA 67,9A,47,2D,4E,4C,47,
             DE.E1.71.6E.65.55.9A.67.67
64 DATA 67.67.67.67.67.67.67.
67.67.67.67.67.67.67.67
   A7
              65 DATA 67,67,67,67,67,67,67,
   5E
             67.9A.47.D6.4E.4B.47.DE.E1

66 DATA 71.6E.65.55.9A.67.67

67.67.67.67.67.67.67.67.67

67 DATA 67.67.67.67.67.67.67.67

67.67.67.67.67.67.67.67.67.9A

68 DATA 47.FE.4E.4A.47.DE.E1.

71.6E.65.55.8D.84.84.84.84
   14
   C5
  7A
              69 DATA 84,84,84,84,84,84,84,
              84,84,84,84,84,84,84,84
              70 DATA 84.84.84.84.84.84.8C.
  04
              DC,47,86,4E,49,47,DE,7D,DE
  13
             71 DATA 47.A8,4E,48,47,DE,65,
            71 DATA 47.A8,4E,48,47,DE,65,67,67,13,0F,0E,14,67,17,15
72 DATA 08.00,15,06,0A,67,01,0E,0B,0B,14,67,0A,02,0A,08
73 DATA 15.1E,67,01,15,08,0A,67,63,77,7F,77,77,65,47,5A
74 DATA 4D,57,47,DE,65,67,67,13,08,67,63,01,01,01,01,67
  F5
  C8
  E3
             75 DATA 10.0E.13.0F.67.63.77
77.67.14.08.67.67.13.0F.06
  E2
            76.67.14.08.67.67.13.07.06

76 DATA 13.67.67.10.0F.02.09.

67.13.0F.02.65.47.0C.4D.56

77 DATA 47.DE.65.67.67.17.15.

08.00.15.06.0A.67.14.06.11

78 DATA 02.03.67.67.10.0E.13.
  62
  80
             OF.67,67,0A,02,0A,08,15,1E
           79 DATA 67,14,06,11,02,15,67,0E,14,65,47,3E,4D,55,47,DE 80 DATA 65,67,67,04,15,12,09,04,0F,02,03,67,67,04,08,0A 81 DATA 0A,08,09,67,67,04,08,
 A9
 24
 96
             03.02.67.0E.14.67.15.02.03
 F6
            82 DATA 12.04.02.03.67.13.08.
           65,47.E0,4D,54,47.DE,65,67
83 DATA 67,17,15,08,03,12,04,
02,67,67,06,67,67,14,0A,06
84 DATA 0B,0B,02,15,67,67,10,
08,15,0C,0E,09,00,67,17,15
           85 DATA 08.00.15.06.0A.65.47.

E8.4D.53.47.DE.7D.DE.47.9A

86 DATA 4D.52.47.DE.65.67.67.

12.14.02.67.67.13.0F.0E.14

87 DATA 67.67.10.0E.13.0F.67.

0λ.02.0A.08.15.1E.67.14.06

88 DATA 1.02.15.67.06.00.02
 3F
 89
          OA, 02, 0A, 08, 15, 1E, 67; 14, 06
88 DATA 11, 02, 15, 67, 06, 09, 03,
67, 08, 09, 02, 65, 47, 4C, 4C, 51
89 DATA 47, DE, 65, 67, 67, 17, 06,
15, 13, 67, 0A, 06, 0C, 02, 15, 67
90 DATA 13, 08, 67, 14, 0E, 0A, 17,
0B, 0E, 01, 1E, 67, 14, 06, 11, 02
91 DATA 67, 15, 08, 12, 13, 0E, 09,
02, 14, 65, 47, 5A, 4C, 50, 47, CC
92 DATA 85, 6F, 76, 7E, 70, 6E, F5,
71, 73, E0, 75, 74, 47, 6E, 4C, 5F
93 DATA 47, DE, 80, 6F, 76, 73, 70
9F
95
           93 DATA 47, DE, 80, 6F, 76, 73, 70,
          6E.47.15.4C.5E.47.DE.65.67
94 DATA 67.76.69.67.67.67.0B.
08.06.03.67.61.67.15.12.09
95 DATA 67.0A.02.0A.08.15.1E.
29
           67,06.0B.0B.67,04.0B.02.06
```

```
96 DATA 15.47.C7.4C.5D.47.DE.
7D.DE.65.67.67.75.69.67.67
97 DATA 67.0B.08.06.03.67.0E.
09.67.17.15.08.00.15.06.0A
98 DATA 67.01.08.15.67.04.08.
09.11.02.15.14.0E.08.09.47
    OC
     19
     88
                99 DATA F7.4C.5C.47.DE.7D.DE.
65.67.67.74.69.67.67.67.0B
100 DATA 08.06.03.67.60.0A.02.
0A.76.60.6B.7F.6B.76.67.61
     00
              101 DATA 67.0B.08.06.03.60.0A

.02.0A.75.60.6B.7F.6B.76.47

102 DATA 98.4C.5B.47.DE.7D.DE

.65.67.67.73.69.67.67.67.06

103 DATA 03.03.67.14.1E.14.67

.04.08.03.02.67.6F.0E.69.02

104 DATA 69.67.67.77.67.14.1E

.14.67.75.77.71.76.6E.47.4B

105 DATA 4B.5A.47.DE.7D.DE.65

.67.67.72.69.67.67.67.14.1E

106 DATA 14.67.7F.75.7F.67.13

.08.67.14.06.11.02.67.60.0A

107 DATA 06.0E.09.60.67.60.0C

.02.15.09.60.47.65.4B.59.47

108 DATA DE.65.67.67.67.67.67

.67.67.61.67.60.05.08.08.13
    CB
                 101 DATA 67.0B.08.06.03.60.0A
    65
    18
    17
   D5
   52
    C6
               .67,67,61,67,60,05.08,08.13
109 DATA 60,47.17.4B,58,47,DE
.7D,DE,65,67,67,71,69,67,67
110 DATA 67,04,15,12.09,04,0F
   72
                    67,60.0A,06,0E,09,60,67,01
              111 DATA 0E.0B.02.67.06.09.03
.67.0E.01.67.0B.02.14.14.47
112 DATA 3A.4B.67.47.DE.65.67
.67.67.67.67.67.67.13.0F.06
113 DATA 09.67.76.72.73.67.05
.0B.08.04.0C.14.67.12.14.02
   09
   D9
               114 DATA 67.08.09.02.67.17.06
.15.13.67.11.76.47.E5.4B.66
115 DATA 47.DE.65.67.67.67.67
.67.67.67.13.08.67.14.06.11
   BB
   10
               116 DATA 02,67,04.08,0A,17,0B
              .02.13.02.67.0A.02.0A.08.15
117 DATA 1E.47.8A.4B.65.47.DE
.7D.DE.65.67.67.67.67.67.67
118 DATA 67.0E.01.67.04.0F.06
.15.06.04.13.02.15.67.15.06
   E8
  41
               119 DATA 0A.67.12.09.12.14.02
              .03,67,06,09,03,47,B0,4B,64
120 DATA 47,DE,65,67,67,67,67
.67,67,67,04,15,12,09,04,0F
121 DATA 02,03,67,60,0A,06,0E
  13
                  09,60,67,01,0E,0B,02,67,0E
             .09.60,67,01,0E,0B,02,67,0E
122 DATA 14,67,0B,02.14,14,47
,63.4A,63,47,DE,65,67,67,67
123 DATA 67,67,67,67,13,0F,06
,09.67,76,70,77,67,05,0B,08
124 DATA 04,0C,14,67,12,14,02
.67,08,09,02,67,17,06,15,13
125 DATA 67,11,75,47,09,4A,62
.47,DE,7D,DE,65,67,67,70,69
126 DATA 67,67,67,0B,08,06,03
,67,60,0A,02,0A,74,60,67,08
127 DATA 15,67,60,0A,02,0A,73
  69
  4A
  3D
  49
  6A
              127 DATA 15.67,60,0A,02,0A,73
                 60.67.6B,7F.6B,76,47.3A,4A
             128 DATA 61,47,DE,7D,DE,65,67,67,7F,69,67,67,67,14,1E,14
129 DATA 67,7F,75,7F,67,13,08,67,04,15,02,06,13,02,67,08
130 DATA 09,02,67,17,06,15,13
  2A
 B1
                 67.01,0E,0B,02.47,CB,4A,6F
            F8
 E5
            39
 E9
           7F
BC
           139 DATA 67,67,67,67,67,67
```

VE8:	.67.67.67.67.67.67.67.67.67
4D	140 DATA 67,67,67,67,67,7D,7D
FB	.47.78,49.69,47.7D,7D,67,67
FB	141 DATA 67.0A.02.0A.F7.1E.67
	,67.06.0B.0B.67.04.0B.02.06
C7	142 DATA 15.67.17.15.08.00.15
99	.06,0A,67,67,67,7D,7D,47.20 143 DATA 49,68,47,7D,7D,67,67
99	.67.67.67.67.67.67
F7	144 DATA 67.67.67.67.67.67.67
r	.67.67.67.67.67.67.67.67
5B	145 DATA 67.67.67.67.7D.7D.47
35	.C8.49.77.47.7D.7D.67.67.67
CB	146 DATA 10.15.0E.13.13.02.09
-	.67.05.1E.67.67.67.67.67.67
73	147 DATA 0B.02.14.67.06.0B.0B
26517	.06,09,67,67,67.7D:7D,47,F0
9F	148 DATA 49.76.47.7D.7D.67.67
0.000	.67,67,67,67,67,67,67,67
CA	149 DATA 67,67,67,67,67,67
	.67.67.67.67.67.67.67.67.67
DB	150 DATA 67,67,67,67,7D,7D,47
	,9A,49.75,47.7D.7D.67.67.67
35	151 DATA 75,7F,67,06,13,0C.0E
	.09.14.D6.67.03.15.0E.11.02
10	152 DATA 67,67,09,60,17,F7,13
	,67,67.67.7D,7D,47,42,48.74
FA	153 DATA 47.7D.7D.67.67.67.67
-	,67,67,67,67,67,67,67,67
FD	154 DATA 67.67.67.67.67.67
	,67,67,67,67,67,67,67,67
AB	.34.00.3A,3A,3A,3A,3A,3A,3A
13	156 DATA 3A,3A,3A,3A,3A,3A,3A
10	.3A.3A.3A.3A.3A.3A.3A.3A

C6	157 DATA 3A,3A,3A,3A,3A,3A
100000000000000000000000000000000000000	.3A.3A.3A.3A.3A.00,55,0F,35
A3	158 DATA 00.3A.3A.3A.3A.3A.3A
1	AE, AE, AE, AE, AE, AE, AE, AE, AE,
70	159 DATA 3A.3A.3A.3A.3A.3A.3A
	.3A.3A.3A.3A.3A.3A.3A.3A
B2	160 DATA 3A.3A.3A.3A.00.00.00
	.38.00.3A.3A.3A.3A.3A.3A.3A
F6	161 DATA 3A,3A,3A,3A,3A,3A
no	.3A.3A.3A.3A.3A.3A.3A.3A.3A 162 DATA 3A.3A.3A.3A.3A.3A.3A
BO	.3A.3A.3A.3A.3A.00.00.00.38
20	163 DATA 00.3A.3A.3A.3A.3A.3A
20	,3A,3A,3A,3A,3A,3A,3A,3A
1B	164 DATA 3A.3A.3A.3A.3A.3A
1.0	.3A.3A.3A.3A.3A.3A.3A.3A
EF	165 DATA 3A.3A.3A.3A.00.00.00
Li	.38,00,3A,3A,3A,3A,3A,3A,3A
19	166 DATA 3A,3A,3A,3A,3A,3A,3A
200	.3A.3A.3A.3A.3A.3A.3A.3A.3A
50	167 DATA 3A.3A.3A.3A.3A.3A.3A
-	.3A.3A.3A.3A,00,00.00,00
4D	168 DATA 00.00.EE.EE.EE.EE.EE
1	.EE.EE.EE.EE.EE.EE.EE.EE
8E	169 DATA EE.EE.EE.EE.EE.EE
3000	.EE.EE.EE.EE.EE.EE.EE.EE
80	170 DATA A9,23.8D.0B.08,A9.08
11100	.8D.OC.08,A9.00.85.FB.A9.08
88	171 DATA 85.FC.A0.OD.B1.FB.49
1000	.47.91.FB.CB.DO.F7.E6.FC.A5
22	172 DATA FC.C9.OF.DO.EF.60.A2
	.00.BD,26,10,9D,A7,02,E8,E0
22	173 DATA 59.D0.F5.4C.A7.02.78 .A9.34.85.01.A9.00.85.FB.A2
72	174 DATA 08.86.FC.91.FB.C8.D0
1 /2	1/4 DATA 00.00.10.31.10.00.00

BD	.FB.E6.FC.D0.F7.A9.37.85.01 175 DATA 58.4C.66.FE.00.00.00
ББ	.00.00.00.00.00.00.00.00
4D	176 DATA A9.00.A8.85.FB.85.FD
40	A9.80.85.FC.A9.08.85.FE.B1
7F	177 DATA FB.91.FD.C8.DO.F9.E6
	.FC.E6.FE.A5.FC.C9.A0.D0.EF
5F	178 DATA A9.08.AA.A8.20.BA.FF
71	.A9.OC.A2.94.A0.88.20.BD.FF
84	179 DATA A9.01.85.28.A9.08.85
٠,	.2C.A9.2B.A2.50.A0.10.20.D8
32	180 DATA FF.4C.66.FE.4D.45.4D
~	.4F,52,59,20,43,4C,45,41,52
AA	181 DATA 00.00.00.00.00.00.00
(9,99,91)	.00.00.00.00.00.00.00.00.00
8C	
BD	183 :
80	184 ::::::::::::::::::::::::::::::::::::
	11111111111
06	185 : MEMORY ALL CLEAR BY L
	ES ALLAN :
BA	186 :
	The second secon
22	187 : KIND ASSISTANCE BY GAVI
	N SELLMAN :
8B	188 : FOR HIS 64 WHEN MINE WA
	S BROKEN! :
C1	189 :
BF	190 : 28 ATKINSON DRIVE NEW
	PORT IW :
BF	191 :
	DESCRIPTION OF THE PROPERTY OF
80	192 ::::::::::::::::::::::::::::::::::::
	11111111111

DDOCDAM.	DISK-MANAGER
PERCURSION NAMED I	DISK-MANAGEN

34	1 rem ************
52	2 rem * program to load *
В	3 rem * disk manager *
3b	4 rem * *
13	5 rem * by m.e.catley *
27	6 rem *************
53	10 bl=104 :ln=70 :sa=5158
£ 9	20 for 1=0 to b1:cx=0:for d= 0 to 15
9f	30 read a:if a>255thenprint" number to large";ln+(1*10):s top
28	40 cx=cx+a:poke sa+1*16+d.a: next d
a9	50 read a:if axcx thenprint "error in line";ln+(1*10):st
92	60 next 1
27	70 data 205.165.205.106,206, 38.205.128.205.147,206.248,2
cd	07,1,206,24,2502 80 data 206,43,205,55,205,10 1,205,142,5,83,69,76,69,67,8
e5	4,32,1647 90 data 67,72,79,73.67.69,58 .32,32,32,32,32,32,194,13
72	100 data 29,29,29,29,29,29,2 9,29,18,32,146,194,32,32,32, 32,750
5b	110 data 32.32.32.32.32.32.32.3 2.32.32.32.32.32.32.32.32.32.32.32.32
35	120 data 32.0,233.112,64,64, 64.64,64.64.64.64,64,64,64.6
5e	4,1145 130 data 64,64.64.64.64.64,64.6
	4.64.64.110,160,66,4,9.19,11 ,955
fb	
2d	

	,64,64,64,64,64,64,64,64,64
85	64,1126 160 data 64,64,64,64,64,64,64
	4.64,64,115,160,66,3,32,45,3 2,1029
fd	170 data 3,15,16,25,32,6,9,1 2,5,32,32,32,32,32,32,32,347
4c	180 data 32,66,160,66,30,32, 45,32,19,1,22,5,32,6,9,12,56
d3	190 data 5.32.32.32.32.32.32 .32.32.66.160.66.18.32.45.32
fd	200 data 18.5.14.1,13.5.32.6 .9.12.5.32.32.32.32.32.280
38	210 data 32.66,160,66,6,32,4 5,32,6,15,18,13,1,20,32,4,54 8
87	220 data 9.19.11.32.32.32.32 ,32.32,66,160.66.0.32.45.32.
28	230 data 18.5.19.5.20.32.4.1 8.9.22.5.32.32.32.32.32.317
82	240 data 32.66.160.66.24.32. 45.32.5.24.9.20.32.21.20.9.5 97
ce	250 data 12,9.20.25.32.32.32 .32,32,66,160,66,11.32,45,32 .638
9 a	260 data 11,9.12.12.32,21.20 ,9.12,9,20.25,32,32,32.32.32
еб	270 data 32,66,160,66,19,32, 45,32,19,3,18,1,20,3,8,32,55
7c	280 data 6,9,12,5,32,32,32,3 2,32,66,160,66,22,32,45,32,6
35	290 data 22,1,12,9,4,1,20,5, 32,4,9,19,11,32,32,32,245
9d	

08	192 ::::::::::::::::::::::::::::::::::::
	1717711111
	.746
ьо	320 data 12.15.1.4,32.6.9.12 ,5,32.40.44.56.44.49.41.402
df	330 data 32.66.160.66.9.32.4 5.32,9.14.9.20.9.1.12.9.525
a0	340 data 19.5.32.4.9.19.11.3 2.32.66.160.107.64.64.64.64.
сЗ	752 350 data 64.64.64.64.64.64.64.6 4.64.64.64.64.64.64.64.64.64.64
0d	360 data 64.115.160.66.19.5. 12.5.3.20.32.3.8.15.9.3.539
50	370 data 5.58.32.32.32.32.32 ,32.32.66.160.66.32.32.32.32
de	.707 380 data 32.32.32.32.32.32.32.3 2.32.32.32.32.32.32.32.32.32
38	,512 390 data 32.66.160.109.64.64 ,64,64,64.64.64.64,64,64.64
a2	64.1135 400 data 64.64.64.64.64.64.64.6 4.64.64.125.160.160.160.160.
99	160,160,1661 410 data 160,160,160,160,160 ,160,160,160,160,160,160,160
сВ	8.160,15.32,186,255.173.51.2
a7	07,162,54,1914 430 data 160,207,32,189,255, 76,192,255,32,40,204,169,135 ,160,207,32,2345
1a	
be	
68	460 data 32.210.255,206.51,2 07,76,214.203,201,31,144,221
40	.201,96.176.2524 470 data 217,32,210,255,174. 51.207.157,54,207.238.51,207 .76.214.203,2553

310 data 5,32,40,44,56,41,32,32,32,66,160,66,31,32,45,32

7a

_	
fd	480 data 162.0.142.51,207,17 4,51,207,157,54,207,232,169, 48,157,54,2072
fd	490 data 207,232,169,58,157, 54,207,232,142,51,207,96,162
61	48,160,201,32,30,171,162,16,
60	160.10,24.1834
38	60,207,76,203,2746
1a	5,160,207,32,2473
e2	76,127,206,2316
ca	41,237,204,169,2929
70	60,32,224,2309
12	204,169,1,2313 570 data 133,43,162,8,134,44 ,32,186,255,169,0,141,51,207
5c	.32.144.1741 580 data 255.32.77.204.173.5 1.207.162.54.160.207.76.189.
c0	255,169,177,2448 590 data 141,234,204,169,252 ,141,235,204,169,254,141,237
96	,204.169,0.133,2887 600 data 254.169,8,162,4,160 ,160,32,224,204,169,0,133,25
d3	4,169,8,2110 610 data 162,216,160,164,133 ,252,134,253,132,255,162,19,
db	160,23,177,252,2654 620 data 145,254,136,16,249, 169,40,24,101,252,133,252,14
fc	4.2.230.253.2400 630 data 169.24.24.101.254.1 33.254.144.2.230.255.202.16.
17	222.96,169,2295 640 data 177.141.234.204.169 .252.141,237,204.169,254.141
80	.235,204,169,206,3137 650 data 133,254,169,8,162,4 ,160,201,32,224,204,169,169,
08	141.234.204.2468 660 data 169.1.141.235.204.1 69.8.162.216.76.224,204.160.
0b	0.32,154.2155 670 data 204,169.0.162.1.160 .8.32,213.255,8.169.192.32.1
0c	44.255,2004 680 data 40.176,15,134,45,13 4,47,134,49,132,46,132,48,13
c5	2,50.32,1346 690 data 94.166,169.0,141.51 .207.76,182.205.160.1,76.58.
14	205.160,1951 700 data 1.32.154.204.169.43 .166.45.164.46.32.216.255.16
58	9,192,32,1920 710 data 144,255,76,94,205,1 69,78,32,12,204,32,63,204,32
f9	.84.204,1888 720 data 76.182,205,169,73.7 6,46,206,169,85,141,54,207,1
d5	69.74.141.2073 730 data 55.207.169.2.141.51 .207.76.182.205.169.67.32.12
3е	.204.32,1811 740 data 70.204.169.61.32,17 ,204.32.196.203.32,174,203.3
ea	2,40,204,1873 750 data 169,207,160,207,32,

f	7,54,207,232,208,243,162,3,1	2.1230 63 1040 data 32.79.76.68.32.70. 73.76.69.78.65.77.69.0.69.78
50	89.54,207.2431 770 data 201.44.240.6.32.210 .255.232.208.243.173.54,207,	3c 1050 data 84,69.82,32,78,69, 87,32,70,73,76,69,78,65,77,6 9,1110
` a5	13,55,207,2380	a0 1060 data 0.69,78,84.69,82.3 2,70,73,76,69,78,65,77,69,0.
73	201,48,240,2349	86 1070 data 69,78,84,69,82,32, 68,73,83,75,32,78,65,77,69,4
ab	69.15,32,2155	4.1078 f2 1080 data 73.68.0.68.73.83.7 5.32.83.84.65.84.85.83.58.32
d8	206,169,83,32,2646	.1046 73 1090 data 32,32,32,13,29,29, 29,29,29,29,29,29,29,0,65
За	,168,205,2012	.464 1e 1100 data 82.69.32,89.79.85. 32.83,85.82,69.63.32.91,89.4
Of	,3,108,1840	7,1109 1d 1110 data 78.93.0.0.0.0.0.0. 0.0.0.0.0.0.0.0.171
1a	1,3,88,1663	40 1120 poke43.124:poke44.201:p oke45.0:poke46.208 e2 1130 save"disk manager",8
ed	41,49,207,2080 850 data 173,33,208,141,50,2 07,165,252,72,165,253,72,165	39 1140 print"[clr]disk manager activated":sys53000 de 1150 poke43.1:poke44,8:new
3d	.254.72.165,2447 860 data 255.72.32.186.204.1	
60	69.0.141.33.208.133.207.169, 1.141.134.2085 870 data 2.133.204.32.11.205	PROGRAM TYPRO 100 rem typro p.g.simonds dece
e0	,32,228,255,240,251,162,11,2 21,94,207,2288 880 data 240,6,202,16,248,76	mber 1986 101 rem 102 rem
Зđ	.130.206.138.10.170.189.124. 201.72.189.2217 890 data 125.201.72.189.106. 207.133.254,189.107.207.133.	104 rem to help type this progra m into your computer, all lines containing
35	255.160.20.177.2535 900 data 254.73.128.145.254. 136.16.247.76.40.204.174.47.	105 rem print(ed) control characters are followed by a rem(ark) line describing
9e	207,172,48.2221 910 data 207,24,32,240,255,1	106 rem the characters. 107 rem 108 rem these rem lines, with a
30	69.0.133.204.169.1.133.207.1 73.49.207.2203 920 data 141.134.2.173.50.20	line number ending with 1, i.e. 4221, need not 109 rem be typed in & 5276.1526.
a5	7.141,33,208,165,1,41,254,13 3,1,32,1716 930 data 113,204,165,1,9,1,1	4036,7024 and 14076 need not be typed in. other 110 rem rem(ark) lines before li
44	33.1.104.170.104.168.104.133 .255.104.1769 940 data 133.254.104.133.253	ne 1000 need not be typed in. a 11 other rem 111 rem statements should be lef
e1	.104.133.252.152.72.138.72.9 6.32.183.206.2317 950 data 32.34.207.108.52.20	t in as they mark the start of s ections called 112 rem in goto statements.
ad	7,32,183,206,108,52,207,173, 20,3,201,1825 960 data 52,208,10,173,21,3,	113 rem 114 rem 115 rem
16	201,206,240,24,173,20,3,141, 52,207,1734 970 data 173,21,3,141,53,207	116 rem examples of mnemonics u sed 117 rem
88	.169.52.162.206.120.141.20.3 .142.21.1634 980 data 3.88.96.0.0.0.0.0.0	118 rem 119 rem [clr] shift & clr/hom e
72	.0.0.0.0.0.0.0.187 990 data 0.0.0.0.0.0.0.0.0.0 .0.0.0.0.0.0.0	120 rem 121 rem [down] cursor down 122 rem
78 87	1000 data 0.0.0.0.0.0.0.0.0.0. 0.0.0.0.0.0.0.0 1010 data 0.0.67.94.82.70.64	123 rem [up] cursor up 124 rem
5c	,88,75,83,86,76,95,73,130,4, 1087 1020 data 170,4,210,4,250,4,	125 rem [left] cursor left 126 rem 127 rem [right] cursor right
	34.5.74.5.114.5.154.5.194.5. 1237	128 rem 129 rem [down2] cursor down, tw ice
c6	1030 data 234,5,18,6,58.6,17 5,32,157,157,0,69,78,84,69,8	130 rem 131 rem [down2,right,etc] is on

```
1.1000.5
e print statement of cursor down
                                   inting mode
                                   1085 getkeya$
 twice.cursor
                                   1090 ifa$="(rght)"ora$=" "thena$
                                                                         800.5
                            right
132 rem
                                    =" ":goto1340
once, followed by any printed t
                                   1091 rem [right] & [space] & [sp
                                                                         .600.50
ext.
                                   acel
133 rem
         [down] & [up] describes
                                   1100 ifa$="-"ora$="+"ora$="-"ora
134 rem
                                    $="="then1340
separate print statements on a
                                   1101 rem [s+*] & [s+=] & [minus]
single line.
                                                                        1430 goto1080
                                    & [equals]
135 rem
                                   1110 ifa$=chr$(157)andlen(b$)=0t
         frevonl reverse on - co
136 rem
ntrol & 9
                                   hen1080
                                                                        p)";:goto1460
                                    1120 ifa$=chr$(20) andlen(b$)=0th
137 rem
                                                                        1441 rem [up2]
         [revoff] reverse off -
                                    en1080
138 rem
                                    1130 ifa$=chr$(144)thena=15:goto
control & zero
                                    1440
139 rem
                                    1140 ifas=chrs(18)thenprintchrs(
         [flashon] flash on - co
140 rem
                                    18)::rf=1:goto1080
ntrol & comma (.)
                                    1150 ifa$=chr$(5)thena=14:goto14
141 rem
142 rem
         [flashoff] flash off -
control & full stop (.)
                                    1160 ifa$=chr$(28)thenb=15:goto1
                                                                        1471 rem [up]
                                    440
143 rem
                                    1170 ifa$=chr$(159)thenb=8:gotol
         [s+0] shift & zero
144 rem
                                    440
145 rem
                                    1180 ifa$=chr$(13)thena$="":goto
         [s+*] shift & *
146 rem
                                    1080
147 rem
                                    1190 ifa$=chr$(34)thenb$=b$+chr$
148 rem
         [s+=] shift & -
                                    (34):printchr$(34);chr$(34);"(le
149 rem
         [black] control & 1 (et
                                    ft) (rvs) ($130) † (off) ($132) (left)
150 rem
                                     ::goto1370
c.)
                                                                          "::nextp
                                    1191 rem [left,revon,flashon,s+0
151 rem
                                    ,revoff,flashoff,left]
         [orange] commodore logo
152 rem
                                    1200 ifas=chr$(157)thenas=chr$(2
 & 1 (etc.)
153 rem
154 rem
         [home] clear/home
                                    1210 ifa$=chr$(156)thenc=18:rf=1
         [etc] shows that text f
155 rem
                                    :printchr$(18);:goto1440
ollows the control characters.
                                    1220 ifa$=chr$(30)thenc=146:rf=0
156 rem
                                    :goto1440
                                    1230 ifa$=chr$(146)thenprinta$;:
157 rem [space7] shows 7 spaces
                                    rf=0:goto1080
158 rem
                                    1235 ifa$=chr$(20)then1610
                                    1240 ifas=chr$(20)thenb$=left$(b
1000 rem typro - writer and proc
                                    $,(len(b$)-1)):print"(off) (left
esser - p g simonds - december,1
                                    )(left)(rvs)($130)†(off)($132)(1
986
                                    eft)"::goto1080
1010 print"(clr)(wht)":open4.4.7
                                    1241 rem [revoff, space, left2, rev
 :color4.1:color0,9,4:printchr$(1
                                    on,flashon,s+0,revoff,flashoff.l
4):vol2:print#4
1011 rem [clr.white]
                                    1250 ifas=chr$(129)oras=chr$(149
1015 n=1:a=15:b=15:c=146:d=17:s=
0:pp=0:w=0:a$="":ns$="":rf=0:d$=
                                    )ora$=chr$(150)ora$=chr$(151)the
   :rs=1:gg$=""
                                    n1080
                                    1260 ifa$=chr$(153)ora$=chr$(154
1020 di=200:dims$(di):dima(di):d
 imb(di):dimc(di):dimm1$(di):dimm
                                    )ora$=chr$(155)ora$=chr$(152)the
 2$(di):dimd(di)
                                    n1080
                                    1270 ifa$=chr$(147)ora$="(up)"or
1030 a(1)=15:b(1)=15:c(1)=146:d(
                                    a$="(down)"ora$=chr$(148)then108
1)=17:m1$(1)="(orng)(brn)":m2$(1
  "(orng)(brn)"
                                    1271 rem [up] & [down]
1031 rem [orange,brown] & [orang
                                    1280 ifa$=chr$(31)thend=145:prin
e, brownl
                                    tchr$(142);:goto1440
1040 print"(clr)(down)(down)(dow
                                    1290 ifa$=chr$(158)thend=17:prin
n) (down) (rght) (rght) (rght) menu o
                                    tchr$(14)::goto1440
1295 ifa$="."ora$=":"thens=1
r new page or old? (m/n/o)":getk
 eyns$:ifns$="o"then9030
                                    1300 ifa$=chr$(27) andle=1then513
1041 rem [clr.down4.right3.etc]
 1045 ifns$="m"thenmd=1:goto4170:
                                    1310 ifa$=chr$(27)andle=Othenn=n
elseifns$="n"then1050:else1040
                                    -1:b$="":goto4000
 1050 input" (down) (down) (down) (do
                                    1320 ifa$="(home)"andle=Othenpri
nt" ":goto3000 -
wn) (down) (down) (down) (rght) (rght
 )(rght)characters per line? (2-1
 64) ":w:ifw>164orw<2then1050
                                    1321 rem [home]
                                    1330 ifa$="(home)"andle=1thenpri
nt" ":goto5140
 1051 rem [down7.right3.etc]
1060 z=0:print"(clr)(down)(down)
a=";a,:print"b=";b,:print"c=";c,
                                    1331 rem [home]
                                                                         side text
 :print"d=";d:ifn=Othenn=1
                                    1340 b$=b$+a$
                                    1350 ifrf=lorc=18thenprintchr$(1
 1061 rem [clr.down2.etc]
 1070 b$="":print"(rvs)line numbe
                                    8):
                                                                         :goto1690
 ":n;"(off)":gosub2000:print"(rv
                                    1360 printas:
                                    1370 iflen(b$)(w+zthenprint"(rvs
s) ($130) † (off) ($132) (left) ":
                                     )($130) (off)($132)(left)"
                                                                         :goto1690
 1071 rem [revon.etc] & [revoff]
                                    1371 rem [revon,flashon.s+0.revo
  [revon,flashon,s+0,revoff.flas
                                    ff.flashoff.left]
 hoff, left]
                                    1380 if len(b$) > (w+z-10) thensound
 1080 rem composition and line pr
```

```
1390 if len(b$) > (w+z-5) thensound1
1400 if len(b$) > (w+z-3) thensound1
1410 iflen(b$)>(w+z-1)andle=1the
nprint:goto5140
1420 iflen(b$) > (w+z-1) and le=0the
nprint:goto3000
1435 rem display control codes
1440 iflen(b$) = Othenprint"(up)(u
1450 forp=ltolen(b$):print"(left
)";:nextp:print"(up)(up)";
1451 rem [left] & [up2]
1460 print"(off)
1461 rem [revoff.space37]
1470 print"(up)":
1480 ifc=18thenprintchr$(18):
1490 print"a=";a,:print"b=";b.:p
rint"c=":c.:print"d=":d:ifrf=1th
enprintchr$(18):
1500 print"(down)":
1501 rem [down]
1510 iflen(b$)-z=0andz=0then1525
1520 forp=1tolen(b$):print"(rght
1521 rem [right]
1525 ifa$="(blk)"ora$="(wht)"ora
$="(pur)"ora$="(grn)"ora$="(blu)
"ora$=""thenprintchr$(148):" ":
1526 rem[black]& [white] & [purp
le] & [green] & [blue] & [yellow
[ & [space,left]
1530 ifa$="(pur)"thenb$=b$+chr$(
18):z=z+1:print"(rvs)($130)(blk)
5(wht)(off)($132)"
1531 rem [purple] & [revon.flash
on.black.5,white,revoff,flashoff
1540 ifa$="(grn)"thenb$=b$+chr$(
146):z=z+1:print"(rvs)($130)(blk
)6(wht)(off)($132)";
1541 rem [green] & [revon.flasho
n.black.6.white,revoff,flashoffl
1550 ifa$="(blk)"thenb$=b$+chr$(
15):z=z+1:print"(rvs)($130)(blk)
1(wht)(off)($132)":
1551 rem [black] & [revon.flasho
n.black.l.white.revoff.flashoffl
1560 ifas="(wht)"thenbs-bs+chrs(
14):z=z+1:print"(rvs)($130)(blk)
2(wht) (off) ($132)"
1561 rem [white] & [revon.flasho
n, black. 2. white, revoff, flashoff]
1570 ifa$="(blu)"thenb$-b$+chr$(
145):z=z+1:print"(rvs)($130)(blk
)7(wht)(off)($132)"
1571 rem [blue] & [revon.flashon
 black, 7, white, revoff, flashoff |
 1580 ifa$="(yel)"thenb$-b$+chr$(
 17):z~z+1:print"(rvs)($130)(blk)
8(wht)(off)($132)";
1581 rem [yellow] & [revon.flash
on, black, 8, white, revoff, flashoff
1590 ifa$=chr$(20)then1240
1600 goto1080
1605 rem delete control codes in
1610 z$=right$(b$.1)
1620 ifz$=chr$(15)thenz=z-1:a=14
 1630 ifz$=chr$(14)thenz=z-1:a=15
1640 ifz$=chr$(18)thenz=z-1:c=14
6:rf=0:goto1690
1650 ifz$=chr$(146)thenz=z-1:c=1
```

1660 7:pr					
1660 7:pr	-1 · go	to1690			
7:pr	ifz\$	-chr\$(145) th	enz-z	-1:d=1
	intch	r\$(14)	: goto	1690	
1670	ifz5	-chrs(17) the	nz=z-	1:d=14
5:pr	intch	r\$(142)	::got	01690	1
	goto		Secretary of		927
to14		1:1	printe	hr\$(2	(0);:go
1,1500000F145	0.5	typing	avid	muhwa	W Northwest
2010	ifpn:	=Othen	0040.0	least	w<2the
	0:else		.040.6	isell	w/Ztile
		tleft\$	aas w	-1) - "	5" -
2030	forp-	=1tow:F	rint"	(left) "::ne
xtp:	retur	n		M	C. L. V. L. P. C.
	rem				
2040	g1\$='		1	19	2
45	6"	6.5	4	335	5
2050			2270	20	20
2050	g2\$≈'	(8)			8
	1"	2005	C	25	11
2060	g3\$="	2	13		14
	15	4	1.6		14
2070		11\$+92\$		p = 1	
2080	goto2	2010	2 a a a a a a		
3000		rint o	ne lir	ie ro	utine
3010	ifrf=	1thenp	rintch	nr\$(1	46)
3020		8thenp			
"e";					
3030	ifa=1	4thenp	rint#4	,chr	\$(27):
"W":					
3040	print	#4.chr	\$(a):0	hr\$(c); chr
3050		r\$(b);			
3050		#4.chr			- Marrie Construction
		=b\$:b\$	- : a (n)=a	: b(n) =
	r) = c : d	osub80	0.0		
3080	netke	yc\$:if	00 ce="c"	than'	2100
3090	ifc\$=	"m"the	4000	e Lees	0100
.800.	50:pr	int"(de	own)	pres	e 'c'
or '	m'": q	oto308	0	PAGE	596 No.
		down.s		etcl	
3100	z=0:n	=n+1:p	rint:i	fc-18	Sthenp
rinto	hr\$(1	8):			
3110	print	"a=";a	.:prin	t"b="	:b.:p
rint"	C""; C	.:print	:"d=";	d	
3120	print	"(rvs)	line n	umber	":n:"
01110)	:905	ub2000	print	"(rvs	(\$13
3121	11)(\$	132) (16	eft)":	:goto	1080
Sici	von f	revon.e lashon.	CC1 0	trev	0111
hoff.	leftl	rasmon.	510,1	evori	, I 1 dS
	rem me	enu			- 1
4010	ifn<1t	thenn=0	1		
4010	print	print'	m	e n 11	- 22
4010	DE THE	atr -	***	- "	
4020	for h	141 1 11 1 11	" of the	e(8).	md=0
4020 ess h 4030	for l getkey	/d\$			md=0
4020 ess h 4030 4035	for l getkey ifd\$='	/d\$ 'c"andw			md=0
4020 ess h 4030 4035 r)":g	for l getkey ifd\$=' otol05	/d\$ 'c"andw 50			md=0
4020 ess h 4030 4035 r)":ge 4036	for P getkey ifd\$=' oto105 rem [c	/d\$ 'c"andw 50 :1r]	<2the	nprin	md=0 t"(c1
4020 ess h 4030 4035 r)":ga 4036 4040	for P getkey ifd\$=' oto105 rem [c ifd\$='	/d\$ 'c"andw 50 :1r] 'c"andm	<2the	nprin	md=0 t"(c1
4020 ess h 4030 4035 r)":ga 4036 4040 lr)":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31	/d\$ 'c"andw 50 :1r]	<2the	nprin	md=0 t"(c1
4020 ess h 4030 4035 r)":ge 4036 4040 lr)":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31 3100	/d\$ 'c"andw 50 :1r] 'c"andm	<2the	nprin	md=0 t"(c1
4020 ess h 4030 4035 r)":ga 4036 4040 lr)":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31 3100 rem [c	/d\$ 'c"andw 50 :1r] 'c"andm .00:e1s	≪2the d=1the eifd\$:	nprin enpri	md=0 t"(c1 nt"(c ndmd=
4020 ess h 4030 4035 r)":g« 4036 4040 lr)":g 5040 11040 11040	for P getkey ifds=' otolog rem [c ifds=' goto31 3100 rem [c ifds='	/d\$ 'c"andw 50 :lr 'c"andm 00:els :lr]	<pre><2the d=1the eifd\$: d=1the</pre>	nprin enpri "c"a	md=0 t"(c1 nt"(c ndmd=
4020 ess h 4030 4035 r)":ga 4036 4040 lr)":g 4041 4041 4050 lr)":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31 3100 rem [c ifd\$='	/d\$ 'c"andw 50 :1r] 'c"andm .00:e1s	<pre><2the d=1the eifd\$: d=1the</pre>	nprin enpri "c"a	md=0 t"(c1 nt"(c ndmd=
4020 ess h 4030 4035 r)":ga 4036 4040 lr)":g 00then 4041 14050 lr)":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31 3100 rem [c ifd\$=' goto60	/d\$ 'c"andw 50 :1r] 'c"andm 00:e1s :1r] 'p"andm	<pre><2the d=1the eifd\$: d=1the</pre>	nprin enpri "c"a	md=0 t"(c1 nt"(c ndmd=
4020 ess h 4030 4035 r)":ga 4036 4040 lr)":g 00then 4041 14050 lr)":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31 3100 rem [c ifd\$='' goto60 5000 rem [c	/d\$ 'c"andw 50 :lr 'c"andm 00:els :lr 'p"andm	<pre><2the d=1th eifd\$: d=1th eifd\$:</pre>	mprin empri e"c"a empri	md=0 t"(c1 nt"(c ndmd=
4020 ess h 4030 4035 r)":g 4040 lr)":g 4040 lr)":g 4041 14050 lr)":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31 3100 rem [c ifd\$='' goto60 rem [c ifd\$=''	/d\$ 'c"andw 50 :1r] 'c"andm 00:els :1r] 'p"andm 00:els :1r] s"andm	<pre><2ther d=1the eifd\$: d=1the eifd\$: d=1the</pre>	enprin enpri e"c"a enpri	md=0 t"(c1 nt"(c ndmd=
4020 ess h 4030 4035 r)":g 4036 14040 11r)":g 04041 14050 11r)":g 0then 4051 14060 11r)":g	for 1 getkey ifds='cotologids='goto31 3100 rem [coto60 5000 rem [coto60 5000 rem [coto70 7000 7000	/d\$ 'c"andw 50 clr 'c"andm 00:els clr 'p"andm 00:els lr s"andm	<pre><2ther d=1the eifd\$: d=1the eifd\$: d=1the</pre>	enprin enpri e"c"a enpri	md=0 t"(c1 nt"(c ndmd=
4020 ess h 4030 4035 r)":g 4036 14036 11r)":g 00then 4051 14060 11r)":g 00then 14061 14061 14061 14061 14061 14061 14061 14061	for 1 getkey ifds='cotologifds='goto31 3100 rem [coto60 5000 rem [coto70 7000 rem [coto70 7	/d\$ 'c"andw 50 clr 'c"andm 00:els clr 'p"andm 00:els lr s"andm	<pre><2ther d=1the eifd\$: d=1the eifd\$: d-1the eifd\$:</pre>	enprin enpri enpri "p"a enpri "s"a	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd- nt"(c ndmd=
4020 ess h 4030 4035 r) ":g 4036 4040 lr) ":g 00then 4050 lr) ":g 4050 lr) ":g 4060 lr) ":g 00then 4070 i	for P getkey ifds=' otolog rem [c ifds=' goto31 3100 rem [c ifds='' goto60 rem [c ifds='' goto70 rem [c ifds='' goto70 rem [c	/d\$ 'c"andw 50 :Ir 'c"andm 00:els :Ir 'p"andm 100:els :Ir s"andm 00:els	<pre><2ther d=1the eifd\$: d=1the eifd\$: d-1the eifd\$:</pre>	enprin enpri enpri "p"a enpri "s"a	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd- nt"(c ndmd=
4020 ess h 4030 4035 r)":g 4040 lr)":g 4040 lr)":g 0then 4051 4050 lr)":g 0then 4061 r 4060 lr)":g	for 1 getkey ifds='cotologids='goto31 goto60 goto60 goto70 get [cifds='goto70 goto70 goto90 g	/d\$ 'c"andw 50 clr 'c"andm 00:els clr 'p"andm 00:els lr s"andm	<pre><2ther d=1the eifd\$: d=1the eifd\$: d-1the eifd\$:</pre>	enprin enpri enpri "p"a enpri "s"a	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd-
4020 ess h 4030 4035 r) ":g 4036 4040 lr) ":g 00then 4051 lr) ":g 00then 4061 lr) ":g 00then 4070 ilr) ":g	for P getkey ifd\$=' oto105 rem [c ifd\$=' goto31 3100 rem [c ifd\$='' goto60 rem [c ifd\$='' goto70 rem [c ifd\$='' goto70 rem [c ifd\$=''	/d\$ 'c"andw 50 :lr 'c"andm 00:els :lr 'p"andm 00:els 'lr s"andm 00:els !r	<pre><2ther d=1the eifd\$: d=1the eifd\$: d-1the eifd\$:</pre>	enprin enpri enpri "p"a enpri "s"a	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd-
4020 ess h 4030 4035 r) ":g 4036 4040 lr) ":g 0then 4051 lr) ":g 0then 4051 lr) ":g 0then 4071 lr) ":g 0then 4071 lr) ":g	for P getkey ifds=' otolog rem [c ifds-' goto3] 3100 rem [c ifds=' goto60 rem [c ifds=' goto70 7000 rem [c ifds=' goto90 rem [c	/d\$ 'c"andw 50 :lr 'c"andm 00:els :lr s"andm 00:els !r s"andm 00:els !r	<pre><2ther d=1the eifd\$= d=1the eifd\$= d=1the eifd\$= d=1the</pre>	enprin enpri enpri "p"a enpri "s"a	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd- nt"(c ndmd=
4020 ess h 4030 4035 r)":g 4036 4040 lr)":g 0then 4051 lr)":g 0then 4051 lr)":g 0then 4071 lr)":g 0then 4071 lr)":g	for P getkey ifds=' otolog rem [c ifds=' goto31 3100 rem [c ifds='' goto70 7000 rem [c ifds='' goto90 rem [c ifds=''	/d\$ 'c"andw 50 :Ir] 'c"andm 00:els :Ir] 'p"andm 00:els Ir] s"andm 00:els Ir] l"andm 00:els	<pre><2ther d=1the eifd\$: d=1the eifd\$: d=1the eifd\$: d=1the</pre>	enprin enpri "c"a enpri "p"a enpri "s"a	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd- nt"(c ndmd=
4020 ess h 4030 4035 r) ":g 4036 4040 lr) ":g 0then 4051 r 4051 r 4061 r 4070 ilr) ":g 0then 4071 r 4070 ilr) ":g 0then 4071 r 4070 ilr) ":g 0then 6071 r 4070 ilr) ":g 0then 6071 r 6071	for P getkey ifds=' otolog rem [c ifds=' goto31 3100 rem [c ifds='' goto60 rem [c ifds='' goto70 7000 rem [c ifds='' goto90 rem [c ifds='' fds=''	/d\$ 'c"andw 50 :lr 'c"andm 00:els :lr s"andm 00:els !r l"andm 00:els !r t"andm	<pre><2ther d=1the eifd\$= d=1the eifd\$= d=1the eifd\$= d=1the eifd\$=</pre>	enprin	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd- nt"(c ndmd=
4020 ess h 4030 4035 r)":g 4036 4036 4040 lr)":g 0then 4051 lr)":g 0then 4051 lr)":g 0then 4071 r 4070 ilr)":g 0then 4071 r 4080 ilr)":g	for P getkey ifds=' oto105 rem [c ifds=' goto31 3100 rem [c ifds='' goto70 7000 rem [c ifds='' goto90 rem [c ifds='' goto50	/d\$ 'c"andw 50 :Ir] 'c"andm 00:els :Ir] 'p"andm 00:els Ir] s"andm 00:els Ir] l"andm 00:els	<pre><2ther d=1the eifd\$= d=1the eifd\$= d=1the eifd\$= d=1the eifd\$=</pre>	enprin	md=0 t"(c1 nt"(c ndmd= nt"(c ndmd= nt"(c ndmd=
4020 ess h 4030 4035 r) ":g 4036 4040 lr) ":g 0then 4051 r 4051 r 4061 r 4070 i lr) ":g 0then 6 4071 r 4080 i 4090 i lr) ":g	for P getkey ifds=' oto105 rem [c ifds=' goto31 3100 rem [c ifds='' goto70 7000 rem [c ifds='' goto90 rem [c ifds='' goto50	/d\$ 'c"andw 50 :lr 'c"andm 00:els :lr s"andm 00:els !r l"andm 00:els !r t"andm 00:els	<pre><2ther d=1the eifd\$= d=1the eifd\$= d=1the eifd\$= d=1the eifd\$=</pre>	enprin	md=0 t"(cI nt"(c ndmd= nt"(c ndmd- nt"(c ndmd=

```
4100 ifd$="a"andmd=1thenprint"(c
    lr) ":goto11000:elseifd$="a"andmd
    =Othen11000
   4101 rem [clr]
   4110 ifd$="d"andmd=1thenprint"(c
   lr)":goto13000:elseifd$="d"andmd
   -Othen13000
   4111 rem [clr]
   4120 ifd$="i"thendirectory:goto4
   000
   4130 ifd$="m"andmd-1thenprint"(c
   lr)":goto14000:elseifd$="m"andmd
   =0then14000
   4131 rem [clr]
4140 ifd$="h"thenmd=1:goto4170
   4150 ifds-chrs(189)thenn=0:w=0:r
   un1000
   4160 goto4030
   4170 print"(clr)(down) add or d
   elete line(s).....a"
   4171 rem [clr.down.space2.etc]
   4180 print"(down) continue next
    line of page......c"
   4181 rem [down.space2.etc]
   4190 print"(down) copy line(s)
over other line(s)...d"
4191 rem [down.space2.etc]
  4200 print"(down) edit an exist
ing line.....e"
4201 rem [down,space2,etc]
   4210 print"(down) full menu on
  screen.....h"
4211 rem [down.space2.etc]
  4220 print"(down) index of file
  s on disk....i'
  4221 rem [down.space2.etc]
  4230 print"(down) load file fro
  m disk drive.....1"
  4231 rem [down.space2.etc]
  4240 print"(down) merge disk fi
  le with memory.....m"
  4241 rem [down.space2.etc]
  4250 print"(down) print full or
part copy of page...p"
4251 rem [down,space2.etc]
  4260 print"(down) review page f
  rom line one....r"
  4261 rem [down.space2.etc]
  4270 print"(down) save file to
  disk drive.....s"
  4271 rem [down.space2.etc]
  4280 print"(down)
                      (rvs)erase ol
  d page and start next.com+x"
  4281 rem [down.space2,revon.etc]
  4290 goto4030
  5000 rem edit line routine
  5010 le=1
  5020 input"(down)(down)(rght)(rg
 ht) (rght) line number to be edite
 d":ee
 5021 rem [down2.right3.etc]
 5030 ifee<loree>nthen4000
 5040 print"(rvs)line number":ee:
 5041 rem [revon.etc] & [revoff]
 5050 ifd(ee)=17thenprintchr$(14)
 5060 ifd(ee)=145thenprintchr$(14
 5070 ifc(ee) ~18thenprintchr$(18)
 5080 av$-s$(ee):gosub5200:ifa(ee
 )=0thena(ee)=15:b(ee)=15:c(ee)=1
 46:d(ee)=17
 5090 a=a(ee):b=b(ee):c=c(ee):d=d
 (ee)
 5100 print"(rvs)a=";a(ee).:print
 "b=":b(ee),:print"c=":c(ee),:pri
 nt"d=";d(ee)
 5101 rem [revon.etc]
 5110 z=0:print:gosub2000:print"(
rvs)($130)†(off)($132)(left)";
```

```
5111 rem [revon.flashon.s+0.revo
  ff.flashoff.left]
  5120 bs="":goto1080
  5130 le=0:s$(ee)-s$(ee):b$="":a(
  ee) =a:b(ee) =b:c(ee) =c:d(ee) =d:go
  to5160
  5140 le=0
  5150 s$(ee) =b$:b$="":a(ee) =a:b(e
  e)=b:c(ee)=c:d(ee)=d
  5160 k=ee:gosub8000
  5170 ifrf-1thenprintchr$(146):rf
  =0
  5180 goto4000
  5200 rf=0:forp=1tolen(av$)
  5210 vas=mids(avs,p.1)
  5220 ifvas=chrs(15)thenprint"(b)
  k) (rvs) ($130) 1 (off) ($132) (wht) ":
  :goto5290
  5221 rem [black.revon.flashon.1.
  revoff,flashoff.white]
  5230 ifvas-chrs(14)thenprint"(bl
  k) (rvs) ($130) 2(off) ($132) (wht) ";
  :goto5290
  5231 rem [black.revon.flashon.2.
  revoff,flashoff,white]
  5240 ifva$-chr$(18)thenprint"(b1
  k) (rvs) ($130)5(off) ($132) (wht) ";
  :print"(rvs)"::rf=1:goto5290
  5241 rem [black,revon,flashon,5
  revoff,flashoff,white| & [revon]
  5250 ifva$=chr$(146)thenprint"(b
  1k) (rvs) ($130)6(off) ($132) (wht)
 ::print"(off)"::rf=0:goto5290
5251 rem [black.revon.flashon.6
 revoff.flashoff.white| & [revoff
 5260 ifva$=chr$(145)thenprint"(b
 1k) (rvs) ($130)7(off) ($132) (wht) "
  ::printchr$(142)::goto5290
 5261 rem [black.revon,flashon.7,
 revoff,flashoff,whitel
  5270 ifva$=chr$(17)thenprint"(bl
 k) (rvs) ($130)8(off) ($132) (wht) ";
 :printchr$(14)::goto5290
 5271 rem [black.revon.flashon.8.
 revoff, flashoff. whitel
 5275 ifrf=1thenprint"(rvs)";
 5276 rem [revon]
 5280 printvas:
 5290 nextp
 5300-print""
 5310 return
 6000 rem print whole or part pag
 e routine
 6010 print"(down)(rght)(rght)(rg
 ht)print or menu? (p/m)
 6011 rem [down.right3.etc]
6015 getkeypp$:ifpp$-"p"then6020
 :elseifpp$-"m"then4000:else6015
6020 print"(down)(down)(rght)(rg
 ht)(rght)full or part print? (f/
 6021 rem [down2.right3.etc]
 6030 getkeyfp$:iffp$="f"then6040
 :elseiffp$="p"then6100:else6030
 6040 p=1
 6050 ifc(p)=18thenprint#4.chr$(2
 7): "e"
 6060 ifa(p)=14thenprint#4.chr$(2
 7): "w":
 6070 print#4.chr$(a(p));chr$(c(p
 ));chr$(d(p));s$(p);chr$(b(p));
 6080 print#4, chr$(27); "x"
 6090 p=p+1:ifp>nthen4000:else605
6100 input"(down)(rght)(rght)(rg
ht)start printing line no.";sp
6101 rem [down,right3.etc]
6110 ifsp=0orsp>nthen4000
6120 input"(down)(rght)(rght)(rg
ht) end printing line no.
6121 rem [down,right3.etc]
```

```
6130 ifep=Oorep(spthen4000
6140 ifep>nthenep=n
6150 forp=sptoep
6160 ifc(p)=18thenprint#4,chr$(2
   "e
6170 ifa(p)=14thenprint#4,chr$(2
7): "w":
6180 print#4.chr$(a(p));chr$(c(p
));chr$(d(p));s$(p);chr$(b(p));
6190 print#4,chr$(27);"x"
6200 nextp
6210 goto4000
7000 rem save to disk
7010 print"(down)(down)(rght)(rg
ht) (rght) are you sure? (y/n)
7011 rem [down2.right3.etc]
7020 getkeyr$:ifr$="y"then7023:e
lseifr$="n"then4000:else7020
7023 ifs=1thenprint"(down)(down)
(rght) (rght) (rght) file contains
           ? (y/n)":else7030
    or
7024 rem [down2.right3.etc]
7025 getkeycp$:ifcp$="y"thens=1:
goto7030:elseifcp$="n"thens=0:go
to7030:else7025
7030 input"(down)(down)(rght)(rg
ht) (rght)file name";nf$
7031 rem [down2.right3.etc]
7040 ifnfs="i"then7050:elseifnf$
="m"then4000:else7060
7050 directory:goto7030
7060 print"(down) (down) (down) (do
wn) (rght) (rght) (rght) saving file
 on disk.'
7061 rem [down4.right3,etc]
7070 open1.8.2,"@0:"+nf$+".s.w":
print#1.n:print#1.w:print#1.s
7080 fork-1ton
7090 ifa(k)=0thena(k)=15
7100 ifb(k)=0thenb(k)=15
7110 ifc(k)=0thenc(k)=146
7120 ifd(k)=0thend(k)=17
7130 ifml$(k)=""orml$(k)="(brn)"
thenm1$(k)="(orng)(brn)"
7131 rem [brown] & [orange.brown
7140 ifm2$(k)=""orm2$(k)="(brn)"
thenm2$(k)="(orng)(brn)"
7141 rem [brown] & [orange.brown
7150 print#1.m1$(k):print#1.m2$(
k):print#1,a(k):print#1,b(k):pri
nt#1,c(k)
7160 print#1,d(k)
7170 nextk
7180 close1
7190 print"(clr)":sound1.600.100
7200 goto4000
8000 rem format for disk subrout
8010 ff$(1)="":ff$(2)="":ff$=""
8020 l=len(s$(k)):ifs$(k)=""then
ff$(1) chr$(149):ff$(2)-chr$(149
):goto8120
8030 forp=1tol
8040 11$-mid$(s$(k).p.1)
8060 if11$-","then11$=chr$(150)
8070 if11$=":"then11$=chr$(151)
8080 ffs-ffs+11s
8090 nextp
8100 if 1<86thenff$(1)=ff$:ff$(2)
-chr$(149):goto8120
B110 if1>85thenff$(1)=left$(ff$.
85):ff$(2)=right$(ff$,(1-85))
8120 m1$(k)=chr$(129)+ff$(1):m2$
(k) = chr$(129) + ff$(2)
8130 return
9000 rem load from disk
9010 print"(down)(down)(rght)(rg
                         old file
ht)(rght)are you sure?
                  will be lost! (
 in memory
```

```
y/n)"
9011 rem [down2, right3.etc]
9020 getkeyr$:ifr$="y"then9030:e
lseifr$="n"then4000:else9020
9030 input" (down) (down) (rght) (rg
ht)(rght)file name";nf$
9031 rem [down2,right3,etc]
9040 ifnf$="m"then4000:elseifnf$
"i"then9050:else9060
9050 directory:goto9030
9060 w=0:pp=0:print"(down)(down)
(down) (down) (rght) (rght) (rght) lo
ading file from disk.
9061 rem [down4.right3.etc]
9065 forp=0ton:s$(p)="":ml$
                        :m1$(p)="
":m2$(p)="":nextp:n=0
9070 open1.8.2, "0:"+nf$+".s.r":i
nput#1.n:input#1.w:input#1.s
9080 fork=1ton
9090 input#1.ml$(k):input#1.m2$(
k):input#1,a(k):input#1,b(k):inp
ut#1,c(k)
9100 input#1,d(k)
9110 nextk
9120 closel:ifn=Othenprint"(up)(
rght) (rght) (rght) file not found.
               ":goto4000
9121 rem [up,right3.etc.space14]
9130 print"(clr)(down)translatin
g data from disk.";"(home)(down)
(down) (down) (down) (down) ou
t of":n;"lines.
9131 rem [clr.down.etc] & [home.
down6,etc]
9140 fork=lton:print"(home)(down
)(down)(down)on line";k
9141 rem [home.down3.etc]
9150 ff$(1)=right$(m1$(k),(len(m
1$(k))-1)):ff$(2)=right$(m2$(k).
(len(m2$(k))-1))
9160 ifff$(2) -chr$(149) thenff$-f
f$(1):goto9180
9170 ff$=ff$(1)+ff$(2)
9180 ifff$=chr$(149)thenff$="":s
$(k) =ff$:goto9270
9190 l=len(ff$):s$(k)=""
9195 ifs=Othen9265
9200 forp-1tol
9210
     11$=mid$(ff$.p.1)
9230 if11$=chr$(150)then11$="."
9240 if 11$=chr$(151) then 11$=":"
9250 s$(k)=s$(k)+11$
9260 nextp
9265 ifs=0thens$(k)=ff$
9270 nextk
9280 print"(clr)":sound1.600.100
9281 rem [clr]
9290 goto4000
10000 rem review page
10010 print"(clr)
10011 rem [clr]
10020 rs=1
10030 print"(down)(rvs)line numb
er";rs:"(off)
10031 rem [down.revon.etc] & [re
voff1
10040 ifd(rs)=17thenprintchr$(14
10050 ifd(rs)=145thenprintchr$(1
10060 ifc(rs)=18thenprintchr$(18
10070 av$=s$(rs):gosub5200
10080 print"(rvs)a=";a(rs),:prin
t"b=";b(rs).:print"c=";c(rs).:pr
int"d=";d(rs)
10081 rem [revon.etc]
10090 getkeyrs$
10100 ifrs$="e"then5000
10110 ifrs$="(down)"thenrs=rs+1:
goto10160
```

```
10111 rem [down]
10120 ifrs$="(rght)"thenrs=rs+10
:goto10160
10121 rem [right]
10130 ifrs$="(up)"thenrs=rs-1:go
to10180
10131 rem [up]
10140 ifrs$="(left)"thenrs=rs-10
:goto10180
10141 rem [left]
10150 goto4000
10160 ifrs>nthenrs=n:ifrs=Othenr
s=1
10170 goto10030
10180 ifrs<=Othenrs=1
10190 goto10030
11000 rem add or delete line(s)
11010 d1$="":print"(down)(down)(
rght) (rght) (rght) add or delete 1
ine(s)? (a/d/m)
11011 rem [down2,right3.etc]
11020 getkeydl$:ifdl$="a"then110
11030 ifdl$="d"then12000
11040 ifdl$="m"then4000:else1102
11050 al=n:input"(down)(down)(rg
ht)(rght)(rght)add line(s) after
which line ":al
11051 rem [down2.right3.etc]
11060 ifal>nthen4000
11070 al = "": input" (down) (down) (
rght) (rght) (rght) text or graphic
 line(s) (t/g)";al$
11071 rem [down2.right3.etc]
11080 ifals="t"orals="g"then1109
0:else4000
11090 la=0:input"(down)(down)(rg
ht) (rght) (rght) how many lines to
 be inserted":la:ifla=0orn+la>di
then4000
11091 rem [down2,right3,etc]
11100 n=n+la:aa=n
11110 do until aa-al+la
11120 s$(aa)=s$(aa-la):a(aa)=a(a
a-la):b(aa)=b(aa-la):c(aa)=c(aa-
la)
11130 d(aa) +d(aa-la):m1$(aa) =m1$
(aa-la):m2$(aa)=m2$(aa-la)
11140 aa=aa-1:loop
11150 forj=al+1toal+la
11160 s$(j)="":a(j)=15:b(j)=15:c
(j)=146:m1$(j)="(orng)(brn)":m2$
(j)="(orng)(brn)"
11161 rem [orange.brown] & [oran
ge, brown]
11170 d(i)=17:ifal$="g"thenb(i)=
11180 nexti
11190 print"(down)(rght)(rght)":
la: "line(s) added after line": al
  '(down)'
11191 rem [down.right2] & [down]
11200 print" (down) (rght) (rght) (r
ght) page length now";n:"lines.
11201 rem [down.right3.etc]
11210 goto4000
12000 rem delete line(s)
12010 hl=0:input"(down)(down)(rg
ht) (rght) (rght) how many lines to
 be deleted":h1:ifh1=0orh1>nthen
4000
12011 rem [down2 right3 etc]
12020 fd=0:input"(down)(down)(rg
ht) (rght) (rght) first line to be
deleted";fd:iffd=Oorfd>n-h1+1the
n4000
12021 rem (down2.right3.etc)
12030 df=fd
12040 do until fd=n+1-hl
12050 s$(fd)-s$(fd+h1):a(fd)-a(f
```

```
d+hl):b(fd)=b(fd+hl):c(fd)=c(fd+hl)
                                        13280 nextp
                                                                              | ril 1987
 h1)
                                        13290 goto4000
                                                                               40 :
 12060 d(fd)=d(fd+h1):m1$(fd)=m1$
                                        14000 rem load merge file from d
                                                                               50 print chr$(27)+"e":print chr$
  (fd+h1):m2\$(fd)=m2\$(fd+h1)
                                        isk
                                                                               (14);chr$(11)
 12070 fd=fd+1
12080 loop
                                        14010 print"(down)(down)(rght)(r
                                                                               60 trap 500:scnclr:poke 53280,25
                                        ght) (rght)do you wish to merge f
                                                                               1:char,10,0,"<<< LISTER 128 >>>"
70 char,0,3,"Lister 128 is a uti
 12090 forj=n+1-hlton
                                        iles? (y/n)"
 12100 s$(j) = "":a(j) = 15:b(j) = 15:c
(j) = 146:d(j) = 17
                                        14011 rem [down2,right3.etc]
                                                                               lity to list a basic"
80 char,0,5,"program on the prin
                                        14020 getkeyr$:ifr$="y"then14030
 12110 m1$(j)="(orng)(brn)":m2$(j
                                        :elseifr$="n"then4000:else14020
                                                                               ter without loading"
90 char,0,7,"the program into me
 ) ="(orng)(brn)"
                                        14030 input"(down)(down)(rght)(r
 12111 rem [orange,brown] & [oran
                                        ght) (rght) merge file name":nf$
                                                                               mory. The program
 ge, brown]
                                       14031 rem [down2.right3.etc]
14040 ifnf$="m"then4000:elseifnf
                                                                               100 char, 0, 9, "must have been sav
 12120 nextj
                                                                               ed as an ASCII file."
 12130 n=n-h1
                                        $="i"then14050:else14060
                                                                              110 char, 0,11, "All printing take
s place in fast mode."
120 char, 10,13,"
 12140 print"(down)(rght)(rght)":
                                        14050 directory:goto14030
 hl; "lines deleted from line"; df
                                       14060 pp=0:nn=0:print"(down)(dow
 12141 rem [down.right2]
                                       n) (down) (down) (rght) (rght) (rght)
 12150 print"(down)(rght)(rght)(r
                                        loading merge file from disk.
                                                                              130 poke 21,1:char,0,15,"Name of
 ght) page length now";n; "lines.
                                       14061 rem [down4.right3.etc]
                                                                               program to list : ":input f5:po
 12151 rem [down,right3,etc]
                                       14070 open1.8,2,"0:"+nf$+".s.r":
                                                                              ke 21,0
140 if len(f$)<2 or len(f$)>16 t
 12160 goto4000
                                       input#1.nn:input#1.nw:input#1.u:
 13000 rem duplicate line(s)
                                       ifnw>wthenw~nw
                                                                              hen 130
 13010 input" (down) (down) (rght) (r
                                       14072 ifu=1thens=1
                                                                              150 poke 21,1:char.0,17, "Heading
: ":input h$:poke 21,0
 ght) (rght) first line to be copie
                                       14075 ifn+nn>dithenprint"(down)(
 d":fi
                                       down) (rght) (rght) (rght) merged fi
                                                                              150 if len(h$)<3 or len(h$)>30 t
 13011 rem [down2.right3.etc]
13020 iffi>norfi=0then4000
                                       le would be too long!":closel:go
                                                                              hen print chr$(7);:goto 150
                                       to4000
 13030 input"(down)(down)(rght)(r
                                                                              170 poke 21,1:char,0,19,"Date : ":input d$:poke 21,0
                                       14076 rem [down2.right3.etc]
 ght)(rght)last line to be copied
                                       14080 fork=n+lton+nn
                                                                              180 if len(d$)<2 or len(d$)>8 th
  :la
                                       14090 input#1,m1$(k):input#1,m2$
13031 rem [down2.right3.etc]
                                                                              en 170
                                       (k):input#1,a(k):input#1.b(k):in
                                                                              190 char,0,21,"Upper or lower ca
13040 iflacfithen13010
                                       put#1.c(k)
                                                                              se print [U/L] :
13050 ifla>nthenla=n
                                       14100 input#1,d(k)
13060 bl=la-fi+1
                                                                              200 getkey p$:if p$="u" or p$="1
13070 input"(down)(down)(rght)(r
                                       14110 nextk
                                                                              " then 210:else print chr$(7);:g
                                       14120 close1:ifnn=Othenprint"(up
ght) (rght) start line of copying"
                                                                              oto 200
                                       ) (rght) (rght) (rght) merge file no
                                                                              210 if p$="1" then char, 34, 21, "L
 :sl:ifsl+bl>dithen4000
                                                               ":goto4000
                                        found.
13071 rem [down2.right3.etc]
13080 ifsl=fithen13010
                                                                              OWER":else char, 34,21, "UPPER"
220 Fast:dopen#1,(f$)+",s,r":inp
                                       14121 rem [up.right3.etc.space14
                                                                              ut#1,a$
13090 ss=n:ifsl+bl>nthenn=sl+bl-
                                       14130 print"(clr)(down)translati
                                                                              230 open 3,4:print#3,chr$(14) ;h
$;" [";d$;"].":print#3,chr$(15):
                                       ng merge data from disk."; "(home
13100 iffi>slthen13180
                                       ) (down) (down) (down) (down) (
                                                                              1=2
13110 p=b1-1
                                       down)out of ":n+nn; "lines.
                                                                              240 if p$="u" then p=145:else if
13120 s$(s1+p)=s$(fi+p):a(s1+p)=
                                       14131 rem [clr.down.etc] & [home
                                                                               p$="1" then p=17
a(fi+p):b(sl+p)=b(fi+p):c(sl+p)=
                                       .down6.etc]
c(fi+p)
                                                                              250 get#1,a5:if asc(a5)<48 or as
                                       14140 fork=n+1ton+nn:print"(home
13130 d(sl+p)~d(fi+p):ml$(sl+p)~
                                                                              c(a$)>57 then 250
                                       ) (down) (down) on line";k
m1$(fi+p):m2$(s1+p)=m2$(fi+p)
                                                                              260 .
                                       14141 rem [home.down3.etc]
                                                                             270 rem " * * * READ WHOLE D
13140 p=p-1
                                       14150 ff$(1)=right$(m1$(k),(len(
13150 ifp>-1then13120
                                      m1$(k))-1))
                                                                              F LINE
13160 print"(down)(down)(rght)(r
                                      14155 ff$(2)=right$(m2$(k),(len(
                                                                              280
ght) (rght) copying complete. ":pri
                                      m2$(k))-1))
                                                                              290 if 1>50 then 300:else 320
nt" (down) (rght) (rght) (rght) page
                                       14160 ifff$(2)=chr$(149)thenff$=
                                                                              300 for x=1 to 66-1:print#3,chr$
length";n:"lines.
                                      ff$(1):goto14180
                                                                              (15):next
13161 rem [down2.right3.etc] & [
                                      14170 ffs-ffs(1)+ffs(2)
                                                                              310 print#3,chr$(14);h$; " [";d$;
down, right3, etcl
                                      14180 ifff$~chr$(149)thenff$="":
                                                                                  :print#3,chr$(15):1-2
13170 ifsl>ss+1then13260:else400
                                                                             320 15=""+a5:do while a5<>chr5(1
                                      s$(k)=ff$:goto14270
                                      14190 l=len(ff$):s$(k)=""
13180 p=0
                                      14195 ifu=Othen14265
                                                                             330 get#1,a$:15=15+a$:100p
13190 do until p=bl
                                      14200 forp=1tol
                                                                              340
13200 s$(sl+p)=s$(fi+p):a(sl+p)=
                                                                             350 rem " * * *
                                      14210 11$~mid$(ff$.p.1)
                                                                                                   FORMAT LINE
a(fi+p):b(sl+p)=b(fi+p):c(sl+p)=
                                      14230 if11$=chr$(150)then11$=","
                                                                              FOR PRINTING . .
c(fi+p)
                                      14240 if 11$=chr$(151)then11$=":"
                                                                              360 :
13210 d(sl+p) = d(fi+p) : ml\$(sl+p) =
                                                                             370 a=1:b$="":a$="":do while asc
                                      14250 s$(k)=s$(k)+11$
m1$(fi+p):m2$(s1+p)=m2$(fi+p)
                                      14260 nextp
                                                                               (a$) <> 32:a$=mid$(1$,a,1):b$=b
13220 p=p+1
                                      14265 ifu=Othens$(k)=ff$
                                                                             $+a$:a=a+1:loop:rem b$=line numb
13230 loop
                                      14270 nextk
13240 print"(down)(down)(rght)(r
                                      14280 n=n+nn:print"(clr)(down)(d
                                                                             380 b5=left5(b5,len(b5)-1):15=ri
ght) (rght) copying complete.":pri
                                      own)files merged, page length no w";n;"lines.":sound1,600,100
                                                                             ghts(1s,len(1s)-len(bs)-1)
390 sps=" ":bs=bs+
nt"(down) (rght) (rght) (rght) page
length":n:"lines."
                                                                                                  ": b$=b$+1eFt$0
                                      14281 rem [clr.down2.etc]
                                                                             sp$,6-len(b$)):rem b$=line no +
13241 rem [down2.right3.etc] & [
                                      14290 goto4000
                                                                             spaces
down.right3.etc]
                                                                             400 15=b5+15
13250 ifs1>ss+1then13260:else400
                                                                             410 if len(15)>80 then 420:else
                                                                             450
13260 forp=ss+1tos1-1
                                       PROGRAM: LISTER 128
                                                                             420 as="":as=lefts(1s,80)+"
13270 a(p)=15:b(p)=15:c(p)=146:d
                                                                              "+right$(15,1en(15)-80):15-a5
(p)=17:m1$(p)="(orng)(brn)":m2$(
                                      10 rem
                                                 * * * LISTER 128
                                                                             430 if len(15)>160 then 440:else
p)="(orng)(brn)"
                                                                              450
13271 rem [orange.brown] & [oran
                                      20 :
                                                                             440 as="":as=lefts(15,150)+"
ge.brown1
                                      30 rem " (C) Kevin Blight - Ap
                                                                               "+right5(15,len(15)-160):15=a5
```

450 print#3,chr\$(p);1\$;:1=1+1 ":15="":goto 290 450 as= 470 480 rem ERROR TRAPS 490 : 500 if err=4 then schclr:slow:pr "SMLIST FILE CANNOT BE FOUND int : goto 610 510 if err=5 then scnclr:slow:pr int "EMBEVICE NOT CONNECTED":got 0 510 520 if err = 14 then 540 530 sanalr:slow:print "SMERROR N O :";err;" IN LINE NO";el:end 540 for x=1 to 66-1:print#3,chr\$ (15):next 550 slow:schclr:print:print:prin "List another program [Y/N] : 560 getkey q\$:if q\$="y" or q\$="n " then 570:else print chr\$(7);:g oto 560 570 print q\$:print:print:print SCRATCH the ASCII file [Y/N] : 580 getkey a\$:if a\$="y" or a\$="n" then 590:else print chr\$(7);:g oto 580 590 print a5:if a5="y" then scra tch (f\$) 600 if q\$="y" then run:else dclo se:end 610 print"EMPRESS ANY KEY TO CON TINUE" 620 getkey q\$:run

PROGRAM: EASY COUNT

2 rem

3 rem

b1

ff

1 rem *************

program to start

4 rem **c6** easy count 5 rem aa 9a 6 rem by m.p.leech ac rem 8 rem *************** 47 :1n=50 e0 10 b1=62 :sa=4915 5b 20 for 1=0 to b1:cx=0:for d= 0 to 15:read a:cx=cx+a:poke sa+l*16+d.a:next d a5 30 read a:if axcx thenprint "error in line"; ln+(1*10):st op 40 next 1:sys49287 50 data 169,0,133,144,169,36 19 .133.251,169.251,133.187,169 0.133,188,2265 60 data 169.1,133,183,169.8. 133,186,169,96,133,185,32,21 3,243,165,2218 70 data 186,32,180,255,165,1 dc 85,32,150,255,164,144,208.61 .160,6.132,2315 80 data 251,32,165,255,166,2 52,133,252,164,144,208,46,16 4,251,136,208,2827 90 data 238,164,252,32,205,1 21 89,169,32,32,210,255,32,165, 255.166,144,2540 44 100 data 208.24.170,240,6.32 ,210,255,76,75,192,169,13,32 210,255,2167 110 data 165,197,201,63,240, 73 4.160,4,208,197,32,66,246,16 0.0.185,2128 12 120 data 189,195,201,0,240.7 .32,210,255,200,76,111,192,3

- 2.159,255.2354 ff 130 data 32,228,255,201,0,24 0.246,169,240,141.32,208,169 .251,141,33,2586 a4 140 data 208,160,0,185,96,19
- 4.201.0.240.7.32.210.255.200 .76.147.2211
- 33 150 data 192.32.218.192.160. 0.185,168.194.201.0,240.7.20 0.32,210,2231
- f7 160 data 255.76.166.192.32.1 59,255.32,228,255.201.0.240. 246.201.13.2551
- ae 170 data 240,15,170,169,147, 32,210,255,138,201,68,240,1, 96,76,0,2058
- fa 180 data 192,169,0,133,251,1 33,252,76,247,192,162,10,160 5,24,32,2038
- ,5.24,32.2038 d3 190 data 240,255,162.121,202 .169,32,32,210,255,224,255,2 08.246,162,10,2783
- da 200 data 160.5.24,32.240.255 .96.32,218,192,160,0,185,10, 195.201,2005
- ad 210 data 0.240.7.200.32,210, 255.76,252,192,160,0.32,207, 255,201,2319
- 26 220 data 13.240.7,153.236,19 5.200.76,12.193.132,253,169, 146,153,236,2414
- 39 230 data 195,200.169,32,153, 236,195,200,169,72,153,236,1
- 95.200,169.65.2639 c3 240 data 153,236.195,200.169 .83.153.236,195.200,169,32,1 53,236,195.200,2805
- 9a 250 data 169,18,153,236,195, 200,169,0,153,236,195,165,25 3,162,236,160,2700
- 46 260 data 195.32.189.255,169. 3.162,8.160,2.32.186,255,32, 192.255,2127
- c1 270 data 201,98,208,27,32,18 7,193,160,0,185,113,195,200, 32,210,255,2296
- ac 280 data 201.0.208.245.169.3 ,32,195,255.32.204.255.76.16 1,192.162.2390
- 40 290 data 3,32,198,255,32,207 ,255,133,253,32,183,255,201, 66,240,16,2361
- 22 300 data 165,253,201,128,240 ,49,32,207,255,201,128,208,2 49,76,199,193,2784
- 48 310 data 32.187.193.160.0.18 5,151,195,200.32,210.255.201 .0.208.245.2454
- 47 320 data 169,3,32,195,255,32 ,204,255,76,161,192,162,14,1 60,5,24,1939
- 5c 330 data 32.240.255,96.32,20 7.255,201.128.240,11.201.13. 240.25,201.2377
- 1d 340 data 32,208,38,76,196,19 3,32,207,255,201,59,240,231,
- 201,194,240,2603 d9 350 data 227,201,13,240,223, 76,214,193,160,0,32,207,255, 201,13,208,2463
- 1d 360 data 214.200.192.5.240.3 +5.76,234.193.32.13,194.32.20 7,255.201,2323
- a1 370 data 32.208.3,76,196,193 ,201,13,208.242.76,196,193,2 30,251,165,2483
- 1f 380 data 251,201.0,240.1.96. 230.252.96,32.187.193.169.18 ,32,210,2208
- 9b 390 data 255,160,0.185,236,1 95,201,0,240,7,200,32,210,25 5,76,35,2287

- d0 400 data 194,165,252,164,251 ,32,145,179,32,221,189,32,30 ,171,160,0,2217
- 65 410 data 185.212.195.201.0.2 40.7,200.32.210.255.76.64.19 4.169.3,2243
- 35 420 data 32.195.255.32.204.2 55.76.161.192.0.0.0.0.0.0.0.
- 34 430 data 147.5,13.13,32,32,3 2,32,32,32,32,32.18,69,65,83
- f3 440 data 89.32.83.67.82.73.8 0.84.32.87.79.82.68.32.67.79 .1116
- a6 450 data 85.78.84.69.82.146. 13.13.32.32.32.32.32.32.32.3
- d3 460 data 32,32,32,32,18,77,4 6,80,46,76,69,65,67,72,46,32
- 62 470 data 74.65.78,56.55.146. 0.0.80.82,69.83.83.32.82.69.
- f2 480 data 84.85,82,78,32,75,6 9,89,32,84,79,32,67,79,78,84
- ea 490 data 73.78.85.69,13.145, 32,32,32,32,32,80,82,69,83,8 3.1020
- 3c 500 data 32,32,68,32,32,70,7 9,82,32,84,72,69,32,68,73,82
- 71 510 data 69,67,84,79,82,89.1 3,32,32,32,32,32,80,82,69,83 ,957
- 0c 520 data 83.32.65,78.89.32.7 9.84.72.69.82.32.75.69.89.32 .1062
- a7 530 data 84.79.32.65.66.79.8 2,84.13.0.84,89.80.69.32,73.
- 7e 540 data 78.32,70,73.76,69,3 2,78,65,77,69,32,65,78,68,32
- a5 550 data 80.82.69,83.83.32.8 2.69,84.85.82.78.13.32,32.32 .1018
- 37 560 data 32,32,70,73,76,69,3 2,78,65,77,69,32,73,83,32,58
- c3 570 data 45.13.32,32.32.32.3 2.32,32,32,32.32.32.32.32.32
- b3 580 data 32.32.32,32.32.32.3 2.32.32.32.32.32,32.32,32.32.32
- a7 590 data 32.32.32.32.32.32.3 2,32,32.145.13.32,32,32,32.3
- 86 600 data 0.63.32.78,79.32.70 .73.76.69.78.65.77,69.32.69.
- 962 610 data 82.82.79.82.32.63.4 6.32.32.32.32.32.32.32.32.32.
- ab 620 data 32.32.32.32.13.0.0. 63.32.70.73.76.69.32.78.79.7
- 03 630 data 84.32.70.79,85,78,6 8,32,69.82.82.79,82.32,63,46
- 3c 640 data 32.32.32.32.32.32.3 2.32.32.32.32.13.0.32.32.32.
- af 650 data 32.82.69,84,85.82.7 8,32.84.79.32.67,79,78,84,73
- 53 660 data 78,85,69,0,146,32,8 7,79,82,68,83,32,32,32,32,32 ,969
- aa 670 data 32,32,32,32,32,32,3 2,32,32,32,13,0,0,0,0,0,333

nr	OCCDAM. DELOCATOR DAG	1	18K - 5K	1	
PF	ROGRAM: RELOCATOR.BAS	54	2,69,293 1300 data78,68,32,32,32,65,6	20	1700 data141.56,10,32,198.9, 48,48,542
34	10 d=2049:1=1000 20 t=0		8.68.443 1310 data82.69.83.83.32.58.3	90	1710 data0.104.96.248.24.105
0a	30 forx=1to8 40 reada:ifa=-1then100		2,36,475	35	.144.105.826 1720 data64.216.96.169.0.133
68	50 poked.a:d=d+1:t=t+a	10000	1320 data0.160,4,177,178,32, 31,10,592	80	.198,24,900 1730 data162,24,160,0,32,10.
	60 next 70 reada:ifa=-1then100	7a	1330 data136.177.178.32,31.1 0.56.32.652	10,000	229,32,649
26	80 ift<>athenprint"error in	96	1340 data125,245,8,32,198,9,	1	 1740 data198,9,32,32,32,32,3 2,32,399
fc	line ":1:end 90 1=1+10:goto20	9e	13.13.643 1350 data78.69.87.32.32.32.3	7e	1750 data80,82,69,83,83,32,8 3,80,592
df	100 ifd<>4203+1thenprint"add ress error":end		2,32,394 1360 data32,83,84,65,82,84,3	bc	1760 data65,67,69,32,66,65,8
b6	110 poke43.1:poke44.8 120 poke45.108:poke46.16	2000	2.65.527	42	2,32,478 1770 data84,79,32,67,79,78,8
Od	130 print"[down]saving reloc		1370 data68,68,82,69,83,83,3 2,58,543	cd	4,73,576 1780 data78,85,69,32,32,32,3
51	ator" 140 save"relocator",8:end		1380 data32,36,0,173,109,9,3 2,31,422		2,32,392
4e	150 rem change the '8' in the previous line to '1' to sa	44	1390 data10,173,108,9,32,31,	V GROOT	1790 data32.0,32,62.241.201. 32,208,808
-	ve to tape	93	10.32,405 1400 data198.9,13,13,32,32,3	f7	1800 data249,96,162,0,134,19 8,32,87,958
	1000 data11,8,10,0,158,50,48	e4	2,32,361 1410 data32,32,32,32,32,69,7	11	1810 data241.157.0.2.232.224
b4	1010 data49.0.0.0.32.0.10.32 .123		8,68,375 1420 data32,32,32,65,68,68,8	fa	,88,240,1184 1820 data5,201,13,208,241,20
ff	1020 data91,13,32,23,10,96,3	215.3	2,69,448	d6	2.142.160,1172 1830 data10.32.198.9.13.0.96
79	2.198,495 1030 data9,147.84.65.80,69.3	c3	1430 data83.83,32.58,32,36.0 .165,489		.0,358 1840 data173,160,10,201,4,24
5f	2.76,562 1040 data79.65,68,73,78,71,3	23	1440 data175,32,31,10,165,17 4,32,31,650	10000	0.21.32.841
	2.82.548	35	1450 data10.40.96.0.0.134.17	93	1850 data198.9,13.52,32,68.7 3,71,516
	1050 data79,85,84,73,78,69,1 3,0,481	94	4.132.586 1460 data175.170.181.0.133.1	e3	1860 data73.84,83.32,79.78.7
fa	1060 data134,195,142,108,9,1 32,196,140,1056		93.181.1,1034 1470 data133.194.32.198.9.14	0d	1870 data13.0.56.96.174.1.2.
39	1070 data109,9,169,0,133,147	A.A.	7.13,84,810	f1	172,514 1880 data0.2.32.214.10.133.2
e0	.133.144.844 1080 data32.208.247.32.23,24		1480 data65,80.69,32,83,65.8 6.73,553	ba	52.174,817 1890 data3,2.172,2,2,32,214.
b6	8,32,175,997 1090 data245,165,183,240,6,3	c8	1490 data78.71,32,82,79,85,8 4,73,584	99500	10,437
	2,234,247,1352 1100 data144,7,96,32,44,247.	f3	1500 data78,69,13,13,13,0,32	91	1900 data170,164,252,24,96,1 52,32,232,1122
	144.1.715	31	.206,424 1510 data12.32.208,247.32,56	fe	1910 data10.10.10.10.10.133. 251.138,572
90	1110 data96.165.144.41.16.56 .240.1.759	dd	,248,32,867 1520 data143,246,165,185,32.	09	1920 data32.232,10,24,101.25 1,96.56,802
6f	1120 data96.224.4.208.24.32. 198.9.795	90	106.247,176.1300 1530 data23,173.194.9,133,19	8d	1930 data233,48,144,13,201,1
af	1130 data13,13,83,69.81,85.6		3,173,195,1093.	8a	0,144,8,801 1940 data233,7,144.5,201,16.
cc	9.78.491 1140 data84.73.65.76.32.70.7	86	1540 data9.133.194.173.196.9 .133.174.1021	2c	176,1,783 1950 data96.32.198,9,13,73,7
00	3,76.549 1150 data69,13,0,56,96,224,1	4b	1550 data173.197.9.133.175.3 2.103.248.1070		8.86,585
	,208,667	bo	1560 data96.0.0.0.0.72.152.7	100000	1960 data65,76,73,68,32,72,6 9,88,543
	1160 data26.32,198.9,13.13.8 5.78,454	cd	2,392 1570 data138,72,186,232,232.	90	1970 data32,68,73,71,73,84.1 3,0,414
8b	1170 data80,82,79,84.69,67.8 4.69,614	60	232.232.189.1513 1580 data0.1.133.251.189.1.1	f3	1980 data104,104,104,104,56.
96	1180 data68,32,70,73,76,69,1		,133,709	73	96,32,198,798 1990 data9,70,73,76,69,78.65
e8	3,0,401 1190 data76,181,8,224,3,208,	21	1590 data252,230,251,208,2.2 30,252,160,1585	d5	,77.517 2000 data69,32,58,0,32,131,1
a8	220,32,952 1200 data198.9,13,13,80,82.7	61	1600 data0,177.251,240,6,32, 202,241,1149	1	0,173,505
	9,84,558 1210 data69,67,84,69,68,32,7	4e	1610 data200.208.246.152.24, 101.251.157,1339	250045	2010 data160,10,240,26,201,1 7,144,5,803
	0,73,532	86	1620 data0,1,169,0,101,252,1	c3	2020 data169.16.141.160.10.1 62.0.189.847
f O	1220 data76,69,13,0,32,198,9 ,13,410	a9	57.1.681 1630 data1.104.170.104.168.1	f8	2030 data0.2.157,79.11,232.2 36.160.877
bЪ	1230 data13.79.82,73,71,73,7 8.65.534		04.96.169.916 1640 data54.133.1.169.128.13	4c	2040 data10.208.244,173,160.
	1240 data76,32,83,84,65,82,8		3,157,169,944	c2	10.162.79.1046 2050 data160.11.32.249.253.9
	4.32,538 1250 data65,68,68,82,69,83,8		1650 data0,141,32,208,141,33,208,32,795		6,32,32,865 2060 data32,32,32,32,32,32,3
	3,32,550 1260 data58,32,36,0,160,2,17	82	1660 data198,9,5,147,0,96,16 9,55,679	1	2.32.256
	7,178,643	53	1670 data133,1,32,24,229,96,		2070 data32.32.32.32.32.32.3 2.198.422
	1270 data32,31,10,136,177,17 8,32,31,627	81	72.74,661 1680 data74.74.74,32.60.10,1	80	2080 data9,147,13,82,69,76,7
16	1280 data10,32,198,9,13,13,3 2,32,339		41,55,520 1690 data10,104,72,41,15,32,	a6	2090 data65.84,65,66,76,69,3
	1290 data32,32,32,32,32,32,3	1.0	60,10,344	e4	2.76.533 2100 data79.65.68.13,13.13.0
				00	

18							
2 1.199.495 2 1210 data9,13,13,78,69,87,32 3 13,13,13,13,13,13,13,13,13,13,13,13,13,1	8			.32,110,961			
8		2.68,330	d1		af		eb
12 130 data84.65, 62, 84, 32, 65, 65 8, 66, 9, 54	.83.65.	2940 data73.83,75.32.83 6.69.566	d6	2530 data16.32.68.10.96.32.1		2120 data9,13,13,78,69,87,32	42
140 data 82, 98, 98, 38, 32, 58, 38, 23, 236 data 82, 79, 77, 32, 58, 32, 38, 44, 12, 28, 23, 23, 23, 23, 23, 23, 23, 23, 23, 23	2,32.32	2950 data13,13,159,32,32	e8	2540 data83.65,86,73,78,71.3		2130 data84.65,82,84,32.65,6	bf
56 150 data0 32 131 10 32,161 10 175,552 10 10 175,552 10 173,194,817 10 175,552 10 160 data22 1192,16 144 6.20 8.35 224.1046 137 31 31 31 32 31 32 32 31 32 32 31 32 31 32 31 31 31 31 31 31 31 31 31 31 31 31 31	,32,40,	2960 data32.32.32.32,32	99	2550 data82.79.77.32.58.32.3	3с	2140 data82.69.83.83.32.58.3	36
160 data221, 192,16,144,6,20	,84.13,	2970 data32.81.85.73.84	e5	2560 data173.195.9.32.31.10.	31		46
170 datailo, 176, 31, 32, 198, 9 131, 13, 1580 2120 datailo, 76, 77, 79, 82, 89, 3 2, 67, 572 210 datailo, 82, 82, 79, 82, 13. 0 220 datailo, 82, 82, 79, 82, 13. 0 221 datailo, 83, 84, 84, 84, 85, 86, 86, 84, 82, 84, 83, 85, 82, 84, 32, 32, 32, 32, 32, 32, 32, 32, 32, 32	32.32.3	2980 data13,13,5,32,32.	77	2570 data9,32,31,10,32,198,9	1c		5f
13,13,580 2180 data37,769,77,79,82,89,3 25,267,572 2190 data499,82,82,79,82,13,0 220 data499,82,82,79,82,13,0 2210 data491,711,165,186,201 8,240,6,944 2220 data32,23,876,218,11.3 2,191,591 2230 data14,144,16,32,198,9,1 31,31,49 2220 data679,82,0,32,66,10,96 2220 data679,82,0,32,66,10,96 2220 data69,82,23,876,218,11.3 2,250 data69,82,23,23,266,10,96 2,32,393 2220 data69,82,23,266,10,96 2,32,394 2220 data69,82,23,23,266,10,96 2,32,395 2220 data69,82,23,23,23,23,23,23,23,23,23,23,23,23,23	,32,67.	2990 data32,32,32,32,32	f 1	2580 data13.32.32.32.32.32.3	34	8,35,224,1046 2170 data108,176,31,32,198,9	37
2, 2,67,572 2, 190 data79,78,70,76,73,67,8 4,32,559 2,200 data69,82,82,79,82,13,0 2,210 data69,82,82,79,82,13,0 3,219,1951 3,220 data32,23,8,76,218,11,3 2,220 data32,23,8,76,218,11,3 2,220 data32,23,8,76,218,11,3 2,220 data4,144,16,32,198,9,1 3,13,49 62,240 data76,79,65,68,32,69,8 62,220 data69,82,82,79,82,0,32,68,10,96 63,22,99 64,220 data69,82,82,79,82,0,32,68,10,96 63,22,99 64,220 data69,82,82,79,82,0,32,68,10,96 64,220 data69,82,82,78,82,83,23 65,220 data69,82,82,83,265,86,83,23,33,10,504 65,220 data69,82,82,83,265,86,83,23,33,31,10,504 67,220 data69,82,82,83,265,86,83,23,33,33,33,33,33,33,33,33,33,33,33,33	,79.80.	3000 data79.83,69,32,79	14	2590 data32,32,84,79,32,58,3	сЗ	.13.13.580	
24	.0,133,	3010 data79.78.0.169.0.	98	2600 data0,173,197,9,32.31.1	56		f5
46 2210 data127,11,165,186,201, 8,240,6,944 42 220 data32,23,8,76,218,11,3 2,191,591 42 2230 data14,144,16,32,199,9,1 31,13,439 43 2240 data76,79,65,68,32,36,0,16 5,22553 44 2250 data79,82,0,32,68,10,96 54 2250 data79,82,0,32,68,10,96 55 2250 data39,8,9,147,13,82,69,76,79,673 68 2270 data67,55,84,65,66,76,69,32,32,39 69 2270 data67,55,84,65,66,76,69,32,32,32,32,32,32,32,32,32,32,32,32,32,	49.208.	3020 data62,241,201,49.	2d		07		24
8, 240, 6, 944 2220 datas32, 23, 87, 6, 218, 113, 3 2, 191, 591 2230 datas1, 1, 144, 16, 32, 198, 9, 9 32, 260 datas7, 79, 65, 68, 32, 69, 8 2240 datas7, 79, 65, 68, 32, 69, 8 2250 datas7, 98, 0, 32, 68, 10, 96 32, 295 32, 297 32,	198.9.1	3030 data133.186.32.198			dЗ		46
2.191.591 2.230 data14,144.16.32,198.9. 42.230 data79,82,0,32.68,10.96 32.240 data79,82,0,32.68,10.96 32.230 data69,9,147,13,82.69. 42.230 data69,9,147,13,82.69. 43.230 data63,65,86.69,13,13.1 43.230 data63,65,86.69,13,13.1 43.230 data63,23,11,0,32,198.9.1 44.230 data63,23,13,13,13 489 49.240 data613,13,23,23,23,23,23 40.230 data61,32,23,23,23,23,23 40.230 data61,32,23,23,23,23 40.230 data61,32,23,23,23,23 40.230 data61,32,23,23,23,23 40.230 data61,32,23,23,23,23,23 40.230 data61,32,23,23,23,23 40.230 data61,32,23,23,23,23 40.230 data61,33,2,23,23,23,23 40.230 data61,33,2,23,23,23,23 40.230 data69,440,195,9,32,188 40.230 data69,440,195,9,32,188 40.230 data69,440,195,9,32,188 40.230 data69,440,195,9,32,188 40.230 data69,440,195,9,32,188 40.230 data69,440,195,9,32,188 40.230 data69,83,83,32,58,32,36 40.230 data69,83,83,32,58,32 40.240 data69,83,83,32,58,32 40.240 data69,83,83,32,58,32 40.240 data69,83,83,32,58,32 40.250 data69,83,83,32,58,32 40.250 data69,83,83,32,58,33 40.250 data69,93,83 40.250 data69,93,83 40.250 data69,93,83 40.250 data	.13.201			2,69,385 2630 data76,79,65,68,32,70.8	50	8,240,6,944	44
13,13,439 2250 data67,79,65,68,32,69,8 2250 data79,82,0,32,68,10,96 32,399 2260 data198,9,147,13,82,69,76,79,673 2270 data198,9,147,13,82,69,76,29,673 2280 data83,65,86,69,13,13,13,31 3,13,313	3.186.1		cd	2,79,551	49	2.191,591	
2,82,553 2,250 data79,82,0,32,68,10,96 32,390 data79,82,0,32,68,10,96 76,79,673 2270 data13,82,69, 32,32,32,32,32,32,32,32,32,32 32,32,256 32,32,2524 32,32,2524 32,32,2524 32,32,2524 32,32,32,32,32,32,32,32,32,32,32,32,32,3	9,153.0	9.3,133,813 3060 data185,32,198,9,1	21	5,194,594	1500E	13,13,439	2010
32,399 22,32,361 26,70 data32,32,32,32,32 32,32,32 32,32,32 32,32,32 32,32,32 32,32,32,32 32,32,32,32 32,32,32,32,32 32,32,32,32,32 32,32,32,32,32,32 32,32,32,32,32,32 32,32,32,32,32,32 32,32,32,32,32,32 32,32,32,32,32,32 32,32,32,32,32,32 32,32,32,32,32 32,32,32,32,32 32,32,32,32 32,32,32,32 32,32,32,32 32,32,32,32 32,32,	3,201,51	32,240,849 3070 data11,76,91,13,20	fb	.31.10.504		2,82,553	
76.79.673 2270 data67.65.84.65.66.76.6 9.32.524 1d 2280 data83.65.86.69.13.13.1 3.0.342 ba 2290 data32.23.11.32.198.9.1 2370 data32.23.11.32.198.9.1 2470 data63.23.11.32.198.9.1 25.174.32.784 2790 data31.10.32.198.9.13.1 3.13.319 2700 data31.10.32.198.9.14 2700 data31.10.32.198.9.14 2700 data31.10.32.198.9.14 2700 data31.10.32.198.9.13.1 3.13.319 2710 data0.96.32.198.9.147.5 2.79.666 24230 data10.32.161.10.176.22 2520 data10.32.161.10.176.22 2520 data13.32.32.32.32.32 252 2530 data9.140.195.9.32.198. 270 data32.32.32.32.32.32 272 270 data13.32.32.32.32.32 272 270 data32.32.32.32.32 272 270 data32.32.32.32.32 272 270 data32.32.32.32.32 272 270 data33.32.32.32.32.32 272 270 data33.32.32.32.32.32 272 270 data33.32.32.32.32 272 270 data33.32.32.32.32 272 270 data33.33.32.32.32.32 272 270 data33.33.32.32.32.32 272 270 data33.33.32.32.32.32 272 270 data33.33.32.32.32.32 272 270 data33.32.32.32.32 272 270 data33.33.32.32.32.32 272 270 data33.32.32.32.32 272 270 data33.32.32.32 272 272 272 273 273 273 273 273 273 2		208,19,670		2,32,361	565	,32,399	
9,32,524 1d 2280 data83,65,86,69,13,131		,133,185,977	88	2,32,256		76,79,673	125.00
5,174,32,784 ba 2290 data32,23,11,32,198,9,1 3,13,331 od 2300 data63,65,86,69,32,70,8 2,79,566 at 2310 data77,32,58,32,36,0,32 61 2320 data10,32,161,10,176,22 73,13,605 od 2340 data13,32,32,32,32,32,32 od 2350 data84,79,32,58,32,360, 03 calcolor 2,32,237 od 2350 data84,79,32,58,32,360, 03 calcolor 2,32,237 od 2350 data84,79,32,58,32,360, 03 calcolor 2,32,237 od 2350 data84,79,32,58,32,360, 03 calcolor 3,32,33,33,32,32,32,32,32,32,32,32,32,32		40,11,672	EXOPERS	6,0.353	500.00	9,32,524	
3,13,331 Od 2300 data83,65,86,69,32,70,8 2,79,566 a4 2310 data77,32,58,32,36,0,32 131,398 61 2320 data10,32,161,10,176,22 9,142,194,954 Ob 2330 data9,140,195,9,32,198, 9,13,605 Od 2340 data13,32,32,32,32,32,32,32,32,32,32,32,32,32		.15.169.825		5.174.32.784		3,0,342	
2.79.566 a4 2310 data77.32.58.32.36.0.32		154,0,720		3.13.319	10000 50075	3,13,331	
131,398 61 2320 data10,32,161,10,176,22		01,53,572	N-2HSOT	,13,500	V0.505	2.79.566	
9.142.194,954 0b 2330 data9,140,195,9,32.198. 9.13,605 0d 2340 data13,32,32,32,32.32 40 2350 data84.79,32.58,32.36.0 32.353 2 2360 data13,10,32.161.10.17 6.229,142,891 ac 2370 data196,9,140,197.9,32. 198,9,790 cf 2380 data13,13,78,69,87,32,8 6.82,546 9a 2400 data69,83,83,32.58,32,3 6.0,393 71 2410 data32,131.10,32,161.10 77 2430 data32,131.10,32,161.10 78 2820 data79,84,69,67,84,69,6 62 2440 data237,194,9,133.174,1 73,197,9,1126 64 2440 data237,195,9,176,38,32 198,9,894 94 2450 data13,13,83,84,65,82.8 4,32,456 d3 2460 data65,68,68,82,69,83,88 65 2870 data79,84,69,67,84,69,6 68 2450 data13,13,83,84,65,82.8 4,32,456 d3 2460 data65,68,68,82,69,83,88 62 2870 data79,84,69,67,84,69,6 81 3280 data14,23,32,11		6.32.198,949	Towar-ora	2.32.237	e0	.131.398	a4
9,13,605 0d 2340 data13,32,32,32,32,32,32 40 2350 data84.79,32,58,32,36.0 32,353 2c 2360 data131.10,32,161.10.17 6,229,142,891 ac 2370 data13,13,78,69,87,32,8 3,84,459 ac 2390 data65,82,84,32,65,68,6 8,82,546 9a 2400 data69,83,83,32,58,32,36 60,333 12410 data32,131.10,32,161.10 176,221,773 68 2420 data134,193,132,194.173 68 2420 data237,195,9,176,38,32 198,9,844 9a 2450 data13,13,83,84,65,82,8 4,32,456 da 2460 data65,68,68,82,69,83,8 9a 2450 data13,13,83,84,65,82,8 4,32,456 da 2460 data65,68,68,82,69,83,8 9a 2450 data13,13,83,84,65,82,8 4,32,456 da 2460 data65,68,68,82,69,83,8 9a 2460 data65,68,68,82,69,83,8 9a 2460 data65,68,68,82,69,83,8 9a 2450 data13,13,83,84,65,82,8 4,32,456 da 2460 data65,68,68,82,69,83,8 9a 2450 data13,13,83,84,65,82,8 4,32,456 da 2460 data65,68,68,82,69,83,8 9a 2450 data13,13,83,84,65,82,8 4,32,456 da 2460 data65,68,68,82,69,83,8 9a 2460 data65,68,68,69,83,8 9a 2460 data65,68,68,69,83,8 9a 2460 data65,68,68,6		6,91,588		7,32,301	92(98)	9,142,194,954	
2,32,237 40 2350 data84,79,32,58,32,36.0		6,32,198,948	5/5/0/584	3,13,335	99	9,13,605	
22 2360 data131.10.32.161.10.17 6.229.142.891 35 2770 data32.84.65.80.69.32.7 6.229.142.891 35 2770 data32.84.65.80.69.32.7 6.229.142.891 35 2770 data32.84.65.80.69.32.7 6.79.517 6.79.517 32.32.408 32.32.408 41.32.32.32.32.32.32.32.32.32.32.32.32.32.		5.32.500		32,32,344		2,32,237	Od
6.229,142,891 ac 2370 data196,9,140,197,9,32. 198,9,790 cf 2380 data13,13,78,69,87,32,8 3,84,459 Bc 2390 data65,82,84,32,65,68,6 8,82,546 9a 2400 data69,83,83,32,58,32,3 6.0,393 71 2410 data32,131,10,32,161,10 176,221,773 68 2420 data134,193,132,194,173 196,9,56,1087 77 2430 data237,194,9,133,174,1 73,197,9,1126 d6 2440 data237,194,9,133,174,1 73,197,9,1126 d6 2440 data237,195,9,176,38,32 198,984 9a 2450 data13,13,83,84,65,82,8 3,2456 d3 2460 data65,68,68,82,69,83,8 8		1.32.542		9.41,290	Ob	,32,353	
ac 2370 data196.9.140.197.9.32. 198.9.790 cf 2380 data13.13.78.69.87.32.8 32.32.408 cf 2390 data65.82.84.32.65.68.6 af 240.264 ag 2400 data69.83.83.32.58.32.3 af 2410 data32.131.10.32.161.10		9,13,563	2c		35		2c
cf 2380 data13,13,78,69,87,32,8 3,84,459 8c 2390 data65,82,84,32,65,68,6 af 2800 data50,41,32,84,65,80,6 8,82,546 9a 2400 data69,83,83,32,58,32,3 f6 2810 data83,65,86,69,32,40,8 62,77,543 71 2410 data32,131,10,32,161,10 48 2820 data79,84,69,67,84,69,6 8,41,561 8,41,561 9,56,1087 72 2430 data237,194,9,133,174,1 73,197,9,1126 62 2440 data237,195,9,176,38,32 1,198,9,894 9a 2450 data13,13,13,83,84,65,82,8 4,32,456 d3 2460 data65,68,68,82,69,83,8 62 2870 data79,84,69,67,84,69,6 81 3280 data144,23,32,1		.196.169.852	20000	32.32.408			ac
8c 2390 data65,82,84,32.65.68.6 8,82,546 9,32.453 9,32.453 f6 2810 data83.65.86.69,32.40.8 6,0,393 f6 2820 data79.84.69.67.84.69.6 2420 data134.193.132.194.173 196.9,56.1087 172 2430 data237.194.9.133.174.1 73.197.9.1126 d6 2440 data237.195.9.176.38.32 198.984 9a 2450 data13.13.83.84.65.82.8 4.32.456 d3 2460 data65.68.68.82.69,83.8 c2 2850 data79.84.69.67.84.69.6 81 3280 data134.194.69.6 81 3280 data144.23.32.1		65,183,208,1113		2,40,264	100	2380 data13,13,78,69,87,32,8	cf
9a 2400 data69,83,83,32,58,32,3),13,13		8f		af	2390 data65,82,84,32,65.68,6	8c
71 2410 data32.131.10,32,161.10			0.6.00000	2810 data83.65,86,69,32,40,8 0.82,537		2400 data69,83,83,32,58,32,3	9a
68 2420 data134,193,132,194,173		3230 data73,83,83.73,78 3,0,474		2820 data79.84.69.67.84.69.6 8.41.561		2410 data32,131,10,32,161,10	71
77 2430 data237.194.9.133.174.1 65 2840 data32.32.32.32.32.40.5 1.41.292 186.32.9.1065 1.41.292 ac 2850 data32.84.65.80,69.32.8 3.65.510 2450 data13.13.83.84.65.82.8 6.82.69.83.8 62 2860 data86.69.32.40.85.78.8 63 3270 data237.165.185 0.82.552 44.74.74.1039 44.74.74.1039 data65.68.68.82.69.83.8 62 2870 data79.84.69.67.84.69.6 81 3280 data144.23.32.1	75,245.	3240 data56,96,32,175,2	f3	2830 data13,13,150,32,32.32.	9b	3 2420 data134,193,132,194,173	68
d6 2440 data237,195,9,176,38,32 ac 2850 data32.84,65,80,69,32.8 ce 3260 data237,165,185 3,65,510 237,32,19,1106 237,32,19,1106 3 2450 data13,13,83,84,65,82.8 60,82,552 44,74,74,1039 data465,68,68,82,69,83,8 c2 2870 data79,84,69,67,84,69,6 81 3280 data144,23,32,1	,243,16	3250 data185.32,213,243	c4	2840 data32.32.32.32.32.40.5	65	7 2430 data237,194,9,133.174,1	77
9a 2450 data13.13.83.84.65.82.8 50 2860 data86.69.32.40.85.78.8 3d 3270 data238.141.194 4.32.456 0.82.552 44.74.74.1039 data65.68.68.82.69.83.8 c2 2870 data79.84.69.67.84.69.6 81 3280 data144.23.32.1	5,32,19	3260 data237.165.185.32	ce	2850 data32.84.65,80,69,32.8	ac	5 2440 data237,195,9,176,38,32	d6
d3 2460 data65.68.68.82.69.83.8 c2 2870 data79.84.69.67.84.69.6 81 3280 data144.23.32.1	4,9,165	3270 data238,141,194,9,	3d	2860 data86.69.32.40.85,78.8	50	a 2450 data13,13,83.84,65,82,8	9a
1 2 22 550	198.9.1	3280 data144.23,32,198. 13,70,502	81	2870 data79,84,69,67,84,69.6 8,41,561	c2	3 2460 data65,68,68,82,69,83,8	dЭ
7c 2470 data62.32.69.78.68,32.6 fb 2880 data13.13.154.0.32.198. e2 3290 data73.76.69.32	2.78.79	3290 data73.76,69,32,78	e2	2880 data13,13,154,0,32,198.	fb	2470 data62.32.69,78,68,32.6	7c
5f 2480 data68,82,69,83,83,13.1 b3 2890 data32,32,32,32,32,32,3 a4 3300 data70,79,85,78	3,68,13	3300 data70.79.85,78.68	a4	2890 data32,32,32,32,32,32,3	b3	2480 data68,82,69,83,83,13.1	5f
f1 2490 data76,12.12,133,175,24 42 2900 data32,40,52,41,32,68,7 9a 3310 data96,32,19,23	38.141.	3310 data96,32,19,238,1	9a	2900 data32.40,52.41.32.68.7	42	1 2490 data76,12.12,133.175,24	f 1
[마른테티	.198.9.	3320 data232,244,32,198	36	2910 data75,32,76,79,65,68,1	a8	a 2500 data174,170,152,101,175	1a
.168,165,186,1291 3.13,421 .13,79,820 c1 2510 data201.8,240,8,169,193 7c 2920 data129.32,32,32,32,32.6a 3330 data82.73,71,73	3,78,65	3330 data82.73.71,73.78	6a	3.13.421 2920 data129.32.32.32.32.32.	7c	,168,165,186,1291 1 2510 data201,8,240,8,169,193	c1

	100		35 2		
0.0	6.32.550	c:	1 '40 REM* AIRCRAFT SPRITES	1 27	440 DATA 0.0.0.0.0.0.0.0.0.
	2 3340 data83.84.65,82.84,32,6 5.68,563		* 50 REM* BASIC DATA LOADER	51	.0.0.0.0.0.0
	3350 data68,82,69,83,83,32,5 8,32,507		•	15	.0.0.255.0.0.0.266
	3360 data36,0,173,195,9,32,3 1,10,486	377	Series and the series of the s	0.00	.0.0.0.0.0.2.2
31	3370 data173,194.9,32.31,10, 32,198.679	C	*		470 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
09	9380 data9.13.13.32.32,32.32 .32.195	166	* .	72	480 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
42	3390 data32.32.32.32.69.78,6 8.32.375		0	A2	490 DATA 0.0.0.0.128.0.0.192 .0.0.255.0.0.0.0.0,575
87			100 FOR L=0 TO BL:CX=0:FOR D =0 TO 15	6E	500 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
64	3410 data83.32.58.32.36.0.56 .165.462	4F	"NUMBER TO LARGE": LN+(L*10):	60	
38		98	STOP 120 CX=CX+A:POKE SA+L*16+D,A	59	
b7	3430 data168,24,138,109,194,	D9	:NEXT D 130 READ A:IF A>CX THENPRIN	76	
73			T"ERROR IN LINE":LN+(L*10):S	39	540 DATA 0.0.0.0.0.0.0.0.0.0
04	104,32,522 3450 data31,10,32,198,9,13,1	37	140 NEXTL:POKE43.0:POKE44.40 :POKE45.0:POKE46.56	BB	
0c	3.13,319 3460 data78.69,87,32,32,32,3	69 EF	150 SAVE"AIRCRAFT", 8,1:END	35	
4b	2.32.394 3470 data32.83.84.65.82.84.3	3B	********	40	.0.0.0.0,128,0,128 570 DATA 0.64.0.0.192.0.0.22
	2.65,527 3480 data68.68.82.69.83.83.3	J 55	TO CHANGE DEVICE N		4,0,0,255,240,0,131,0,0,1106
	2,58,543 3490 data32,36,0,165,196,32,	FB	UMBER FROM 8 TO 1 180 REM************************************	9D	580 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
2992	31.10.502 3500 data165.195.32.31.10.32	2D	190 DATA 0.0.0.0.0.0.0.0.0.0	83	590 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0
dd	,198,9.672 3510 data13,13,32,32,32,32,3	1B	.0.0,0,0,0,0,0 200 DATA 0.0.0,0,0,0,0,0,0,0	8B	600 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
0.78 67.5	2.32.218 3520 data32.32.32.69.78.68.3	01	.0.0.0.0.0.0.0 210 DATA 0.0.0.0.0.0.0.0.0.1	AD	610 DATA 7.0.0.9.0.0.57.0.0. 7.0.6.7.7.255,255.610
VENUE OF	2,32,375	0F	.0,0,0,0,0,1	OA	620 DATA 0.6.3.0.0.0.0.0.0.0
	3530 data32,65,68,68,82,69,8 3,83,550	75	,0,0,0,0,0,2,2	EB	.0.0.0.0.0.255,264 630 DATA 0.0.0.0.0.0.0.0.0.0
ce	3540 data32.58,32.36.0.165.1 75,32.530	63	.0.0.0.0.0.0	61	,0,0,0,0,0,0,0 640 DATA 0,0,0,0,0,0,0,0,0
8.6	3550 data31.10.165.174.32.31 .10.96.549	69	.0,0,0,0,0,0,0 250 DATA 0,0,0,0,0,0,0,0,0	A0	.0.0.0.0.192.0.192 650 DATA 0.32.0.0.56.0.0.224
f 4	3560 data32.198.9.147.13.68. 73.83.623	DE	.0.0.0.0.0.0.0 260 DATA 0.0.0.0.0.0.0.0.0.0		,0,0,225.128,0.255,255,192,1 367
5e	3570 data75,32.83.65,86,73.7 8,71,563	5C	.0.0.0.0.0.251.251	38	660 DATA 129.128.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
69	3580 data32.82.79.85.84,73.7 8,69.582	11 3500.00	270 DATA 0.0,0.0.0,0.0,0,0,0 .0.0,0,0.0.0	33	670 DATA 0.0.0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0
c9	3590 data13.13.13.0.134.174, 132.175.654	4A	.0,0,0,0,0,0,0	3D	680 DATA 0.0.0.0.1.0.0.1.0.0 .1.0.0.1.0.0.4
d1	3600 data170.181.0.133.193.1 81.1.133.992	5E	.0.0.7.0.0.0.9	7A	690 DATA 15.0.0,17.0.0,249.0 .0,15.0,28,15.31.247.255,872
06	3610 data194,165,183,208,3,7 6,234,14,1077	06	300 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,	8C	700 DATA 0.28.3.0.0.0.0.0.0.
99	3620 data169.97.133.185.32.2 06.12.32.866	A4	310 DATA 0.0.0.0.0.0.0.0.0.0.0 .0.0.0.0.0.0	1B	0.0,0,0.0.0,2,33 710 DATA 0,0.0.0.0.0.0.0.0.0
dc	3630 data213,243,32,143,246, 165,186,32,1260	92	320 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	2000	.0.0.0.0.0.0
59	3640 data12.237.165.185.32.1	C8	330 DATA 0.0.0.0.0.0.0.0.0.0.0 .192.0.0.0,0.0.192		720 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
fd	85,237,165,1218 3650 data193,32,221,237,165,	88	340 DATA 0.0.0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	EJ	730 DATA 0.16.0,0.62.0.0.224 .0.0.224.224,0.255.191.240.1
bb	194.32.221.1295 3660 data237.173.194.9.133.1	8C	350 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	01	436 740 DATA 128.224,0.0.0,0,0,0
ac.	72.173.195.1286 3670 data9,133,173.173.196.9	FA	360 DATA 0.0.0,0,0,0,0,0,0,0,0,0	63	,0,0,0.0.0.0.0.251,603 750 DATA 0.0.0.0.0.0.0.0.0.0
20	.133.174.1000 3680 data173.197.9.133.175.1	DO	370 DATA 0.0.0.0.0.0.1.0.0.3	61	.0.0.0.0.0.0.0 760 DATA 0.1.0.0.1.0.0.1.0.0
	60,0,32,879 3690 data36,246,96,-1	EE	.0.0.31.0.0.0.35 380 DATA 0.0.0.0.0.0.0.0.0.0	59	,3.0.0,3,0.0.9 770 DATA 31.0.0,56.0.0.254.1
		D4	.0.0.0.0.0.0.0 390 DATA 0.0.0.0.0.0.0.0.0.0	÷	5,7,31,0,253,143,0,7,127,924
PR	OGRAM: AIRCRAFT DATA	C2	,0,0,0,0,0,0,0 400 DATA 0,0,0,0,0,0,0,0,0,0	AA	780 DATA 0.0.3.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
AF	10 REM********		.0.0,0,0,0,0,0 410 DATA 0.0.0,0,0,0,0,128.0	3E	790 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.
	* 20 REM* SPRITE LIRBARY	BE	.0,240,0,0,0,0,0,368 420 DATA 0.0,0,0,0,0,0,0,0	5C	800 DATA 0.0,128.0.0,0.0.0.0 ,0,0,0,0,0,240,0,368
	* 30 REM*			BF	810 DATA 0,72,0,0,88,0,0,240 ,0,0,240,0,0,255,224,0,1119
	*	10000000		B2	820 DATA 192,190,0,0,224,0,0

				_	
92	.0.0.0.0.0.0.0.0.1.607 830 DATA 0.0.0.0.0.0.0.0.0.0.0	2D	0,0,0,0,0,0.0,0 1210 DATA 0,0,0,0,0,0,0,0,0,0	. E2	0.0.0.144.0.0.144.0.0.592 1620 DATA 160.0.0.224.0.0.32
E2	.0.0.0.0.0.0.0 840 DATA 0.16.0.0.24.0.0.24.	67	0,0,0,0,0,0,0,0 1220 DATA 0,0,0,0,0,0,0,0,0,0	61	,0,0.16,0,0.8,0,0.3,443 1630 DATA 0.0,0,0,0.1.15,255
ED	0,0,28,0,0,28,0,0,120 850 DATA 255,0,1,248,0,0,124	76	0.0.0.0.0.0.253.253 1230 DATA 0.0.0.0.0.0.0.0.7.	49	,255.0,0,1,0,0,1,0,528 1640 DATA 0,7,0,0,67,0,0,127
e.w.	,1,192,127,0,63,255,0,1,255, 1522	64	0.0.1.0.0.3.0.11 1240 DATA 0.3.0.0.3.0.0.5.0.	C2	,0.0.127,0.0.57,0.0.385 1650 DATA 57,0.0,56.0.0,24.0
FE	860 DATA 0.0.195.0.0,0.0.0.0 ,0,0.0.0,0,0.2,197	75	0.0.0.0.0.0.0.11 1250 DATA 0.0.0.0.0.0.0.0.0.0.	65	.0.31.0.0.30.0.0.30.228 1660 DATA 0.0.15.0.0.7.0.0.2
FA	870 DATA 0,0.0,0,0,0,0,0,0,0	EB	0.0.0.0.0.0.0.0 1260 DATA 0.0.0.0.0.0.0.0.0.0	C4	0.0.0.12.0.0.6.2.62 1670 DATA 0.0.0.0.0.0.255.25
68	.0.0.0.0.0.0.0 880 DATA 0.0.0.0.0.0.0.0.0.0.0		0,0,0,0,0,0,251,251 1270 DATA 0,0,0,0,0,192,0,	32	5,224.0.0.0.0.0.0.192.926 1680 DATA 0,0,128,0,0,192.0.
В6	.0.0.0.0.240.0.240 890 DATA 0.72.0.0.92.0.0.252		0,0,0,0,128,0,0,128,448 1280 DATA 0,0,128,0,0,64,0.0	77	0,224,0.0.16.0.0.16.0.576 1690 DATA 0,144.0,0.176.0.0.
E7	,0,0.254,0,0.254,0,0.924 900 DATA 231,224,0.0.0.0.0.0		,0,0,0,0,0,0,0,0,192 1290 DATA 0.0,0,0,0,0,0,0,0,0,0	150.00	240,0.0,80.0,0,80.0.0,720 1700 DATA 224,0.0,240,0.0.8,
C2	.0.0.0.0.0.0.0.251.706 910 DATA 0.0.0.0.0.0.0.0.0.0		0.0,0.0.0.0.0.0 1300 DATA 0.0,0,0,0,0,0,0,0,0	71	0,0,12,0,0,4,0,0,254,742 1710 DATA 0,0,0,0,0,1,15,255
F8	.0.0.0.0.0.0.0 920 DATA 2.0.0.3.0.0.3.0.0.3		0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,		,255.0.0,1.0.0.1.0.528 1720 DATA 4.7.0.7.195.0.7.25
1E	.0.0.3,0.0.7.21 930 DATA 255.0.7.234.0.3.255		0,0,0,0,1,255.0.256	7C	5,0,5,255,0,0,246,0,0,981
	.0.3.255.0.1.255.0.63.255.15 86		1320 DATA 0.1.0.0.3.0.0.4.0, 0.4.0.0.6.0.0.18		1730 DATA 244.0.0.116.0.0.12 4.0.0.63.0.0.62.0.0.30.639
E2	940 DATA 0.3.152,0.0,0.0.0.0 ,0.0,0,0.0,0.255,410	1000	1330 DATA 7,0,0,3,0,0,5,0,0, 0,0,0,0,0,0,15	38	1740 DATA 0.0.31,0.0.103.0.0 .25.0.0.7.0.0.0.89,255
2A	950 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0		1340 DATA 0.0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	94	1750 DATA 0,0.0.0.0.0.255.25 5,224,0,0.0.0.0.0.192,926
78	960 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,	38	1350 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	D9	1760 DATA 0.0,128.0.0,192.0. 0,192,0.0.224,0.0.80.0.816
A4	970 DATA 0.112.0,0.100.0.0,2 54.0.0.255,0.0.255.0,0,976	FF	1360 DATA 0.0,128,0,0,64,0,0 ,64,0,0,192,0,0,192,0,640	2C	1770 DATA 0,40,0.0.24.0.0.25 2,0,0,60,0.0.124.0,0.500
92	980 DATA 255.224.0.1.128.0.0 .0.0.0.0.0.0.0.0.1.609	31	1370 DATA 0.128.0.0,64.0,0.0 .0,0.0,0,0.0,0.0,192	86	1780 DATA 248.0.0,240.0,0,8, 0,0,4,0,0.0.0,0,255,755
72	990 DATA 0,0,0,0,0,0,0,0,0,0	2C	1380 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	39	1790 DATA 0.0.0.0.0.0.3.255. 255.0.0.0.0.0.0.0.513
FD	1000 DATA 16.0.0.24.0.0.24.0 .0,24.0.0.24.0.0.31.143	91	1390 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,	C6	The second secon
25	1010 DATA 255.0.63.250.0.7.2	87	1400 DATA 0.1.0.0.7.0.0.7.0. 0.9.0.0.9.0.0.33	15	0.1672 1810 DATA 252,0.0.124.0.0.62
22	50,0,1,255.0.0,63,0.0,127.12	BA	1410 DATA 9,0.0,9.0.0,9.0.0.	EF	.0.0.31,0.0.15.0.0.7.491
650	1020 DATA 0.0.3,0.0.0,0,0.0. 0.0.0.0.0.0.2.5	BC	15,0.0,11,0.0,7,60 1420 DATA 0.0,11,0.0,8.0,0,1	10000	6,0,0.1,0.0,0.89,144
59	1030 DATA 0.0.0.0.0,0,0.0.0.0. 0.0.0.0,0,0,0,0	2D	6,0,0,0.0,0,0,91.126 1430 DATA 0.0,0.0,0,0,0,0,0.0	A2	1830 DATA 0.0.0.32.0.0.255.2 55,252,32.0.0.32.0.0.252.111
B2	1040 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	E1	0,0,0.255,252.0,0.507 1440 DATA 0.0.192,0.0.192.0,	14	0 1840 DATA 0.0.248.0.0.252.0.
AF	1050 DATA 0.173,0.0.173,160, 0.255,248,0.255,252,0.255.25	31	0.128.0.0,32.0.0.32.0.576 1450 DATA 0.32.0.0.32.0.0.22	47	0.254,0.0.66,0.0.65,0.885 1850 DATA 0.64,128,0.65,128,
BF	2,0,2023 1060 DATA 255,224.0.0,0.0.0.	EA	4,0,0,160,0,0,192,0,0,640 1460 DATA 160,0,0,32,0,0,16,	-	0.255,192.0,240.224.0,241.22 4.0,1761
A1	0,0,0,0,0,0.0.0.251.730 1070 DATA 0,0.0,0,0,0,0.0.0.	02	0,0,0,0,0,0,0,0,3,211 1470 DATA 0,0,0,0,0,1,15,255	B7	1860 DATA 255,192.0.254.0,0, 40,0,0,231.0.0.0,0,0.255.122
30	0.0.0.0.0.0.0.0 1080 DATA 64.0.0.96.0.0.96.0	4A	.255.0,0.1.0,0,1.0,528 1480 DATA 0.7.0.0,3.0,0,7.0.	4E	7 1870 DATA 0.0.0.0.0.0.3.255.
72	.0,112,0.0.120,0,0.127.615 1090 DATA 255,0.255.253,0,31	80	0.15.0.0,17.0,0.49 1490 DATA 17.0.0,17.0.0.25.0	D5	
277.00	.253.0.7.255.0.0.63.0.0.7.13 79	68	.0.31.0.0.19.0.0.19.128 1500 DATA 0.0.11.0.0.15.0.0.	110355	7.255,255,64.127,255,0,15,25 2.0.3,2001
88	1100 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	25	16.0.0.32.0.0.64.0.138 1510 DATA 0.0.0.0.0.0.255.25	DE	1890 DATA 252.0.1.252.0.0.25 4.0,0,127.0.0.63,0.0,15,964
89	1110 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	1	5,224,0,0,0,0,0,0,192,926 1520 DATA 0,0,128,0,0,192,0,	DF	1900 DATA 0.0.7.0.0.3.0.0.2. 0.0.2.0.0.63.2.79
8F		27	0,224,0,0,16,0,0,16,0,576 1530 DATA 0,16,0,0,48,0,0,24	90	그 것이 아이를 가는 것이 하는데 하는데 보다 가장이 아니라 하는데 이름이 얼룩한 점속을 살다.
C4	1130 DATA 0.182.128.0.182.19 6.0.255.255.128.255.255.224.	D2	0.0.0.144.0.0.144.0.0.592 1540 DATA 160.0.0.224.0.0.32	79	96
3.5	255,255,192,2762	7B	.0,0.16.0.0,8.0.0.2.442 1550 DATA 0.0.0.0.0.1.0.1.25	6.8	8.0,255,192.0,48,160,0,48,14 4,1484
A5	0.0,0,0,0.0.0.0.1.504 1150 DATA 0.0,3.0,0.1,0.0,0,	5005	5,0.0,1.0.0.1,0.259 1560 DATA 0.7.0.0.3,0.0.7.0.	FD	the second secon
D7	0.0.0.0.0.0.0.4	E7	0,15,0.0,17.0,0.49 1570 DATA 17.0,0.17.0,0.25.0	87	9,0,1777
DF	1160 DATA 0.0.0.0,0,0,0.0.0.0.0.0.0.0.0.0.0.0.0.0	73	,0,31,0,0,19,0,0,19,128	0/	0,2,0,0,2,96,0,255,128,0,254 ,1717
C5	0.0.0.0.0.0.0	DC	1580 DATA 0.0.11.0.0.15.0.0. 16.0.0.32.0.0.64.91.229	OF	
CB	0.0.0.0.0.0.4.4	AC	1590 DATA 0.0.0.0.0.0.254.0. 0.0.0.0.0.0.0.192.446	88	
	1190 DATA 128.0,0.0,0.0.0.0, 0,0,0.0.0.0.0.0.128	82	1600 DATA 0.0,128,0,0,192.0, 0,224,0,0,16,0,0,16,0,576		2.0.3.1969
27	1200 DATA 0,0.0,0.0.0.0.0.0.	A2	1610 DATA 0,16.Q,0,48.0.0,24	AE	1970 DATA 252.0.1.252.0.0.25
-					

ma	4.0.0.127.0.0.63.0.0.15.964	1	5.255.248.255.255.0.255.248.	1	15.0.0.7.224.0.3.249
E3	1980 DATA 0,0,7,0,0,3,0,0,2, 0,0,2,0,0,63,0,77	1 7353767	0,255,128,2918	10	2680 DATA 252.0.1.255.
ЗА	1990 DATA 32.0.0,48.0.0.255,	71	2330 DATA 0,240,0.0,64,0,0.3 5,0,0,127,0,0.252,0,0,718		255,240,0,255,254,0,63 ,31,1990
E9	252.0.48,0.0.48,0.0.255,938 2000 DATA 0.0.254,0,0.255,12	B1	2340 DATA 248.0.0.8.0.0.0.0.	9B	
	8.0.255.192.0,48,160.0.48.14	AO	0.0.0.0.0.0.0.165.421 2350 DATA 0.0.0.0.0.0.0.0.2.	СЗ	5,0,1,255,0,0,63,0,0,
60	4.1484 2010 DATA 0.48.72.0.48.68.0.	1000	0,0,2,0,0,2,0,6	(3	2700 DATA 0.0.0.0.0.0. 0.0.1.0,0.1.6,9
0.0	255,254,0,255,195,128,255,19	5B	2360 DATA 0.1.0.0.1.0.0.15.0 .0.255.0.15.255.0.127.669	33	2710 DATA 0.0.0.0.0.0.
EA	9,0,1777 2020 DATA 255,222,0,255,248,	57	2370 DATA 255.3,255,255,63.2	13	0.0.0.0.0.0.0.0 2720 DATA 0.0.4.0.0.4.
1.4	0,2,0,0,2,96,0,255,128,0,1,1	1	55.254.63,255.248,31.255,240	200	0.0,200.0.0,248.0.464
	464	5B	.3,255,255,2945 2380 DATA 0,254,63,0,0,32,0.	C4	2730 DATA 0,252,0.0.25 255,192,0.255,240,0.25
64	2030 DATA 0.0.0.0.0.0.0.0.1. 0.0.1,0.0.1.0.3		0,0,0,0,0,0,0,0,89,438	1	0,1956
72	2040 DATA 0.1.0,3,225.0,15.2	1A	2390 DATA 0.0.0.0.0.0.0.0.25 4.0.15,248.1.255,192,31,996	44	
-	55,0,63,255,0,255,255,3,255, 1585	60	2400 DATA 254.0.255.248.0.25		192,128,15,240,0.0,252 .0,1721
1A	2050 DATA 255.0.0,31.0.0.5.0		5,192,0,255,0,0,240,0,0,224, 0,1923	10	
АЗ	,0,9.0,0,11,0,0,15,326	40	2410 DATA 0.224.0.0.19.0.0.1		
43	0.0.0.0.0.0.91.94	8A	5,0,0,124,0,0,248,0,0,630	I	PROGRAM: AIRCRAFT DISPLA
4D	2070 DATA 0.0.0.0.0.0.0.0.0.	l on	0.0.0.0.0.0.252.388	85	10 rem**********
94	0.0.0.0.0.0.0.0 2080 DATA 0.0.15,128.0.255.2	DE	2430 DATA 0.0.2.0.0.2.0.0.2.	0.5	****
	24,0,255,248,0,255,254,0,255	BC	0.0.1.0.0.1.0.8 2440 DATA 0.15.0.0.255.0.15.	31	20 rem* sprite lirbary ay *
90	,255,2144 2090 DATA 128,240,0.0,64,0.0	10000	255,0,127,255,3,255,255,63,2	e3	(B) - 이프((B) (B) (B) (B) (B) (B) (B) (B) (B) (B)
	,160,0,0,160,0,0,224,0,0,976	C7	55.1753 2450 DATA 254.63.255.248.31.	cb	5 TO 1 TO
FA	2100 DATA 192.0,0,0,0,0,0,0,0	55010	255.240,3,255,241,0,254,1,0,	CD	40 rem************
	0,0,0,0,0,0,0,91,283	9A	0.1,2101 2460 DATA 0.0.1.0.0.3.0,0.1.	6f	50 poke55.0:poke56,40:
97	2110 DATA 0.0.0.0.0.0.0.0.1. 0.0.1.0.0.1.0.3	200	0,0.0,0,0,0,95,100	5a	ifx=1thenload"aircraft 60 v=53248:print"[cls]
61	2120 DATA 15.225.0,63,255.0,	01	2470 DATA 0.0.254.0.15,248.1 .255,192.31,254.0.255,248.0.	1000	26cd][9cr][rev]f7 to s
	127,255,0,127,255,1,255,255,		255,2008	86	imation" 70 pokev+21,15:pokev+2
27	3,255,2091 2130 DATA 255,0,0,1,0,0,3,0,	25	2480 DATA 192.0.255.0.0.240, 0.0.224.0.0.224.0.0.19.0.115	1	okev+29.12:pokev+32.1:
	0.3.0.0.31.0.0.15.308		4	6d	33.1:pokev+39,0 80 pokev+40.0:pokev+41
1B	2140 DATA 0.0.7.0.0.0.0.0.0. 0.0.0.0.0.0.2.9	B4	2490 DATA 0.15.0,0,124.0,0.2	Jou	ev+42,0:pokev.80:pokev-
FD	2150 DATA 0.0.0.0.0.0.0.0.0.	38	48.0.0.200,0.0.192.0.0.779 2500 DATA 64.0.0,128.0.0.0.0	0.0	:pokev+2,104:pokev+3.15
OB	0.0.0.0.0.0.0.0 2160 DATA 0.0.15.224.0.127.2	01	.0.0.0.0.0.0.0.90.282	36	90 pokev+4,200:pokev+5 okev+6,248:pokev+7,150
	48,0,255,254,0,255,240,0,255	OI	2510 DATA 0.0.1.0.0.1.0.0.1, 0.0.1.255.255.255.127.896	8d	100 input"[hom][cd]star
D1	.0.1873 2170 DATA 0.240.0.0.224.0.0.	AC	2520 DATA 255.255,31.255.255		ite":s:input"end sprite nput"delay":d
NASSES.	0,0.0.224,0,0,224,0,0,912		,15,255,255,15,255,255,7,255 ,255,7,255,2880	05	110 forsp-stoestep2:for
45	2180 DATA 224.0.0,224.0.0.0.	06	2530 DATA 252,7.254,0,0,0,0,		d:next:print"[hom]"tab(prite no.~";sp:poke2040
C7	0.0.0.0.0.0.0.0.164.612 2190 DATA 0.0.0.0.0.0.0.1.	82	0,0,0,0,0,0,0.0.0.513 2540 DATA 0.0.0.0.0.0.0.0.0.	37	120 poke2041,sp+1:poke2
0.4	0.0,1,0,0,1,0,3	0.2	0.0.1.0.0.1.91.93		p:poke2043,sp+1:next:ge fk\$="[f7]"then100
84	2200 DATA 0.1,1.255.255.0.25 5.255,0.127,255,0,63,255.0.6	38	2550 DATA 0.0,0.0,0,0,0,0,0.0. 0,0.0.255.255,254.255,1019	3d	130 goto110
	3.1785	4B	2560 DATA 255.248.255.255.0.	-	
77	2210 DATA 255.0.31,255.0.15, 252,0.0,0.0.0.0.0.0,15,823	2020	255,248,0,255,128.0.252,0.0.		
47	2220 DATA 0.0.7.0.0.0.0.0.0.	40	76,0,2227 2570 DATA 0.24.0,0.56,0.0.56	P	ROGRAM: ADV LOADER 3
2D	0,0.0,0,0.0,0,7 2230 DATA 0.0.0.0.0.0,0,0,0	D.	.0.0.120.0.0.104.0.0.360	3/0-0-	WC W
	0,0,0,0,0,0,0	B1	2580 DATA 112,0,0,48,0,0,96, 0,0,160,0,0,48,0,0,1,465	af	10 rem***********
5B	2240 DATA 0.0.255.254.0.255,	OA	2590 DATA 0.0.0.0.0.0.0.0.0.	9d	* 20 rem* adventure kit p
	254,0,255,254,0,255,248,0,25 5,128,2413	RESPE	0.0.0.15.0.0,7,22 2600 DATA 224.0.3.252.0.1.25	1250000	
CB	2250 DATA 0,240.0.0.112.0.0.	4.40	5.128.1.255.240.0,255.254.0.	Зе	30 rem* object modul
42	52.0,0,124.0,0,248.0.0.776 2260 DATA 248.0.0.56.0.0.0.0	PP	63,1931	9d	40 rem**********
	,0,0,0,0,0,0,89,393	FB	2610 DATA 255.0.31,255.0.7.2 55.0.7,255.0.1,255.0,0.63,13	ee	* 2000 for1=0to45:cx=0:fo
77	2270 DATA 0.0.0,0.0.0,0.0,1. 0.0,1,0,0.1.0.3		84	00	o15:reada:cx=cx+a:poke4
43	2280 DATA 0.1.255.255.255.12	64	2620 DATA 0.0.40.0.0.36.0.0. 36.0.0,54.0.0.0,6.172	82	1*16+d,a:nextd
	7,255,255,31,255,255,15,255,	83	2630 DATA 0.0.0.0.0.0.0.0.0.	02	2010 reada:ifa<>cxthenp error in line":2040+(1*
05	255.15,255,2739 2290 DATA 255.7.255,255,7.25	88	0.0,0,0,0,0,0	00	top
50	5.252,7.254,0,0,0,0,0,0,63.1	101000 101000	2640 DATA 0.0,8.0,0,8,0.0,16 ,0.0,16,0,0.224,0,272	Of f8	2020 next1:end 2040 data76.33.192.76.66
73	610 2300 DATA 0,0.63.0.0.32.0.0.	FC	2650 DATA 0.248.0.0.255.128.	1000	,76,83,192,76,104,192,76
	0.0.0.0.0.0.0.89,184		0.255,240.0,255,254,0,255,25 5,192,2337	a1	,192,76,1848 2050 data161,193,76,231,
5C	2310 DATA 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	OB	2660 DATA 0.15.248,0,0,31.0,	4.4	76,10,194,76,50,194,76,7
BC	2320 DATA 0.0.255,255.254,25	50	0,0,0,0,0.0.0,0,253.547 2670 DATA 0,0.0,0,0,0,0,0,0,	ho	4,16,15,1828
				ро	2060 data1,32.137,194,14

10	2680 DATA 252.0,1.255,128,1,
	255,240,0,255,254,0,63,255,0
	,31,1990
9B	2690 DATA 255.0,7,255.0,7,25
	5,0,1,255,0,0,63,0,0,7,1105
C3	2700 DATA 0.0.0.0.0.0.0.0.1.
	0.0.1.0.0.1.6.9
33	2710 DATA 0.0.0.0.0.0.0.0.0.
	0.0.0.0.0.0.0
13	2720 DATA 0.0.4.0.0.4.0.0.8.
	0.0,200.0.0,248.0,464
C4	2730 DATA 0,252,0,0,255,0,0,
	255,192,0,255,240,0,255,252,
	0,1956
44	2740 DATA 255.255.0,129.255.
	192.128.15.240.0.0.252.0.0.0
	.0,1721

RAM: AIRCRAFT DISPLAY

85	10 rem*****************************
31	20 rem* sprite lirbary displ
е3	
cb	40 rem*********************
6f	50 poke55.0:poke56.40:x=x+1: ifx=1thenload"aircraft".8.1
5a	60 v=53248:print"[cls][blu][26cd][9cr][rev]f7 to stop an
86	<pre>imation" 70 pokev+21,15:pokev+23.12:p okev+29.12:pokev+32.1:pokev+</pre>
6d	33.1:pokev+39.0 80 pokev+40.0:pokev+41.0:pok ev+42.0:pokev,80:pokev+1.150
9c	:pokev+2,104:pokev+3,150 90 pokev+4,200:pokev+5,150:p okev+6,248:pokev+7,150
84	100 input"[hom][cd]start spr ite";s:input"end sprite";e:i
05	nput"delay":d 110 forsp=stoestep2:fort=Oto d:next:print"[hom]"tab(23)"s
37	prite no";sp:poke2040,sp 120 poke2041,sp+1:poke2042.s p:poke2043,sp+1:next:getk\$:i
3d	fk\$="[f7]"then100 130 goto110

I	PROGRAM: ADV LOADER 3
af	10 rem**************
9d	20 rem* adventure kit part3
3е	30 rem* object module
9d	40 rem****************
ee	2000 forl=0to45:cx=0:ford=0t o15:reada:cx=cx+a:poke49152+ 1*16+d,a:nextd
82	2010 reada:ifa<>cxthenprint" error in line";2040+(1*10):s top
Of	2020 next1:end
f8	
a1	2050 data161.193.76.231.193.76.10.194.76.50.194.76.73.19
bO	2060 data1,32.137,194,141.76

	.3.32.137,194.141.72.3.32.97
	.194.1486
52	2070 data160.0.177.251.140.7 8,3,205.72,3,208,5,169,255.1
	41.78.1945
87	2080 data3.96.32,137,194,141
	.76.3.32.97.194.160.2.177.25
4e	1.141,1736 2090 data79,3,96,32,137,194.
93.00	141.76.3.32.39.192.173.78.3.
	240.1518
19	2100 data6.160.0.169.255.145
	,251,96,32,137,194,141,76,3, 32,137,1834
17	2110 data194,141.83,3,169,25
	5,141,72,3,32,45,192,173,78,
	3,240,1824
81	2120 data16,32,97,194,160.0.
	173.83.3.145.251.160.1.169.0 .145.1629
5c	2130 data251.96,32.137.194.1
	41,72,3,32,137,194,141,73,3,
320	32,137,1675
сЗ	2140 data194.141,75,3,173,73,3,208.11,169,0,141,74,3,141
	,78,1487
06	2150 data3,76,186,192,32,137
	,194,141,74,3,169,0,141,76,3
98	.141.1568 2160 data82.3.32.22.193.32.9
90	7,194,160,0,177,251,205,72,3
	, 208, 1731
3f	2170 data34,238,82,3,173,78,
	3,240,12,160,1,177,251,240,6
4f	,173,1871 2180 data32,192,141,134,2,17
41	3.73.3.240.6.32.41.193.76.24
	3.192.1773
89	2190 data32,87,193,238,76,3,
	173.76.3,205,81,3,208,199.17 3,73,1823
89	2200 data3, 208, 3, 32, 153, 193,
	173,82,3,208,10,32,151,194,1
	69,196,1810 2210 data160,194,32,30,171,9
12	6,32.151,194,173,77,3,240,10
	,169,167,1899
11	2220 data160,194,32,30,171,2
	38.75,3,96,32,151,194,24,165 ,251,105,1921
cb	2230 data4,133,253,165,252,1
0.000	05,0,133,254,160,3,177,251,1
	41.83.3,2117
5b	2240 data160.0.177.253,32,21 0.255,200,204,83,3,208,245.2
	38,75,3,2346
a3	2250 data173.31,192.141,134.
24105	2,96,160.3,177,251,141,83,3,
	32.162.1781
84	2260 data194,24,152,109,83,3 ,201,40,144,9,238,75,3,32,15
	3,193,1653
36	2270 data32,151,194,24,165,2
	51.105.4,133.253.165.252.105
c7	.0,133.254,2221 2280 data160,0,177,253.32,21
CZ	0,255,200,204,83,3,208,245,1
	73.31.192.2426
4f	2290 data141.134.2.169.44.32
	,210,255,96,169,204,160,194,
a5	32,30,171,2043 2300 data96,32,137,194,141,7
d.J	3.3.32.137.194.141.75.3.173.
	73, 3, 1507
b4	2310 data208.8.169.0.141.74.
	3,76,192,193,32,137,194,141, 74,3,1645
dc	
	82.3.169.1.141.78.3.32.151.1
(2)	94.1384
āl	2330 data173,77.3,240,10,169 ,178,160,194,32,30,171,238,7

90	5.3.169.1922 2340 data255.141.72.3.76.197 .192.32.137.194.141.76.3.32.	8a	bjects";no 160 if (n1+4)*no<2048 then 1
6d	97,194,1842 2350 data160.0,177,251,201,2	25	170 print"insufficient memor ytry again":ford=1to1000:
21	55,240,6,169,0,141,78,3,96,1 69,255,2201	84	next:goto140 180 sys12*4096+21.no,n1,15,1 5,0,0
81	2360 data141.78.3.169.1.160. 1.145.251.96.32.137.194.141. 81.3.1633	c6	190 print"[down3]initialisin
20	2370 data32,137,194,141,30,1 92,32,137,194,141,31,192,141	ъ8	200 fori=Oto(n1+4)*no: poke sa+i,O:next
8f	.134,2,32,1762 2380 data137.194,141,32,192, 32,137,194,141,32,208,32,137	a0 88	210 goto50 220 input"[clr]object number ";ob:if ob>peek(849)-1then22
62	.194,141,33.1977 2390 data208,96.32.137.194,1 41.76,3.32.137.194.141.72.3.	0e	0 230 nl=peek(49182):ad=sa+(nl +4)*ob
5b	32,97,1595 2400 data194,160,0,173,72,3,	b8 17	240 gosub490 250 input"[down2]location":a
	145,251,96,32,137,194,141,76	6e	: poke ad.a 260 input"worn flag";a: poke
0a	2410 data1.177.251.208.6.169 .255.141.78.3.96.169.0.141.7 8.3.1776	25	ad+1.a 270 input"weight";a: pokead+ 2.a
с9	2420 data96,169.0,133.251,16 9,128,133.252.24,173.30.192. 105.4.141.2000	7d	280 input "object name";a\$:i f len(a\$)>16 then a\$=left\$(a \$.16)
9c	2430 data80.3.172.76.3.240.1 7.24.165.251.109.80.3.133.25	ab 5c	290 poke ad+3,len(a\$) 300 fori=Otopeek(ad+3)-1
60	1,165,1772 2440 data252,105,0,133,252,1 36,208,239,96,32,253,174,32.	dc cd	310 poke ad+4+i,asc(mid\$(a\$, i+1,1)):next 320 goto50
93	138.173.32.2255 2450 data247.183.165.20.164. 21,96.174.75.3.172.74.3.24.3	9b f9	330 input"[clr]location numb er":lo 340 print"[down2]location"lo
a5	2.240.1693 2460 data255.96.56.32.240.25	ь1	" contains" 350 sys 12*4096+12.10,0.6
17724040	5,96,73,32,67,65,78,32,83,69	a9 1f 2e	360 geti\$:ifi\$=""then360 370 goto50 380 input "[clr]input file n
da	2470 data13.0.89.79.85.32.65 .82.69.32.67.65.82.82.89.73. 1004	ь0	ame";fi\$ 390 input"[down]device (8=di
8c	2480 data78,71,13.0,78.79.84 ,72,73,78,71.0,157,32,13,0,8	d8	sk1-cassette)":de 400 print"[down3]loading tab les"
Эd	2490 data1,32,4,153,245,36,1 98,85,127,140,246,38,198,86, 160,143,1892	7e eb	410 fl=1:goto10
P	ROGRAM: ADV EDITOR 3	56 81 24	430 for ob=Otopeek(849)-1:pr int"object"ob:print"[ct9]" 440 gosub490 450 print"
4b	10 iffl=1then f1=2: loadfi\$.	8a	":print:print
05	de,1 20 iff1=2 goto50	55 ad	470 next 480 goto50
6c	30 poke 56.96:clr: sa=8*4096	ce ed	500 print"[down]location":pe
66 83	40 poke 53280,0:poke53281,0: poke646,15 50 printchr\$(147)tab(15)"obj	ea	ek(ad) 510 print"worn flag":peek(ad+1)
cc	ect editor" 60 print"[down3]"tab(12)"1.	cc	520 print"weight":peek(ad+2)
94	setup database" 70 printtab(12)"2. alter ent	CHIL	530 print"object name ":: for ri=0topeek(ad+3)-1 540 c=peek(ad+4+i):ifc=0 the
5c	ry" 80 printtab(12)"3, test location"	e0 04	n c=42 550 printchr\$(c)::next:print
6c	90 printtab(12)"4. save data base"	bc	560 return
5c	100 printtab(12)"5. load dat abase" 110 printtab(12)"6. show ent	65 e7	eadx:pokei.x:t=t+x:next
91 fc	110 printtab(12) 6. show entries" 120 geti\$:ifi\$<"1"ori\$>"6"th	5d	ta error": end
d1	en120 130 on val(i\$) goto 140,220.	a3	ek(849) 600 input "[clr]input file n
ef	330,570,380,420 140 input"[clr]input length	с3	
9e	of name":n1 150 input "[down]number of o	75	sk1-cassette)":de 620 print"[down3]saving tab

	es"
e2	630 sys 870 fi\$.de.2.sa.fa
4e	640 goto 50
cf	650 data 32,212,225,32,253,1
	74.32.138.173.32.247.183.165 .20.72.165.21.72.32.253
9c	660 data 174.32.138.173.32.2
	47.183.165.1.41.254,133.1.16
	6,20,164,21,104,133,21
37	670 data 104.133.20.169,20,3
	2,95,225,165,1,9,1,133,1,96

PROGRAM: ADV DEMO 3

```
10 rem***********
      20 rem* adv kit part 3 *
 8c
     30 rem* demonstration
      40 rem***********
 db
 98
     50 sa=12*4096
 14
     60 n=4: rem object numbers
     70 1=16: rem name length
 b5
     80 sys sa+21,4,16,15,1,0,0:
 ad
      rem setup
 60
     90 gosub290
 1a
     100 geti$:ifi$=""then100
 db
     110 if i$="1"then gosub290:g
     oto100
     120 ifi$="t"then160
130 ifi$="i"then190
 1a
52
     140 ifis="d"then200
63
     150 ifis="w"then230
160 input "[home,down9]take
87
64
     item number":in
d5
     170 syssa+6,in.1
                        :ifpeek(846
     )=Othenprint"not here":gotol
     180 print"taken":goto100
e6
03
     190 gosub290:print"[home.dow
     n10]you have":syssa+15.0.11:
     goto100
    200 input "[home.down9]drop
item number";in
2c
    210 syssa+9,in,1 :ifpeek(846
     )=Othenprint"you ain't got i
     t":goto100
    220 print"dropped":goto100
    230 input"[home.down10]wear
item number";in
f3
    240 syssa+27.in:ifpeek(846) = Othenprint"you're wearing it
     ":goto100
    250 syssa+18.in
    260 if peek(846)=Othenprint"
     you don't have that'
    270 ifpeek(846)=255thenprint
    "you are now wearing it
    280 goto100
    290 print"[clr]location 1":s
    ys sa+12,1.0.2
    300 print"[down13]"tab(16)"[
    rvson] [[rvsoff]ook"
    310 printtab(16) "[rvson]t[rv
    sofflake"
    320 printtab(16)"[rvson]d[rv
    soff lrop"
a0
    330 printtab(16)"[rvson]w[rv
    sofflear'
    340 printtab(16)"[rvson]i[rv
e1
    soff|nventory'
di
    350 return
```

PROGRAM: 8 WAY SCROLL BAS

```
45 1 data 120.169,78.141.20,3,1
69.192.141.21.3
d7 2 data 173.26,208,9,1.141.26
.208,173,17.208
84 3 data 41.127.141.17,208.169
```

	0 0
5e	.252,141,18,208,173 4 data 2,221,9,3,141,2,221,1
7f	
19	,14,220,41,254
ae	7 data 208,169.0,141.230.193
За	,169,128,141,231,193 8 data 96,173,239,193,240,89 ,201,1,208,6,32
75	9 data 139.193.76.172.192.20
ьз	
95	
e2	,6.32,37,193,76 12 data 172,192,201,5,208,9,
f3	32.37,193,32,139 13 data 193,76,172,192,201,6
72	,208,9,32,139,193
13	,201.7,208,9,32
14	.172,192.201.8,208
fd	93,169,191,141,20 17 data 3,169,192,141,21,3,1
e2	73,232,193,141,18 18 data 208,76,26,193,169,8,
d3	141,22.208,169,23 19 data 141.17,208,169,54.14
f8	1.24.208.169.237.141 20 data 20.3.169.192.141.21.
77	3.169.7.141.32 21 data 208.32.15,194.169.0.
30	141,32,208,169,252
42	22 data 141,18,208,76,26,193 ,173,22,208,41,0
2b	23 data 9.16,13.235,193,141, 22,208,173,17,208
5e	24 data 41,248.13,236,193,14 1,17,208,169,36,141
	25 data 24,208,169,6,141,32, 208,32,173,193,169
fa	26 data 0,141,32,208,76,78,1 92,169,1,141,25
f 2	27 data 208.104.168.104.170. 104.64,173,22,208,9
de	28 data 248,24,109,233,193,4 1,7,141,235,193,144
52	29 data 17.56,173,230,193,23 3,1,141,230,193,173
97	30 data 231.193.233.0.141.23 1.193.96.173.22.208
4b	31 data 41,7,56,237,233,193, 41,7,141,235,193
83	32 data 176,17,24,173,230,19 3,105,1,141,230,193
93	33 data 173,231,193,105,0,14 1,231,193,96,173,17
43	34 data 208.9.248.24.109.234 .193.41.7.141.236
e9	35 data 193,144,17,56,173,23 0,193,233,240,141,230
93	36 data 193,173,231,193,233, 0.141,231,193,96,173
63	37 data 17,208,41,7,56,237,2 34,193,41,7,141
9c	38 data 236,193,176,17,24,17 3,230,193,105,240,141
5e	39 data 230.193.173.231.193.
56	105.0.141.231.193.96 40 data 169.0.133.253.169.72
f O	.133.254.173.230.193 41 data 133.251.173,231.193,
9d	133,252,162,18,160,0 42 data 177,251,145,253,200,
02	192,40,208,247,165,251 43 data 24,105,240,133,251,1
37	44.2.230.252.165.253 44 data 24 105 40 133 253 14

```
4,2,230,254,202,208
     45 data 220.96.0.128.189.1.1
 90
      0.0.0.0
 4c
      46 data 0,173,0,220,160,0,16
     2.0.74.176.1
47 data 136.74.176.1.200.74.
 ad
     176.1.202.74.176
48 data 1.232.74.142.237.193
     .140,238,193,96,32
49 data 240,193,174,237,193.
     172,238,193,138,208,7
50 data 152,208,4,141,239,19
     3,96,224,0,208,20
51 data 192,255,208,6,169.2,
4e
     141,239,193,96,192
     52 data 1.208.5.169,1.141.23
     9.193,96,192,0
53 data 208,20,224,255,208.6
     ,169,4,141,239,193
54 data 96,224,1,208,5,169,3
af
     ,141,239,193,96
55 data 192,255,208,20,224,1
      208,6,169,8,141
     56 data 239,193,96,224,255,2
08,237,169,7,141,239
     57 data 193,96,192,1,208,19,
     224.1,208.6,169
     58 data 6,141,239,193,96,224
     ,255,208,5,169,5
     59 data 141.239.193,96,0
06
07
87
     98 print chr$(147)
     99 print:print:print"the num
     ber printed is the current d
     ata
          line number
     100 t=0:for a=49152to49794
3d
     110 read b:pokea.b:t=t+b
     115 printchr$(19);peek(63)+2
     56*peek (64)
5b
     120 next a
     130 if t<>83841 thenprint "e
     rror in data":end
     140 sys 49152
    150 end
16
```

PROGRAM: B WAY SCROLL MC

```
10 *-49152
        DISABLE INTERUPTS.SET UP
INTERUPT VECTOR, ENABLE RASTER
INTERUPT.SET UP VIC BANKS,
DISABLE HARDWARE TIMER A.
 12
      ! RE-ENABLE INTERUPTS
 16
 20 SETINT SEI
 30 LDA *<INTR
40 STA 788
50 LDA *>INTR
60 STA 789
 70 LDA 53274
 80 ORA #1
 90 STA 53274
100 LDA 53265
110 AND #127
 120 STA 53265
 130 LDA #252
140 STA 53266
150 LDA 56578
160 ORA #3
170 STA 56578
180 LDA 56576
       AND #252
 190
200 ORA #2
210 STA 56576
220 LDA 56334
      AND #254
240
      STA 56334
250
      CLI
251
         SET SCREEN COLOURS,
SET START VALUES TO BE
STORED IN MAP & MAP+1
252
254
         (SEE WINDOW)
256
260 LDA #0
```

44 data 24,105.40,133,253,14

37

```
MAP & MAP+1.SET VALUES OF
SCROLL REGISTERS
   270 STA 53280
                                                                                                                                                                                           2280 SBC #240
   280 STA 53281
290 LDA #<32768
                                                                                                                                                                                          2290 STA MAP
2300 LDA MAP+1
                                                                                             1445
                                                                                             1446
  300 STA MAP
310 LDA #>32768
                                                                                                                                                                                          2310 SBC #0
2320 STA MAP+1
                                                                                              1450
                                                                                                       GAMEAREA LDA 53270
                                                                                             1455 AND #0
1456 ORA #16
1470 ORA XSCROLL
   320 STA MAP+1
                                                                                                                                                                                          2400 EXYADD RTS
2401 !
   997
                                                                                             1480 STA 53270
1490 LDA 53265
                                                                                                                                                                                          2402
2403
                                                                                                                                                                                                         AS ABOVE BUT SCROLL UP 1 PIXEL AND ADD SAME VALUE IF
   998 RTS
   1000
                 CHECK TO SEE IF A SCROLL
IS TAKING PLACE.IF NOT JUMP
TO 'NOSCROLL' OTHERWISE
CHECK TO SEE WHICH OF THE 8
POSSIBLE DIRECTIONS WE ARE
SCROLLING IN AND PROCESS.
                                                                                             1500 AND #248
1510 ORA YSCROLL
   1001
                                                                                                                                                                                          2404 ! NECESSARY
                                                                                                                                                                                           2405
   1002
   1003
                                                                                             1520 STA 53265
                                                                                                                                                                                          2410 YSUB LDA 53265
                                                                                                       LDA #36
                                                                                                                                                                                          2420 AND #7
                                                                                             1610
   1004
                                                                                             1620
1625
                                                                                                                                                                                          2430 SEC
2440 SBC YSPEED
   1005
                                                                                                       STA 53272
                                                                                                       LDA #6
                                                                                            1626 STA 53280
1650 JSR WINDOW
                                                                                                                                                                                         2450 AND #7
2460 STA YSCROLL
2470 BCS EXYSUB
2480 CLC
   1007
             INTR LDA WAY
   1020
  1030 BEQ NOSCROLL
1040 CMP #1
1050 BNE W1
1060 JSR YSUB
1070 JMP NOSCROLL
                                                                                            1651
1652
                                                                                                      LDA #0
STA 53280
                                                                                                                                                                                         2490 LDA MAP
2500 ADC #240
2510 STA MAP
2520 LDA MAP+1
                                                                                            1654
                                                                                                       JMP INTR
                                                                                            1656
                                                                                                           SIGNAL THAT INTERUPT HAS BEEN
 1070 JMP NOSCROLL
1080 W1 CMP #2
1090 BNE W2
1100 JSR YADD
1110 JMP NOSCROLL
1120 W2 CMP #3
1130 BNE W3
1140 JSR XSUB
1150 JMP NOSCROLL
                                                                                                       ! PROCESSED, RESTORE REGISTERS
! AND RETURN FROM INTERUPT.
                                                                                                                                                                                          2520
2530
                                                                                                                                                                                          2530 ADC #0
2540 STA MAP+1
2620 EXYSUB RTS
                                                                                            1658
                                                                                            1659 !
1660 EXINT LDA #1
                                                                                                                                                                                          2620
                                                                                            1670 STA $D019
1690 PLA
                                                                                                                                                                                          4000
                                                                                                                                                                                          4001
                                                                                                                                                                                                          (SEE DIAGRAM 1
                                                                                                                                                                                         4001 ! ISEE DIAGNAM 1 !:

4002 ! PRINT UP 1000 BYTES TO SCREEN,

4003 ! ( SCREEN IS AT 17408).

4004 ! STARTING AT MEMORY LOCATION
                                                                                            1700 TAY
1710 PLA
 1150 JMP NOSCROLL
1160 W3 CMP #4
1170 BNE W4
1179 JSR XADD
1180 JMP NOSCROLL
1181 W4 CMP #5
                                                                                            1720 TAX
                                                                                                                                                                                                     ! POINTED AT BY VALUES IN
! MAP & MAP+1.
                                                                                                                                                                                          4005
                                                                                            1740 RTI
                                                                                                                                                                                          4006
                                                                                                                                                                                          4007
                                                                                                          HARDWARE SCROLL SCREEN 1 PIXEL
TO THE RIGHT IF SCREEN HAS
MOVED MORE THAN 1 CHAR. THEN
SUBTRACT 1 FROM 16 BIT VALUE IN
MAP 6 MAP+1.
                                                                                                                                                                                          4070 WINDOW LDA #<18432
                                                                                            1742
 1181 W4 CPP #5
1182 BNE W5
1183 JSR XADD
1184 JSR YSUB
1185 JMP NOSCROLL
                                                                                                                                                                                         4080 STA 253
4090 LDA #>18432
4100 STA 254
4120 LDA MAP
                                                                                            1743
                                                                                            1744
                                                                                            1746
 1186 W5 CMP #6
1187 BNE W6
1188 JSR YSUB
1189 JSR XSUB
                                                                                                                                                                                         4130 STA 251
4140 LDA MAP+1
                                                                                            1747
                                                                                            1750 XAUD LDA 53270
                                                                                            1760 ORA #248
1770 CLC
                                                                                                                                                                                         4150 STA 252
4160 LDX #18
 1190 JMP NOSCROLL
1191 W6 CMP #7
                                                                                                                                                                                         4180 WINDLOOP1 LDY #0
4190 WINDLOOP2 LDA (251),Y
                                                                                            1780 ADC XSPEED
                                                                                            1790 AND #7
1191 W6 CMP #7
1192 BNE W7
1193 JSR YADD
1194 JSR XADD
1195 JMP NOSCROLL
1196 W7 CMP #8
1197 BNE NOSCROLL
1198 JSR YADD
                                                                                            1800 STA XSCROLL
1810 BCC EXXADD
                                                                                                                                                                                         4200 STA (253),Y
4210 INY
                                                                                                                                                                                                   CPY #40
                                                                                            1820 SEC
                                                                                                                                                                                         4215
                                                                                                                                                                                         4220 BNE WINDLOOP2
4230 LDA 251
                                                                                            1830 LDA MAP
                                                                                           1840 SBC #1
1850 STA MAP
                                                                                                                                                                                         4240 CLC
4250 ADC #240
                                                                                           1860 LDA MAP+1
1870 SBC #0
1880 STA MAP+1
                                                                                                                                                                                         4260 STA 251
4270 BCC WINDLP2
           JSR XSUB
  1199
  1200
               SET UP LOCATION OF RASTER
SPLIT AND RE-VECTOR THE
INTERUPT TO PROCESS THE
STATUS LINE (NON MOVING
SCREEN) ROUTINE.
  1210 !
                                                                                           1960 EXXADD RTS
                                                                                                                                                                                          4290 INC 252
                                                                                            1961
                                                                                                                                                                                          4300 WINDLP2 LDA 253
                                                                                                         HARDWARE SCROLL SCREEN 1 PIXEL
TO THE LEFT.IF SCREEN HAS
MOVED MORE THAN 1 CHAR, THEN
ADD 1 TO 16 BIT VALUE
IN MAP & MAP+1.
                                                                                                                                                                                         4310 CLC
4320 ADC #40
  1212 !
                                                                                           1962
                                                                                            1963
                                                                                                                                                                                         4330 STA 253
4340 BCC EXCAL
4360 INC 254
4370 EXCAL DEX
                                                                                           1964
  1214 !
                                                                                           1965
1966
  1240 NOSCROLL LDA * STATLINE
1240 NOSCHOLL LDA *0
1250 STA 788
1260 LDA #>STATLINE
1270 STA 789
1280 LDA RASTER
1290 STA 53266
                                                                                           1967
1970
                                                                                                      XSUB LDA 53270
                                                                                                                                                                                          4376 BNE WINDLOOP1
                                                                                           1980 AND #7
1990 SEC
                                                                                                                                                                                          4400
                                                                                                                                                                                                     ! VARIABLES AS FOLLOWS :-
                                                                                                     SBC XSPEED
                                                                                           2000
                                                                                                                                                                                          4410
                                                                                           2010 AND #7
2020 STA XSCROLL
 1300 JMP EXINT
                                                                                                                                                                                                       1 - LO.HI ADDRESS OF SCREEN
(ROW O.COLUMN 0) IN OVERALL MAP
2 - POSISTION OF RASTER SPLIT
3 - SPEED OF X SCROLL
4 - SPEED OF Y SCROLL
5 - VALUE OF X SCROLL REGISTER
6 - VALUE OF Y SCROLL REGISTER
7 - JOYSTICK X VALUE
8 - JOYSTICK Y VALUE
9 - DIRECTION OF SCROLL (0-8)
                                                                                                                                                                                          4411
 1301
                                                                                                                                                                                          4412
          SET 40 COLUMN SCREEN,
CLEAR SCROLL REGISTERS TO
ENSURE THIS SECTION OF THE
SCREEN IS STILL, RE-VECTOR
THE INTERUPT TO PROCESS THE
ROUTINE DEALING WITH THE
SCROLLING SECTION OF THE
SCREEN, JSR TO 'CONTROL' ROUTINE
                                                                                           2030 BCS EXXSUB
 1303
                                                                                           2040 CLC
                                                                                                                                                                                          4414
                                                                                          2050 LDA MAP
2060 ADC #1
2070 STA MAP
2080 LDA MAP+1
 1305
                                                                                                                                                                                          4416
 1306
1307
                                                                                                                                                                                         4417
4418
                                                                                           2090 ADC #0
2100 STA MAP+1
                                                                                                                                                                                         4419
4420
 1308
 1309
 1310
                                                                                           2180 EXXSUB RTS
                                                                                                                                                                                          4421
 1315 STATLINE LDA #8
                                                                                                        HARDWARE SCROLL THE SCREEN
DOWN 1 PIXEL. IF SCREEN HAS
MOVED MORE THAN 1 CHAR THEN
SUBTRACT NUMBER OF SCREENS
HORIZONTALLY IN MAP MULTIPLYED
BY 40 FROM 16 BIT VALUE IN
MAP & MAP+1.
EG:-
                                                                                           2181
                                                                                                                                                                                          4422
1315 STATLINE LDA #1
1320 STA 53270
1330 LDA #23
1340 STA 53265
1350 LDA #54
1360 STA 53272
1370 LDA #(GAMEAREA
1380 STA 788
                                                                                                                                                                                         4422 :
6000 MAP BYT <32768.>32768
6030 RASTER BYT 189
6060 XSPEED BYT 1
6070 YSPEED BYT 1
                                                                                           2182
                                                                                           2183
                                                                                           2184
                                                                                                                                                                                          6080 XSCROLL BYT 0
6090 YSCROLL BYT 0
                                                                                           2186
                                                                                           2187
                                                                                           2188
                                                                                                                                                                                         6100 DX BYT 0
6110 DY BYT 0
1390 LDA #>GAMEAREA
1400 STA 789
                                                                                          2189
2190
                                                                                                         EG:-
IF THERE ARE 6 SCREEN ACROSS
                                                                                                                                                                                         6160 WAY BYT 0
6161 !
1405 LDA #7
1406 STA 53280
1410 JSR CONTROL
                                                                                           2191
                                                                                                         IN MAP THEN SUBTRACT 240.
                                                                                                                                                                                                         THE VALUES IN WAY INDICATE
                                                                                                                                                                                         6162
6163
                                                                                                     YADD LDA 53265
                                                                                          2199
                                                                                                                                                                                                         THE FOLLWING: -
                                                                                         2199 YADD LDA 53.

2200 ORA #248

2210 CLC

2220 ADC YSPEED

2230 AND #7

2240 STA YSCROLL

2250 BCC EXYADD
1415 LDA #0
1416 STA 53280
                                                                                                                                                                                          6164
                                                                                                                                                                                         6165
6166
                                                                                                                                                                                                         0 - NO SCROLLING
1420 LDA #252
1430 STA 53266
                                                                                                                                                                                                         1 = SCROLL UP
2 = SCROLL DOWN
                                                                                                                                                                                          6167
1440 JMP EXINT
1441 !
1442 ! SET 38 COLUMN.24 ROW SCREEN
                                                                                                                                                                                                        3 - SCROLL LEFT
4 - SCROLL RIGHT
5 - SCROLL UP & RIGHT
6 - SCROLL UP & LEFT
                                                                                                                                                                                          6168
                                                                                                                                                                                          6169
                                                                                                                                                                                         6170 !
                                                                                          2260 SEC
1443 ! PRINT UP SCREEN FROM
                                                                                          2270 LDA MAP
```

```
1 7 - SCROLL DOWN & RIGHT
1 8 - SCROLL DOWN & LEFT
                                                               BYTING INTO THE 6510
  6173
6174
  6179
6180
           JOYSTICK READING ROUTINE.
SEE PAGE 345 OF PROGRAMMERS
REFERENCE GUIDE FOR FULL
                                                               10
                                                                                                   ORG 49152
  6181
6182
                                                               20
        REFERENCE GO
EXPLANATION.
  6183
                                                               30
                                                                             SCREENMEM EQU 251
  6184
  7000 JOYREAD LDA 56320
                                                               40
                                                                             SCREENCOL EQU 253
  7010 LDY #0
7020 LDX #0
                                                               50
  7025 !
7030 LSR A
                                                               60
                                                                            GETIN
                                                                                                   EQU $FFE4
  7040 BCS JOY0
7050 DEY
                                                               70
  7060 JOYO LSR A
7070 BCS JOY1
                                                               80
                                                               90
                                                                             ; INITIATE SCREEN AND COLOUR VARS.
  7080 INY
7090 JOY1 LSR A
                                                               100
 7100 BCS JOY2
7110 DEX
7120 JOY2 LSR A
7130 BCS JOY3
7140 INX
                                                               110
                                                                                                   LDA #<1024
                                                               120
                                                                                                   STA <SCREENMEM
                                                               130
 7150 JOY3 LSR A
7160 STX DX
7170 STY DY
                                                                                                   LDA #>1024
                                                               140
                                                                                                   STA >SCREENMEM
  7180 RTS
                                                               150
 7190 H
7190 !
7191 ! MAIN CONTROL ROUTINE :-
7192 ! DECIDE WHICH DIRECTION TO
7193 ! SCROLL.
                                                               160
                                                                                                   LDA #<55296
                                                               170
                                                                                                   STA <SCREENCOL
 7194
                                                               180
                                                                                                   LDA #>55296
 8000 CONTROL JSR JOYREAD
 8010 LDX DX
8020 LDY DY
8021 TXA
                                                               190
                                                                                                   STA >SCREENCOL
                                                              200
 8022 BNE VERTICAL
8023 TYA
8024 BNE VERTICAL
8025 STA WAY
                                                               210
                                                                            ; CLEAR THE SCREEN.
                                                               220
 8026 RTS
                                                               230
8030 VERTICAL CPX #0
8030 VERTICAL CPX #0
8040 BNE HORIZONTAL
8050 UPC CPY #255
8060 BNE DOWNC
8070 LDA #2
8080 STA WAY
                                                                                                  JSR $E544
                                                               240
                                                               250
                                                                             ; SWITCH COMPUTER INTO
                                                              260
                                                                            ; BUSINESS MODE.
 8090 RTS
8100 DOWNC CPY #1
                                                              270
8110 DOWNC CPY #1
8110 BNE XVERT
8120 LDA #1
8130 STA WAY
8140 XVERT RIS
8150 HORIZONTAL CPY #0
8160 BNE DIAGONAL
                                                              280
                                                                                                  LDA #14
                                                              290
                                                                                                  JSR $E716
                                                              300
                                                              310
                                                                            ; WAIT FOR KEYPRESS.
8170 LEFTC CPX #255
8180 BNE RIGHTC
8190 LDA #4
8200 STA WAY
8210 RTS
                                                              320
                                                              330
                                                                            GETKEY
                                                                                                  JSR GETIN
8210 RTS

8220 RIGHTC CPX #1

8230 BNE OUTCON

8240 LDA #3

8250 STA WAY

8260 OUTCON RTS

8270 DIAGONAL CPY #255
                                                              340
                                                                                                  BEQ GETKEY
                                                              350
                                                              360
                                                                            ; IF F1 PRESSED, EXIT.
                                                              370
8270 DIAGONAL CPY #2
6280 BNE DIAGDOWN
8290 CPX #1
8300 BNE UPLFT
8310 UPRGHT LDA #8
8320 STA WAY
8330 RTS
8340 UPLFT CPX #255
8350 BNE OUTCON
8360 LDA #7
8370 STA WAY
8380 RTS
8390 RTS
8390 DIAGDOWN CPY #1
                                                              380
                                                                                                  CMP #133
                                                              390
                                                                                                  BEQ EXIT
                                                              400
                                                              410
                                                                            ; IF DELETE KEY HAS BEEN PRESSED.
                                                              420
                                                                            ; JUMP TO DELETION ROUTINE.
                                                              430
8390 DIAGDOWN CPY #1
8400 BNE XDIAG
8410 CPX #1
8420 BNE DWNLFT
                                                              440
                                                                                                  CMP #20
                                                              450
                                                                                                  BEQ DELETE
                                                              460
8440 DWNRGHT LDA #6
8450 STA WAY
8460 RTS
                                                              470
                                                                            ; CONVERT ASCII INTO SCREEN CODE.
8470 DWNLFT CPX #255
                                                              480
8480 BNE XDIAG
8490 LDA #5
8500 STA WAY
                                                              490
                                                                                                  CMP #128
                                                              500
                                                                                                  BCC SKIP
8510 XDIAG RTS
8520
                                                              510
                                                                                                  SEC
                                                                                                                             ; UPPER CASE
8530 END
                                                              520
                                                                                                  SBC #64
                                                              530
                                                                           SKIP
                                                                                                  CMP #64
                                                                                                                             ; LOWER CASE
                                                              540
                                                                                                  BCC PRINT
                                                              550
                                                                                                  SEC
```

560	SBC #64	850 LDA #>1024
570	Notation of Marketin	860 CMP >SCREENMEM
580	PRINT CHARACTER ONTO SCREEN.	870 BEQ GETKEY
590		880 ;
600	PRINT LDY #0	890 ;GO ONE POSITION BACKWARDS
610	STA (SCREENMEM), Y	900 ;
620	LDA #6	910 DELETE1 LDA <screenmem< td=""></screenmem<>
630	STA (SCREENCOL), Y	920 BNE NOHIGH1
640		930 DEC >SCREENMEM
650	: ADVANCE TO NEXT PRINT POSITION.	940 NOHIGH1 DEC <screenmem< td=""></screenmem<>
660	CONTROL OF THE CONTRO	950 ;
670	INC <screenmem< td=""><td>960 LDA <screencol< td=""></screencol<></td></screenmem<>	960 LDA <screencol< td=""></screencol<>
680	BNE NOHIGH	970 BNE NOHIGH2
690	INC >SCREENMEM	980 DEC >SCREENCOL
700		990 NOHIGH2 DEC <screencol< td=""></screencol<>
710	NOHIGH INC <screencol< td=""><td>1000 ;</td></screencol<>	1000 ;
720	BNE GETKEY	1010 ; AND PRINT SPACE OVER LETTER.
730	INC >SCREENCOL	1020 ;
740	BNE GETKEY	1030 LDY #0
750	Particular constant of activities and allocal	1040 LDA #32 ;SPACE
760		1050 STA (SCREENMEM), Y
770		1060 LDA #6 ;BLUE
780	:DELETION ROUTINE:	1070 STA (SCREENCOL), Y
790	(20)	1080 ;
800	; IF BEG. OF SCREEN, EXIT	1090 JMP GETKEY
810	Control of Control (Control of Control of Co	1100 ;
820	DELETE LDA #<1024	1110 ; EXIT: RETURN TO BASIC
830	CMP <screenmem< td=""><td>1120 ;</td></screenmem<>	1120 ;
840	BNE DELETE1	1130 EXIT RTS

D3	10 REM CREATE BUDGET SUBJECT
ВЭ	20 DIMCH\$(20),NB(20),NC(20)
	30 OPEN2, B, 2, "@O: BUDGET SUBJ ECTS, S, W"
68	40 FORA=1T016
FB	50 CHS(A)=" ":NB(A)=0:NC(O)=
9F	60 NEXT A
BG	70 FORA-1T016
B7	BO PRINT#2, CHS(A)
F6	90 PRINT#2,NB(A)
EA	100 PRINT#2,NC(A)
40	110 NEXT A
na	120 CLOSE2

98	10 DIM M5(20)
39	20 OPEN2, 8, 2, "@O: BUDGET MONT
	HS, S, W"
AA	30 FORA-1 TO 12
E6	40 READ M\$(A)
DO	50 M\$(A)="[SSPC]"+M\$(A)
FЭ	60 PRINT#2,M\$(A)
A5	70 NEXT A
22	BO CLOSE2
FЭ	90 DATA JAN, FEB, MAR, APR, MAY,
	JUN, JUL, AUG, SEP, OCT, NOV, DEC

2 DIM Y\$(192), H\$(192) 4 DIM SR\$(16), SS\$(16), SU\$(16 DF

FE

6 DIM BA\$(16),BB\$(16),BC\$(16 61 8 DIM GT(3) 10 REM PROG TO SET UP BUDGET DATA

```
09 20 FOR A=1 TO 192
4F 30 Y$(A)="(S$PC]000":H$(A)="
      000"
BB 40 NEXT A
32 50 FDRA-1ID16
ED 60 SR$(A)="[SSPC]0000":SS$(A)
)="[SSPC]0000":SU$(A)="[SSPC
     30000"
     70 BAS(A)="[SSPE]0000":BBS(A
      )="[SSPC]0000":BC$(A)="[SSPC
      30000"
B3 BO NEXT A
     90 GT(1)=0:GT(2)=0:GT(3)=0
OE 100 OPEN2,8,2,"@0:BUDGET DAT A,S,W"
    110 PRINT#2,SR
120 PRINT#2,CM
130 FORA=1 TO 192
140 PRINT#2,Y$(A)
05
CC
B7
77
75
     150 NEXT A
     160 FOR A-1 TO 192
70
     170 PRINT#2, H$(A)
C6
     180 NEXT A
17
     190 FOR A-1 TO 12
26
     200 PRINT#2, SR$(A)
89
     210 PRINT#2,55$(A)
54
     220 PRINT#2, SUS(A)
5C
     230 NEXT A
C5
     240 FOR A- 1 TO 16
     250 PRINT#2, BAS(A)
260 PRINT#2, BBS(A)
11
     270 PRINT#2, BC$(A)
```

PROGRAM: BUDGET CALC

E1	100 REM **************
4E	110 REM * BUDGET CALC BY S .PHILLIPS *
ED	
19	130 POKE808,239:REM DISABLES RUN/STOP
OA	140 IFLO-1THENGOSUB2920:GOSU B2640:GOTO590
C4	150 POKE53280,9:POKE53281,9: POKE646,7:PRINTCHR\$(142):GOS UB160:GOSUB180:GOTO190
91	160 PRINT"[CLR.SPC4]B U D G E T[SPC4]P R O G R A M M E": PE-1
BF	170 PRINT"[RIGHT4.SE11.RIGHT 4.SE17]":RETURN
50	180 PRINT"[DOWN.RIGHT6]WRITT EN BY:[SPC3]SIMON PHILLIPS": RETURN
B4	190 PRINT"[DOWN4, RIGHT6]PLEA SE KEY IN PRESENT MONTH"
13	
4F	
63	
E7	
C4	T+1:IFFT=3THEN260
C7	
31	260 IFANS="JAN"THENOP=1
	3 270 IFANS="FEB"THENOP=2
10000	3 280 IFANS-"MAR"THENOP=3
B/	[1]
1 B7	300 IFAN\$="MAY"THENOP=5

FA

DE

85

84

280 NEXT A

13 320 CLOSE2

290 PRINT#2,GT(1) 300 PRINT#2,GT(2)

310 PRINT#2,6T(3)

EC	310 IFANS="JUN"THENOP=6	31	730 FORZZ=1T012:INPUT#4,M\$(Z	I AB	1150 PRINT"[DOWN]":LF\$
C1	320 IFAN\$="JUL"THENOP=7	- 53	Z):NEXTZZ:CLOSE4	83	
7E	330 IFAN\$="AUG"THENOP=8	1B	740 IFANS-MID\$(M\$(1),2,3) AND		\$(S):LB\$:F\$(F):LB\$:F\$(F+1):L
7E	340 IFAN\$="SEP"THENOP=9	5-1-0.50	LO=OTHENCM=CM+1:SR=1:GOTO320		B\$;F\$(F+2);LB\$;F\$(F+3);LC\$;S
AE	350 IFANS="OCT"THENOP=10		0		T\$(U)
3C	360 IFAN\$="NOV"THENOP=11	AB		0C	1170 PRINT"[DOWN2]"; AB\$; AS\$;
90	370 IFAN\$="DEC"THENOP=12	Serger of the service	LD\$=" ":LE\$="[SPC4]"		S\$(S+1); LB\$; F\$(F+12); LB\$; F\$(
41	380 IFOP=OOROP=13THENAN\$="":	BA			F+13); LBs: F\$ (F+14); LBs: F\$ (F+
1	QT=16:FT=0:PRINT"[UP3]":GOTO	-]":PE\$=" ACTUAL "		15);
BF	200 390 PRINT"[DOWN4.RIGHT]PRESS	F0	770 GOSUB830:GOSUB780:GOTO82	C5	1180 PRINTLCs;STs(U+1)
Dr	[RVSON] SPACE BAR [RVSOFF]	F6	780 PRINT"[HOME]":	BD	1190 PRINT"[DOWN2]"; AB\$; AS\$;
1	TO COMMENCE LOADING": MZS=ANS	5E	790 FORTY=1T019:PRINT"[SPC39		S\$(S+2); LB\$; F\$(F+24); LB\$; F\$(
	TO COLUMN DOND ING THE AND	.52	1":NEXTTY		F+25):LB\$:F\$(F+26);LB\$;F\$(F+
50	400 GETA\$: IFA\$=" "THEN420	AD	800 RETURN	70	27);
A6	410 GOTO400	1B	810 GOSUBB30	9A	1200 PRINTLC\$;ST\$(U+2) 1210 PRINT"[DOWN2]";AB\$;AS\$;
23	420 PRINT"[CLR, DOWN12, RIGHT9	FO	820 GOTO860	JA.	S\$(S+3); LB\$; F\$(F+36); LB\$; F\$(
200000	LOADING BUDGET DATA"	ED	830 PA\$(1)="(RIGHT2,SO,CY6,S	1	F+37); LB\$; F\$(F+38); LB\$; F\$(F+
89	430 OPEN2,8,2,"0:BUDGET DATA	1	P.RVSON, SO, CY4, SP, RVSOFF, SO.	1	39):
	,S,R":INPUT#2,SR:INPUT#2,CM:	1	CY5,SP,SO,CY3,SP,SO,CY8,SP)"	9F	1220 PRINTLCs:STs(U+3)
	AM=0	2000000		58	1230 PRINT"[DOWN3]": AZ\$; LA\$;
CO		DA	840 PA\$(2)="[RIGHT2,CH]REVIE	11/0845	ACS: LAS: ACS: LAS: ACS: LAS: ACS:
	,Y\$(200),HM(20),HM\$(20),YM(2	1	W[CM, RVSON, CG] MOVE [CM, RVSOFF	1000	LD\$:
81	0),YM\$(20),HS(25)		.CG]AMEND[CM,CG]END[CM,CG]"+	FC	1240 PRINTGTS
0.1	450 DIMHS\$(25),YS(25),YS\$(25),V(200)		PE\$+"[CM]"	FC	1250 GOTO1390
42	460 DIMM\$(20),M(20),S\$(20),S	28	850 PA\$(3)="[RIGHT2.SL,CP6.S	2C	1260 F=FF:S=SS:U=UU:M=MM:MT= MU
1.40	(20) F\$(200) F(200) FZ(200)	1	@,RVSON,SL,CP4,S@,RVSOFF,SL,	52	1270 SW=1:DI=2:GOSUB780
1	FZ\$(200),SR\$(20),SS\$(20)		CP5,S@,SL,CP3,S@,SL,CP8,S@]" :RETURN	48	1280 DI=2:PRINT"[HOME]":SM\$:
E9	470 DIMSU\$(20), SR(20), SS(20)	62	860 GOSUB880	40	LBs;Ms(M);LAs;Ms(M+1);LAs;Ms
1152.00	,SU(20),BA\$(30),BB\$(30),BC\$(5D	870 GOTO940	1	(M+2); LAs: Ms(M+3); LCs; STs
	30),BA(30),BB(30),J\$(30)	C1	880 PRINT"[CLR]"	9E	1290 PRINT"[DOWN]":LF\$
C6	480 DIMBC(30),ST\$(20),MT\$(20	EB	890 PRINT"[HOME,DOWN20]"	03	1300 PRINT"[DOWN] ": S\$(S): LB\$
),MT(20),ST(20),NB(20),NC(20	29	900 PRINT"[RIGHT2.SO.CY6.SP.		;F\$(F):LB\$;F\$(F+1):LB\$;F\$(F+
).GT(10).R(99):FORA=1T0192	1,550,000	RVSON, SO, CY4, SP, RVSOFF, SO, CY		2); LB\$; F\$(F+3); LC\$; ST\$(U)
78	490 INPUT#2, Y\$ (A) : Y\$-MID\$ (Y\$		5,SP,SO,CY3,SP,SO,CY8,SP1"	06	1310 PRINT"[DOWN2]"; S\$(S+1);
DE	(A) .2) :Y(A) =VAL(Y\$) :NEXTA	BB	910 PRINT" [RIGHT2.CH] REVIEW[1	LB\$;F\$(F+12);LB\$;F\$(F+13);LB
BF	500 FORA-1T0192:INPUT#2.H\$(A		CM, RVSON, CG MOVE [CM, RVSOFF, C	1	\$;F\$(F+14);LB\$;F\$(F+15);LC\$;
):H\$=MID\$(H\$(A),2):H(A)=VAL(1	G]AMEND(CM,CG)END(CM,CG)"+PE		
	H\$):NEXTA:GOSUB2920:GOSUB264		\$+"[CM]"	66	1320 PRINTST\$(U+1)
E9	510 FORB=1T012:INPUT#2.SR\$(B	82	920 PRINT"[RIGHT2.SL,CP6,S@,	C7	1330 PRINT"[DOWN2]"; S\$(S+2);
2.5):SR\$-MID\$(SR\$(B).2):SR(B)=V		RVSON, SL, CP4, S@, RVSOFF, SL, CP	1	LB\$:F\$(F+24);LB\$:F\$(F+25);LB
	AL(SR\$)	2B	5.S@,SL,CP3,S@,SL,CP8,S@]" 930 RETURN	1	\$;F\$(F+26);LB\$;F\$(F+27);LC\$;
16	520 INPUT#2.SS\$(B):SS\$=MID\$(6D	940 PRINT"[HOME]"	55	1340 PRINTST\$(U+2)
55	SS\$(B),2):SS(B)=VAL(SS\$)	83		1, 340, 360,	1350 PRINT"[DOWN2]":S\$(S+3):
E2	530 INPUT#2.SU\$(B):SU\$-MID\$(OB	960 DI=2:S=1:F=1:U=1:M=1:MT=	177.000	LBs;Fs(F+36);LBs;Fs(F+37);LB
5.65	SU\$(B),2):SU(B)=VAL(SU\$)		1:FF=F:SS=S:UU=U:MM=M:MU=MT:	1	\$;F\$(F+38);LB\$;F\$(F+39);LC\$;
F2	540 NEXTB:FORC=1TO16	20.000	GOT01260		
26	550 INPUT#2, BA\$(C):BA\$-MID\$(65	970 F=FF:S=SS:U=UU:M=MM:MT=M	40	1360 PRINTST\$(U+3)
223	BA\$(C).2):BA(C)=VAL(BA\$)		U	65	1370 PRINT"[DOWN3]";MT\$:LA\$:
E3	560 INPUT#2.BB\$(C):BB\$=MID\$(6D	980 SW=1:DI=2	1	MT\$(MT); LA\$; MT\$(MT+1); LA\$; MT
60	BB\$(C),2):BB(C)=VAL(BB\$)	E9	990 AZ\$="[RIGHT12]":AX\$="[RI		\$(MT+2); LA\$: MT\$(MT+3); LD\$;
60	570 INPUT#2, BC\$(C): BC\$=MID\$(F5	GHT4)"	87	1380 PRINTGT\$
39	BC\$(C),2):BC(C)=VAL(BC\$) 580 NEXTC:INPUT#2.GT(1):INPU	15	1000 DI-2:PRINT"[HOME]";AZ\$; LBs:M\$(M):LA\$:M\$(M+1):LA\$:M\$	02	1390 SD=NOTPEEK (56320) AND 15:
23	T#2,GT(2):INPUT#2,GT(3):CLOS	l	(M+2):LAs:Ms(M+3):LCs:AXs	56	FO=PEEK (56320) AND 16
1	E2	24	1010 PRINT"[DOWN]";LF\$	4C	1400 IF(SDAND1)THEN1460 1410 IF(SDAND2)THEN1500
58	590 SM\$="SUB [SM] MONTH[RIGH	CF	1020 PRINT"[DOWN]";AZ\$;LB\$;F	10	1420 IF (SDAND4) THEN 1500
1 60,316	T]":ST\$="SUBT":MT\$="MONTHLY	15550	\$(F); LB\$; F\$(F+1); LB\$; F\$(F+2)	B7	1430 IF (SDAND8) THEN 1590
	TOT[RIGHT]":MI=12		;LB\$;F\$(F+3);LC\$;AX\$	07	1440 IFFO=OTHEN2100
0C	600 OPEN3,8,3,"0:BUDGET SUBJ	50	1030 PRINT"[DOWN2]"; AZ\$; LB\$;	2A	1450 SD=0:GOTO1390
222	ECTS,S,R"		F\$(F+12); LB\$; F\$(F+13); LB\$; F\$	E5	1460 IFF=1ORF=2ORF=3ORF=4ORF
2E	610 FORFI=1T016	2000	(F+14); LB\$; F\$(F+15); LC\$;	522400	=60RF=70RF=8THEN1390
AD	620 INPUT#3.J\$(FI):S\$(FI)=MI	BA	1040 PRINTAX\$	5D	1470 IFF=5THEN1390
1	D\$(J\$(FI),1,MI):INPUT#3,NB(F	92	1050 PRINT"[DOWN2]":AZ\$:LB\$;	5B	1480 IFF-9THEN1390
09	1):INPUT#3,NC(FI) 630 NEXTFI		F\$(F+24); LB\$; F\$(F+25); LB\$; F\$	66	1490 F=F-12:S=S-1:U=U-1:GOTO
55	640 CLOSE3	CE	(F+26);LB\$;F\$(F+27);LC\$; 1060 PRINTAX\$	DE.	1120
E5	650 GOSUB660:GOTO720		1070 PRINT"[DOWN2]"; AZ\$; LB\$;	B5	1500 IFF=1450RF=1460RF=1470R
D7	660 FORGH=1TO192	20	F\$(F+36);LB\$;F\$(F+37);LB\$;F\$	1 5	F=1480RF=1500RF=1510RF=152TH EN1390
83	670 IFY\$(GH)="[RIGHT]000"THE		(F+38):LB\$:F\$(F+39):LC\$:	76	1510 IFF=149THEN1390
	NY\$ (GH) =" [RIGHT]"	E2	1080 PRINTAXS	E9	1520 IFF=153THEN1390
E2	680 F\$(GH) =Y\$(GH) :F(GH) =Y(GH		1090 PRINT"[DOWN3]":AZ\$;LA\$:	9F	1530 F=F+12:S=S+1:U=U+1:GOTO
1)	250035	MT\$(MT); LAS; MT\$(MT+1); LAS; MT	3.4	1120
35	690 NEXTGH		\$(MT+2); LA\$; MT\$(MT+3); LD\$;	32	1540 IFF=10RF=130RF=250RF=37
81	700 FORGH=1TO16:ST\$(GH)=YS\$(100000000000000000000000000000000000000	1100 PRINTGT\$	3.0	ORF=61ORF=73ORF=85ORF=109ORF
	GH):ST(GH)=YS(GH):NEXTGH	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1110 GOTO1390	Scotter	-1210RF=133THEN1390
5F	710 FORGH=1TO12:MT\$(GH)=YM\$(1120 SW-1:DI-2	D2	1550 IFF=49THEN1390
	GH):MT(GH)=YM(GH):NEXTGH:RET	02	1130 AC\$="[RIGHT5]": AV\$="[RI	A9	1560 IFF=97THEN1390
4E	URN		GHT5]":AB\$="[SPC12]":AS\$="[L	B1	1570 IFF=145THEN1390
-412	720 OPEN4.8.4."0:BUDGET MONT HS.S.R"	02	EFT12]" 1140 DI=2:PRINT"[HOME]"	80	1580 F=F-1:M=M-1:MT=MT-1:GOT
	ALM LACTED	-00	11-10 DI-2.PRINI [HOME]		0980

			11 2 10		
31	1590 IFF=90RF=210RF=330RF=45 ORF=690RF=810RF=930RF=1170RF	27	260	l D8	2500 PRINT"[RIGHT2,SL,CP6,S@,SL,CP4,S@,SL,CP5,S@,SL,CP3,
	-129ORF-141THEN1390	DB	2090 CG=0:CE\$="":GOTO1930		S@.RVSON,SL,CP8.S@.RVSOFF]"
05		6E		6C	2510 FORDZ=1TO100:NEXTDZ
F5		V0000	MT	ED	
3A		5B	2110 FO-PEEK (56320) AND 16: IFF	A9	2530 PRINT"[HOME]"
45	1630 F=F+1:M=M+1:MT=MT+1:GOT	20000	O=OTHEN2110	78	
	0980	62	2120 F=16:SD=NOTPEEK (56320) A		3470.3500
CD	1640 CE\$="":NU=0:CF=0:CG=0:F		ND15:FO=PEEK (56320) AND16	7F	2550 END
	-FF: PRINT" [HOME. DOWN4, RIGHT1	80		13	
	0, RVSON "F\$(F) "[RVSOFF] ": X=0	97		100	2300 003002040:01-2:00102330
	: Y=0	3C		FE	2570 PRINT" [RIGHT2, CH] REVIEW
ЗА	1650 FF=F:SS=S:UU=U:MM=M:MU=		OTO2190	1.12	[CM, RVSON.CG]MOVE[CM, RVSOFF,
(9)	MT	B7			CG] AMEND [CM, CG] END [CM, CG] ":P
31	1660 SD-NOTPEEK (56320) AND 15:		OTO2190		Es: "[CM]"
Warse	FO=PEEK (56320) AND16:Y1=Y:X1=	93		0.3	2580 PRINT"[RIGHT2,SL,CP6,S@
	X	05		03	
6A	1670 IF (SDAND2) THENY=Y+1:GOT	E9	2190 IFDI=OTHENDI=5:GOTO2210		,RVSON,SL,CP4,S@,RVSOFF.SL,C P5,S@,SL,CP3,S@,SL,CP8,S@]"
50200	01710	1.00	2130 11D1-01HEMD1-3:00102210	28	2590 GOTO2630
42	1680 IF (SDAND1) THENY=Y-1:GOT	D9	2200 IFDI=6THENDI=1	1.555(2)	
	01710	F7		7A	many transfer former to treater fittout
6B	1690 IF (SDAND4) THENX=X-1:GOT	F	2210 ONDIGOTO2230,2290,2350, 2410,2470		E,DOWN201"
0.70.50	01710	3.0		FE	TOTAL TAXABLE PROPERTY.
D2	1700 IF (SDAND8) THENX=X+1:GOT	AO BC	2220 GOTO2120		,RVSON,SO,CY4,SP,RVSOFF,SO,C
	01710		2230 PRINT"[HOME.DOWN20]"	2012/10	Y5,SP,SO,CY3,SP,SO,CY8,SP1"
17	1710 IFY <otheny=o< td=""><td>ЗА</td><td> ((C</td><td>5B</td><td>2620 GOTO2570</td></otheny=o<>	ЗА	((C	5B	2620 GOTO2570
CF	1720 IFY>3THENY=3		CY6,SP,RVSOFF,SO,CY4,SP,SO,C	5E	2630 GOTO1260
15	1730 IFX<0THENX=0	773	Y5,SP,SO,CY3,SP,SO,CY8,SP1"	AO	2640 FORER=1TO(12*16):IFY\$(E
91	1740 IFX>3THENX=0	FA	2250 PRINT"[RIGHT2, RVSON, CH]		R) ="[RIGHT]000"THENY\$(ER) ="[
6F	1750 IFFO=OTHENGOSUB890:GOTO	1	REVIEW[CM, RVSOFF, CG]MOVE[CM,	84500	RIGHT]":NEXTER
201	1260	1	CG1AMEND[CM,CG]END[CM,CG]";P	28	2650 FORTY=1T012
27	1760 IFX<>X1THENGOSUB1990	/mm	E\$;"[CM]"	AF	2660 YM(TY)=Y(TY)+Y(TY+12)+Y
E5	1770 IFX XITHENGOSUB1990	5F	The second of th		(TY+24)+Y(TY+48)+Y(TY+60)+Y(
E2	1770 IFY<>Y1THENGOSUB1990	1	CP6,S@,RVSOFF,SL,CP4,S@,SL,C	1	TY+72) +Y(TY+84) +Y(TY+96)
E.Z	1780 PRINT"[HOME]"::NU=0:FOR	-	P5,S@,SL,CP3,S@,SL,CP8,S@]"	24	2670 YM(TY)=YM(TY)+Y(TY+108)
	JA=1TO(Y*3)+4:PRINT"[DOWN]";	5D	2270 FORDZ=1T0100:NEXTDZ	655	+Y(TY+120)+Y(TY+132)+Y(TY+14
* **	:NEXTJA	FC	2280 GOTO2120	1	4)+Y(TY+156)+Y(TY+168)
AC	1790 PRINTTAB(13+(X*5));	F8	2290 PRINT"[HOME,DOWN20]"	11	2680 YM(TY)=YM(TY)+Y(TY+36)+
B6	1800 IFY>OTHENNU=12*Y	76	2300 PRINT"[RIGHT2,SO,CY6,SP	5808	Y(TY+180): YM\$(TY) = STR\$(YM(TY
BB	1810 NU=NU+X		,RVSON,SO,CY4,SP,RVSOFF,SO,C	1))
C9	1820 PRINT"[RVSON]";F\$(F+NU)		Y5,SP,SO,CY3,SP,SO,CY8,SP1"	6A	2690 NEXTTY: ZY=0
2222	\$22.55 SERVER	90	2310 PRINT"[RIGHT2, CH]REVIEW	9B	2700 FORZX=0T015:ZZ=(ZX*12)+
E9	1830 GETA\$		[CM, RVSON, CG] MOVE [CM, RVSOFF,		1:ZY=ZY+1
E3	1840 FO=PEEK (56320) AND16: IFF		CG] AMEND [CM, CG] END [CM, CG] ":P	CE	2710 YS(ZY)=Y(ZZ)+Y(ZZ+1)+Y(
	O=0THEN1750		E\$:"[CN]"	5.55	ZZ+2) +Y(ZZ+3) +Y(ZZ+4) +Y(ZZ+5
B4	1850 IFA\$=""THEN1890	5C	2320 PRINT" (RIGHT2.SL, CP6.S0	1)+Y(ZZ+6)+Y(ZZ+7)
27	1860 IFAs=CHR\$(13)THEN1910	8/550	. RVSON, SL, CP4, S@, RVSOFF, SL, C	D4	2720 YS(ZY)=YS(ZY)+Y(ZZ+8)+Y
42	1870 A-ASC(A\$):IFA>570RA<48T	l	P5.S@,SL,CP3,S@,SL,CP8,S@]"	- 3	(ZZ+9)+Y(ZZ+10)+Y(ZZ+11)
	HEN1830	08	2330 FORDZ-1TO100:NEXTDZ	CB	2730 NEXTZX
5F	1880 GOTO1910	29	2340 GOTO2120	BA	2740 FORTY=1T016:YS\$(TY)=STR
ЗE	1890 IFCF=OTHEN1980	79	2350 PRINT"[HOME.DOWN20]"	1	\$(YS(TY)):NEXTTY
76	1900 GOTO1830	27	2360 PRINT"[RIGHT2,SO,CY6,SP	54	2750 GT=YM(1)+YM(2)+YM(3)+YM
9C	1910 CG=CG+1:IFCG=4THENCP\$=C	120V	.SO.CY4,SP,RVSON,SO,CY5,SP,R	352000	(4)+YM(5)+YM(6)+YM(7)+YM(8)+
	E\$:CE\$="[RIGHT]"+CE\$:GOTO201		VSOFF.SO.CY3,SP,SO.CY8,SP]"	1	YM(9)+YM(10)+YM(11)
	0	FE	2370 PRINT"[RIGHT2,CH]REVIEW	83	
52	1920 CE\$-CE\$+A\$	5270	[CM, CG] MOVE [CM, RVSON, CG] AMEN	52.55	T):GT\$=MID\$(GT\$,2):GT\$="(RIG
60	1930 PRINT"[HOME]";		DICM.RVSOFF.CG END[CM.CG]";P	1	HT] "+GT\$
28	1940 PRINT"[HOME]";:FORJA=1T		E\$:"[CN]"	9E	2770 FORT-1T016:YM\$(T)-MID\$(
	O(Y*3)+4:PRINT"[DOWN]"::NEXT	AO	2380 PRINT"[RIGHT2.SL.CP6.S@	1000	YM\$(T),2)
	JA		.SL.CP4.S@, RVSON, SL.CP5, S@, R	33	2780 IFYM\$(T) = "0"THENYM\$(T) =
OD	1950 PRINTTAB(14+(X*5));"[RV		VSOFF.SL.CP3.S@.SL,CP8.S@1"	35.50	"[RIGHT]0000":GOTO2830
	SON1":CE\$	D4	2390 FORDZ-1TO100:NEXTDZ	2D	2790 L=LEN(YM\$(T)):IFL=3THEN
9E	1960 CF=1:GOTO1830	65	2400 GOTO2120		YM\$(T)="[RIGHT]0"+YM\$(T):GOT
03	1970 IFFO=0THEN2100	95	2410 PRINT" (HOME.DOWN20)"	1	02830 (RIGHI)0 + MS(1):GOI
3C	1980 SD=0:GOTO1660	71	2420 PRINT"[RIGHT2, SO, CY6, SP	E8	2800 L=LEN(YM\$(T)):IFL=2THEN
CF	1990 PRINT"[HOME]"::FORJA=1T	0.0-55	SO, CY4, SP, SO, CY5, SP, RVSON, S	200	YM\$(T)="[RIGHT]00"+YM\$(T):G0
	O(Y1*3)+4:PRINT"[DOWN]";:NEX		O.CY3,SP:RVSOFF.SO.CY8,SP]"		TO2830
	TJA	BE	2430 PRINT" [RIGHT2, CH] REVIEW	9B	2810 L=LEN(YM\$(T)):IFL=1THEN
27	2000 PRINTTAB(13+(X1*5));"[R	3950275	[CM, CG] MOVE [CM, CG] AMEND [CM.R	2,0	YM\$(T)="[RIGHT]000"+YM\$(T):G
	VSOFF]";F\$(F+NU):RETURN		VSON.CG END(CM, RVSOFF.CG)";P	1	OTO2830
29	2010 IFAs=CHRs(13) THENCF=0:F		E\$:"[CN]"	BD	
The Co	\$(F+NU) -CE\$: F(F+NU) =VAL(CP\$)	10	2440 PRINT"[RIGHT2.SL,CP6.S@	ממ	2820 L=LEN(YM\$(T)):IFL=4THEN
	: AM=1:GOTO2030		SL.CP4.S@,SL.CP5,S@.RVSON.S		YM\$(T) ="[RIGHT]"+YM\$(T):GOTO
ED	2020 GOTO2090		L,CP3,S@,RVSOFF,SL,CP8,S@]"	pp	2930 2930 NEVTT
92	2030 PRINT"[HOME, DOWN19, RIGH	20	2450 FORDZ=1TO100:NEXTDZ		2830 NEXTT
-	T131PLEASE WAIT"	91	2460 GOTO2120	91	2840 FORT-1TO16:YS\$(T)-MID\$(
8A	2040 IFPE=1THENY\$(F+NU)=CE\$:	81	2470 DDINTHIUOME DOWNSOL		YS\$(T),2)
211	Y(F+NU) =VAL(CP\$)		2470 PRINT" [HOME, DOWN20]"	62	2850 IFYS\$(T) ="0"THENYS\$(T) =
82	2050 IFPE=OTHENH\$(F+NU)=CE\$:	SD	2480 PRINT"[RIGHT2, SO, CY6, SP		"[RIGHT]0000":GOTO2900
-	H(F+NU)=VAL(CP\$)		,SO,CY4,SP,SO,CY5,SP,SO,CY3,	8A	2860 L=LEN(YS\$(T)):IFL=3THEN
вз	2060 IFPE=1THENGOSUB2640:GOS	DA	SP, RVSON, SO, CY8, SP, RVSOFF]"		YS\$(T) ="[RIGHT]0"+YS\$(T):GOT
20		DA	2490 PRINT"[RIGHT2, CH] REVIEW [CM, CG] MOVE [CM, CG] AMEND [CM, C	22	02900
			LEP LETMOVETEM CGTAMENDICM C	65	2870 L=LEN(YS\$(T)):IFL=2THEN
OF	UB660:GOTO2080		CIENDICM DUCON COLUMBIA (CIT)		
30	2070 IFPE=OTHENGOSUB2920:GOS UB3590:GOTO2080		G END[CM, RVSON, CG]":PE\$:"[CN .RVSOFF1"		YS\$(T)="[RIGHT]00"+YS\$(T):G0 T02900

818	YS\$(T)="[RIGHT]000"+YS\$(T):G OTO2900	1112000	3270 GT(1)=GT(2):GT\$(1)=GT\$(7E	
	YS\$(T)="[RIGHT]000"+YS\$(T):G OT02900	1112000	2)		
		100			
	2000 7 7 7777 110 1 1 1 1 1 1 1 1 1 1 1 1	52		13	
	2890 L=LEN(YS\$(T)): IFL=4THEN YS\$(T)="[RIGHT]"+YS\$(T)	00	3)	0.0	3770 FORTY-1TO12
31		C8 38	3290 GT(3)=GT:GT\$(3)=GT\$ 3300 FORGH=1T012	56	
E7		43		E2 E1	
11	2920 FORER=1TO(12*16):IFH\$(E	888	FYMs (GH) <>"[RIGHT] 0000"THENY	44	
	R) = "[RIGHT]000"THENH\$(ER) = "[M\$(GH) ="[RIGHT]0000"	1D	3820 PRINT#2, HM\$(TY)
51	RIGHT]":NEXTER 2930 FORTY=1TO12	7C	THE OWN TO THE	1D	3830 PRINT#2,HM(TY)
05			FHM\$(GH)<>"[RIGHT]0000"THENH M\$(GH)="[RIGHT]0000"	B8	
0.5	(TY+24) +H(TY+48) +H(TY+60) +H(9C	3330 NEXTGH	E9	
100000000000000000000000000000000000000	TY+72) +H(TY+84) +H(TY+96)	42		OD	3870 PRINT#2.YS(TY)
5 F		30	3350 FORP=1T016	50	3880 NEXTTY
	+H(TY+120)+H(TY+132)+H(TY+14	67 9C	3360 YS\$(P)="[RIGHT]0000" 3370 HS\$(P)="[RIGHT]0000"	79 C4	
FE	4) +H(TY+156) +H(TY+168) 2960 HM(TY) =HM(TY) +H(TY+36) +	EC	3380 YS(P)=0000	54	
0.0000.00	H(TY+180):HM\$(TY)=STR\$(HM(TY	19	3390 HS(P)=0000	34	
))	E4	3400 NEXTP:SR=0	E7	
1D E2		C6	3410 FORP-1T012:HM(P)=0000:H M\$(P)="[RIGHT]0000":YM(P)=0:		
Esz	2980 FORZX=0T015:ZZ=(ZX*12)+ 1:ZY=ZY+1		YMs(P) = "[RIGHT]0000":NEXTP		
CE		55	3420 F=ZQ(1):S=ZQ(2):T=ZQ(3)	I	200
	ZZ+2)+H(ZZ+3)+H(ZZ+4)+H(ZZ+5		:M=ZQ(4):MT=ZQ(5)	F	PROGRAM: BUDGET REVIEW
)+H(ZZ+6)+H(ZZ+7)	E0	3430 FORTU-1T0193:F\$(TU)-Y\$(TOURSE DODOGE REVIEW
5F		E6	TU) :F(TU) =Y(TU) :NEXTTU 3440 FORTU=1T016:ST\$(TU)=YS\$		
F1	(ZZ+9)+H(ZZ+10)+H(ZZ+11) 3010 NEXTZX	LO	(TU) :ST(TU) =YS(TU) :NEXTTU		The rate of the acceptance of the control
OD	2.7. (T. T. T. T.) (A C. T.	24	3450 FORTU=1T012:MT\$(TU)=YM\$	48	100 GOTO380
	\$(HS(TY)):NEXTTY	- 7000.00 - 7000.00	(TU):MT(TU)=YM(TU):NEXTTU	107	110 OPEN2,8,2,"0:BUDGET DATA 2.S.R"
A4	The state of the s	AA	3460 GOTO750	D1	120 FORTY=1TO192
	(4) +HM(5) +HM(6) +HM(7) +HM(8) + HM(9) +HM(10) +HM(11)	75	3470 PRINT" (HOME, DOWN19, RIGH T13) PLEASE WAIT": GOSUB3650:L	57	130 INPUT#2,Y\$(TY)
D1			OAD"BUD END".8.1	EB	140 INPUT#2,Y(TY)
	T):GT\$-MID\$(GT\$,2):GT\$="[RIG	D7	3480 PRINT"[HOME, DOWN19, RIGH	31 E9	150 NEXTTY 160 FORTY=1T0192
e e	HT]"+GT\$:GH\$-GT\$	20100	T13]PLEASE WAIT":GOSUB3650	CC	170 INPUT#2,H\$(TY)
9D	3050 FORT-1T016; HM\$(T)-MID\$(HM\$(T).2)	16	3490 LOAD"BUD REVIEW",8,1 3500 PRINT"(HOME,DOWN19,RIGH	74	180 INPUT#2,H(TY)
2D		10	T13 PLEASE WAIT"	C9	190 NEXTTY
20	3070 L-LEN(HM\$(T)):IFL=3THEN HM\$(T)="[RIGHT]0"+HM\$(T):GOT	19	3510 IFPE=OTHENPE=1:PE\$=" AC	F1 46	200 INPUT#2,GT\$
	03110	2000	TUAL ":GOSUB2640:GOTO3560	34	210 FORTY=1TO12 220 INPUT#2.YM\$(TY)
53		D7	3520 IFPE=1THENPE=0:PE\$="EST	100000000000000000000000000000000000000	230 INPUT#2,YM(TY)
	HM\$(T)="[RIGHT]00"+HM\$(T):GO	12	IMATE":GOSUB2920 3530 FORTU-1T0193:F\$(TU)=H\$(9F	240 NEXTTY
94	TO3110 3090 L=LEN(HM\$(T)):IFL=1THEN		TU) :F(TU) =H(TU) :NEXTTU	5E	250 FORTY=1T012
	HMs(T) ="[RIGHT]000"+HMs(T):G	AO	3540 FORTU=1T016:ST\$(TU)=HS\$	8C 68	260 INPUT#2,HM\$(TY) 270 INPUT#2,HM(TY)
	OTO3110	an	(TU):ST(TU)-HS(TU):NEXTTU	B6	280 NEXTTY
6D	3100 L-LEN(HM\$(T)): IFL-4THEN	9D	3550 FORTU=1T012:MT\$(TU)=HM\$ (TU):MT(TU)=HM(TU):NEXTTU:GO	FB	290 FORTY=1T016
	HM\$(T)="[RIGHT]"+HM\$(T):GOTO		T02600	63	300 INPUT#2,YS\$(TY)
04	3110 NEXTT	56	3560 FORTU=1T0193:F\$(TU)=Y\$(OF 4E	310 INPUT#2,YS(TY) 320 NEXTTY
26	3120 FORT=1T016:HS\$(T)-MID\$(7292	TU) : F(TU) = Y(TU) : NEXTTU	93	330 FORTY=1T016
2000	HS\$(T),2)	04	3570 FORTU-1T016:ST\$(TU)=YS\$	16	340 INPUT#2, HS\$(TY)
BE	3130 IFHS\$(T) = "0"THENHS\$(T) =	BD	(TU):ST(TU)=YS(TU):NEXTTU 3580 FORTU=1T012:MT\$(TU)=YM\$	A6	350 INPUT#2.HS(TY)
79	"[RIGHT]0000":GOTO3180 3140 L=LEN(HS\$(T)):IFL=3THEN	-	(TU):MT(TU)=YM(TU):NEXTTU:GO	32	360 NEXTTY:CLOSE2
NOT Z	HS\$(T) ="[RIGHT]0"+HS\$(T):GOT	51	3590 FORGH=1T0192	FD 8B	370 RETURN 380 IFAMs-MIDs(MTs(1),2,3)AN
	03180	19	3600 [FH\$(GH)="[RIGHT]000"TH	555726	DAM=OTHEN400
7E	3150 L-LEN(HS\$(T)):1FL=2THEN	70	ENH\$(GH)="[RIGHT]" 3610 F\$(GH)=H\$(GH):F(GH)=H(G	DE	390 GOSUB110:GOTO520
1	HS\$(T)="[RIGHT]00"+HS\$(T):G0 T03180	10	H)	82	400 FORP=1TO16:YS\$(P)="[RIGH
47	.3160 L=LEN(HS\$(T)):IFL=1THEN	BF	3620 NEXTGH	6A	T]0000":NEXTP 410 FORP-1T012:YM\$(P)="[RIGH
	HS\$(T) ="[RIGHT]000"+HS\$(T):G	BB	3630 FORGH=1T012:ST\$(GH)=HS\$	300	T)0000":NEXTP
	OTO3180		(GH):ST(GH)=HS(GH):NEXTGH	21	420 FORER=1TO(12*16):IFY\$(ER
45	3170 L-LEN(HS\$(T)):IFL-4THEN	05	3640 FORGH-1TO16:MT\$(GH)-HM\$ (GH):MT(GH)=HM(GH):NEXTGH:RE) = "[RIGHT] 000"THENY\$ (ER) = "[R
4E	HS\$(T)="[RIGHT]"+HS\$(T) 3180 NEXTT		TURN	87	IGHT]":NEXTER
OC	3190 RETURN	FC	3650 GT=YM(1)+YM(2)+YM(3)+YM	81	430 FORTY=1T016 440 SR\$(TY)=SS(TY):SR\$(TY)=S
C9	3200 FORW=1TO193:Y(W)=0:H(W)		(4) +YM(5) +YM(6) +YM(7) +YM(8) +	52,6900	S\$(TY)
	=0:H\$(W)="[RIGHT]":Y\$(W)=	EB	YM(9)+YM(10)+YM(11) 3660 GT=GT+YM(12):GT\$=STR\$(G	FB	450 SS\$(TY) =SU(TY) :SS\$(TY) =S
D7	"[RIGHT]":NEXTW	444	T):GT\$-MID\$(GT\$,2):GT\$-"[RIG	OB	U\$(TY)
AD	3210 FORGH-1T0192 3220 H(GH)-0:1FH(GH)>OTHENH(HT]"+GT\$	9D	460 SU\$(TY)=ST(TY):SU\$(TY)=S T\$(TY)
250	GH) =0	E4	3670 OPEN2.8,2,"@0:BUDGET DA	6E	470 NEXTTY:FORTY=1T012
DF	3230 Y(GH)=0:IFY(GH)>OTHENY(TA 2.S.W"	6F	480 BA(TY)=BB(TY):BA\$(TY)=BB
	GH) =0: NEXTGH	FB	3680 FORTY=1T0192		\$(TY)
0.0	3240 FORE=1T016	C1	3690 PRINT#2.Y\$(TY)	ЗВ	490 BB(TY) -BC(TY) :BB\$(TY) =BC
B8	3250 IEST/ELACTURNOT/DLA	10.00	3/101 PRINI#3 V/701		
BB 3D 05	3250 IFST(E) >OTHENST(E) =0 3260 ST\$(E) ="(RIGHT)0000".NE	E5 3B	3700 PRINT#2.Y(TY) 3710 NEXTTY	00	\$(TY)
3D	3250 IFST(E) >OTHENST(E) =0 3260 ST\$(E) = "[RIGHT]0000":NE XTE	ЭВ ВЗ	3710 PRINI#2,Y(TY) 3710 NEXTTY 3720 FORTY=1T0192 3730 PRINT#2,H\$(TY)	09	\$(TY) 500 BC(TY)=MT(TY):BC\$(TY)=MT \$(TY)

_			1 2		
61	520 LAS="":LBS=" ":LCS=" ":	рз	.900 PRINT"[DOWN] USE JOYSTI	1 св	1300 IF(SDAND1)THEN1290
2552	LD\$="[SPC3]":LE\$="[SPC4]"		CK TO VIEW OTHER SUBJECTS"	DB	1310 IF (SDAND2) THEN1360
DA	530 LF\$="[CT40]":LK\$="[RIGHT	5B	910 PRINT"[HOME]"	DC	1320 IF (SDAND4) THEN1290
E2)" 540 FORTY-1T016:ST\$(TY)=YS\$(42	920 FO=16:SD=NOTPEEK (56320) A	C6	1330 IF(SDAND8)THEN1290
22	TY) : NEXTTY	20	ND15:FO=PEEK (56320) AND16	27	1340 IFFO=OTHEN570
28	550 FORTY-1T012:MT\$(TY)=YM\$(3E BO	930 IF(SDAND1)THEN920 940 IF(SDAND2)THEN990	98	1350 SD=0:GOTO1290 1360 PRINT"[CLR.RIGHT12]REVI
l	TY):NEXTTY	21	950 IF (SDAND4) THEN 920	30	EW FIGURES[DOWN, LEFT14, CT6]
D7	560 IFFR=1THENLO=1:LOAD"BUDG	2B	960 IF(SDAND8)THEN920		[CT7]"
F7	ET CALC" 8,1 570 PRINT"[CLR.RIGHT12]REVIE	20	970 IFFO=OTHEN570	5F	1370 PRINT"[DOWN2, RIGHT12]";
10000	W FIGURES[DOWN, LEFT14, CT6] [62	980 SD=0:GOTO920		CM: LB\$; CM+1; LB\$; CM+2; LB\$; CM+
-	CT7]"	DC	990 PRINT"[CLR.RIGHT12]REVIE	e v	3:PRINT"[DOWN]"
4F	580 PRINT"[DOWN3,RIGHT35,C@4	1	W FIGURES[DOWN, LEFT14, CT6] [CT7]"	5A	1380 PRINT"[DOWN]":M\$(7);"[R IGHT7]";LA\$:SR\$(7):LC\$:SS\$(7
ED	1" 590 PRINT"REVIEW SUBJECTS	66	1000 PRINT" [DOWN, RIGHT12] "; C	1):LC\$:SU\$(7):LC\$:YM\$(7)
LD		() () () () () () () () () ()	M:LB\$;CM+1:LB\$;CM+2:LB\$;CM+3	7F	1390 PRINT"[DOWN]":M\$(8):"[R
1	[RVSOFF]"	C1	1010 PRINT" [DOWN] "	November 1	IGHT7)": LAS; SR\$(8): LCS; SS\$(8
1B	600 PRINT"[DOWN, RIGHT35, C@4]	20	1020 PRINTS\$(9):LA\$;BA\$(9):L);LC\$;SU\$(8);LC\$;YM\$(8)
		40100040	C\$:BB\$(9);LC\$;BC\$(9);LC\$;YS\$	14	1400 PRINT" [DOWN] ": M\$(9); "[R
9D	610 PRINT"REVIEW MONTHS		(9):PRINT		IGHT7]"; LA\$; SR\$(9): LC\$; SS\$(9); LC\$; SU\$(9); LC\$; YM\$(9)
1	[RVSOFF]"	E3	1030 PRINTS\$(10):LA\$:BA\$(10)	6E	1410 PRINT"[DOWN]":M\$(10):"[
F7	620 PRINT"[DOWN.RIGHT35.C@4]		;LC\$:BB\$(10);LC\$;BC\$(10);LC\$;YS\$(10):PRINT	12/1/653	RIGHT7]"; LA\$; SR\$(10); LC\$; SS\$
22333		6A	STOLENESS TO THE STATE OF THE S		(10); LC\$; SU\$(10); LC\$; YM\$(10)
E5	630 PRINT"REVIEW TOTALS GRAP	50000000	;LC\$;BB\$(11);LC\$;BC\$(11);LC\$	24	1420 PRINT"[DOWN3]"; M\$(12);"
1	HICALLY[RVSON] F5		:YS\$(11):PRINT		[RIGHT7]"; LA\$: SR\$(12): LC\$; SS
АЗ	640 PRINT"[DOWN, RIGHT35, C@4]	91	1050 PRINTS\$(12):LA\$:BA\$(12)		\$(12); LC\$; SU\$(12); LC\$; YM\$(12
1000	"		;LC\$:BB\$(12):LC\$:BC\$(12);LC\$;YS\$(12):PRINT	26	1430 PRINT"[DOWN3] USE JOYST
58	650 PRINT"REVIEW PROFIT OR L	88	1060 PRINTS\$(13):LA\$:BA\$(13)	20	ICK TO VIEW FOLLOWING MONTHS
1	OSS[RVSON] F7	53.50	;LC\$;BB\$(13);LC\$;BC\$(13);LC\$		"
80	[RVSOFF]" 660 PRINT"[DOWN,RIGHT29,C@11		;YS\$(13):PRINT	DЗ	1440 PRINT"[UP7]";M\$(11);"[R
00]";	5F	1070 PRINTS\$(14):LA\$:BA\$(14)		IGHT7]":LA\$;SR\$(11);LC\$;SS\$(
ЗА	670 PRINT"RETURN TO THE SPRE		:LC\$:BB\$(14);LC\$;BC\$(14);LC\$	en	11); LC\$; SU\$(11); LC\$; YM\$(11)
	ADSHEET[RVSON] SPACE BAR	96	:YS\$(14):PRINT 1080 PRINTS\$(15):LA\$:BA\$(15)	5E	1450 FO=16:SD=NOTPEEK (56320) AND15:FO=PEEK (56320) AND16
1922/12	[RVSOFF]"	30	:LC\$:BB\$(15):LC\$:BC\$(15):LC\$	68	1460 IF (SDAND1) THEN1190
54	680 PRINT"[DOWN3, RIGHT3]WHAT IS YOUR OPTION ?"		:YS\$(15):PRINT	7A	1470 IF (SDAND2) THEN1450
C4	690 GETQUS: IFQUS=""THEN690	1D	1090 PRINTS\$(16); LA\$; BA\$(16)	F2	1480 IF(SDAND4)THEN1450
9B	700 IFQUs="[F1]"ORQUs="[F3]"		:LC\$:BB\$(16):LC\$:BC\$(16):LC\$	D4 64	1490 IF(SDAND8)THEN1450
	ORQUS-"[F5]"ORQUS-"[F7]"ORQU	60	;YS\$(16):PRINT 1100 PRINT"[DOWN] USE JOYST	35	1500 IFFO=0THEN570 1510 SD=0:GOTO1450
70	\$=" "THEN720	00	ICK TO VIEW OTHER SUBJECTS"		1520 PRINT"[CLR, RIGHT5]REVIE
7E	710 GOTO690 720 PRINT"[UP,SPC13]PLEASE W	18	1110 PRINT" [HOME]"		W FIGURES [DOWN, LEFT14, CT6] [
	AIT"	BE	1120 F=16:SD=NOTPEEK (56320) A	0.225	CT7]"
45	730 IFQU\$="[F1]"THEN790	-	ND15:FO=PEEK (56320) AND16	5F	1530 IFGT>4000THEN2160
45 87	740 IFQUs="[F3]"THEN1190 750 IFQUs="[F5]"THEN1520	F2 A1	1130 IF(SDAND1)THEN790 1140 IF(SDAND2)THEN1120	4C	1540 IFGT(1)>4000THEN2160 1550 IFGT(2)>4000THEN2160
ED	760 IFQUS="[F7]"THEN2810	B9	1150 IF (SDAND4) THEN1120	CD	1560 IFGT(3) >4000THEN2160
87	770 IFQU\$=" "THENLO-1:LOAD"B	37	1160 IF (SDAND8) THEN1120	8E	1570 PRINT"[DOWN4, RIGHT6]":L
	UDGET CALC",8,1	E7	1170 IFFO=OTHEN570		A\$: CM; LB\$: CM+1; LB\$: CM+2: LB\$:
B5	780 GOTO690	98	1180 SD=0:GOTO1120	D2	CM+3 1580 PRINT"[RIGHT]4000 [C@27
E4	790 PRINT" [CLR.RIGHT12] REVIE W FIGURES [DOWN, LEFT14, CT6] [19	1190 PRINT"[CLR.RIGHT12]REVI EW FIGURES[DOWN, LEFT14, CT6]		1 "
1	CT71"		[CT7]"	6B	1590 PRINT"[RIGHT5,CM,SPC6,S
BE	800 PRINT"[DOWN, RIGHT12]":CM	2E	1200 PRINT"[DOWN2, RIGHT12]";	035250	-,SPC6,S-,SPC6,S-,SPC6,CG)"
250	:LB\$:CM+1:LB\$:CM+2:LB\$:CM+3		CM:LB\$:CM+1:LB\$:CM+2:LB\$:CM+	A9	1600 PRINT"[RIGHT5,CM,SPC6,S
E9	810 PRINT"[DOWN]"	4B	3 1210 PRINT"[DOWN2]"	87	-,SPC6,S-,SPC6,S-,SPC6,CG]" 1610 PRINT"[RIGHT5,CM,SPC6,S
F0	820 PRINTS\$(1);LA\$;BA\$(1);LC \$;BB\$(1);LC\$;BC\$(1);LC\$;YS\$(19	1220 PRINTM\$(1):"[RIGHT7]":L	-	-,SPC6,S-,SPC6,S-,SPC6,CG]"
1	1):PRINT		A\$; SR\$(1); LC\$; SS\$(1); LC\$; SU\$	04	1620 PRINT"[RIGHT]3000[CM, C@
СЗ	830 PRINTS\$(2); LA\$: BA\$(2); LC		(1):LC\$;YM\$(1)	25337	6,S-,C@6,S-,C@6,S-,C@6,CG]"
	\$:BB\$(2):LC\$:BC\$(2):LC\$:YS\$(92	1230 PRINT"[DOWN]"; M\$(2);"[R	93	1630 PRINT"[RIGHT5,CM,SPC6,S
1900000	2) : PRINT		IGHT7]"; LA\$; SR\$(2); LC\$; SS\$(2); LC\$; SU\$(2); LC\$; YM\$(2)	D1	-,SPC6,S-,SPC6,S-,SPC6,CG]" 1640 PRINT"[RIGHT5,CM,SPC6,S
D6	840 PRINTSs(3):LAs:BAs(3):LC	01	1240 PRINT"[DOWN]";M\$(3);"[R	AF	1650 PRINT"[RIGHT5.CM.SPC6.S
1	\$;BB\$(3);LC\$;BC\$(3);LC\$;YS\$(3):PRINT	30.00	IGHT7]":LA\$;SR\$(3);LC\$;SS\$(3	· esa-·	-,SPC6,S-,SPC6,S-,SPC6,CG1"
29	850 PRINTS\$(4):LA\$:BA\$(4):LC);LC\$;SU\$(3):LC\$;YM\$(3)	F3	1660 PRINT"[RIGHT]2000[CM.C@
2.0000000	\$; BB\$(4); LC\$; BC\$(4); LC\$; YS\$(B8	1250 PRINT"[DOWN]";M\$(4);"[R	REPRESENT.	6,S-,C@6,S-,C@6,S-,C@6,CG1"
	4):PRINT		IGHT7]":LA\$;SR\$(4);LC\$;SS\$(4	BB	1670 PRINT"[RIGHT5,CM,SPC6,S
SC	860 PRINTS\$(5); LA\$; BA\$(5); LC	23);LC\$;SU\$(4);LC\$;YM\$(4) 1260 PRINT"[DOWN]":M\$(5);"[R	В9	SPC6,SSPC6,SSPC6,CG]"
	\$:BB\$(5);LC\$;BC\$(5);LC\$;YS\$(5):PRINT	20	IGHT7]":LA\$:SR\$(5);LC\$:SS\$(5	Dy	1680 PRINT"[RIGHT5,CM,SPC6,S SPC6,S-,SPC6,S-,SPC6,CG]"
7F	870 PRINTS\$(6):LA\$:BA\$(6):LC); LC\$; SU\$(5); LC\$; YM\$(5)	17	1690 PRINT"[RIGHT5.CM.SPC6.S
-	\$;BB\$(6);LC\$;BC\$(6);LC\$;YS\$(F6	1270 PRINT"[DOWN]":M\$(6):"[R	160005.00	-,SPC6,S-,SPC6,S-,SPC6,CG1"
23	6):PRINT		IGHT7]":LA\$;SR\$(6):LC\$;SS\$(6	DE	1700 PRINT"[RIGHT]1000[CM.C@
ЗА	880 PRINTS\$(7):LA\$:BA\$(7):LC \$:BB\$(7):LC\$:BC\$(7):LC\$:YS\$(E9);LC\$;SU\$(6);LC\$;YM\$(6) 1280 PRINT"[DOWN3] USE JOYST	63	6,S-,C06,S-,C06,S-,C06,CG1"
120111	7):PRINT	-	ICK TO VIEW FOLLOWING MONTHS	0.5	1710 PRINT"[RIGHT5.CM.SPC6,S SPC6.SSPC6.SSPC6,CG]"
15	890 PRINTS\$(8); LAS; BA\$(8); LC		":FORTY-1T0100:GETTUS:NEXTTY	61	1720 PRINT"[RIGHT5.CM,SPC6.S
	\$:BB\$(8):LC\$:BC\$(8):LC\$:YS\$(3E	1290 FO-16:SD-NOTPEEK(56320)		-,SPC6,S-,SPC6,S-,SPC6,CG1"
	8):PRINT		AND15:FO=PEEK (56320) AND16	FF	1730 PRINT"[RIGHT5,CM,SPC6,S
51					

_					
0.0	-,SPC6,S-,SPC6,S-,SPC6,CG1"	52	2150 GOTO2740	1	SPC4.RVSOFF]":GOTO2580
2D	12.45g (10.54g H.H.) (1.50g H.H.) (1.50g H.H.) (1.50g H.H.) (1.50g H.H.) (1.50g H.H.) (1.50g H.H.)	62	지구, 교교가 즐겁게 되고 있는데 얼굴하다면 하다 하다 하는데 하는데 하는데 하다 하고 있다면 하다 하다 하다.	- 03	2570 GOTO2590
	C@6,S-,C@6,S-,C@6,S-,C@6,CG]		W FIGURES[DOWN.LEFT14.CT6] [90	2580 RETURN
F1	1750 GI=1:GH=7:GOSUB1790	5653835	CT7] "	86	2590 IFLE=7THENPRINT"[RVSON,
48	1760 GI=2:GH=14:GOSUB1790	AC	2170 PRINT"[RIGHT6]";LAS;CM;		SPC4, UP, LEFT4, RVSOFF, C@4) ":G
87	1770 GI=3:GH=21:GOSUB1790	E 4	LBs:CM+1:LBs:CM+2:LBs:CM+3		OTO2580
E2	1780 GT\$=STR\$(GT):LE\$=LEFT\$(54	2180 PRINT"[RIGHT]9999 [C@27	9F	2600 IFLE-BTHENPRINT"[RVSON,
	GT\$.2):GT\$(4)=GT\$:GI=4:GH=28	B9	2190 PRINT"[RIGHT5.CM.SPC6.S	1	SPC4.UP.LEFT4.RVSOFF,CP4]":G OTO2580
700000	:GOSUB1830:GOTO2040	220	-,SPC6,S-,SPC6,S-,SPC6,CG1"	BC	2610 IFLE=9THENPRINT"(RVSON.
1F	1790 GT(4)=GT	17	2200 PRINT"[RIGHT5.CM.SPC6.S	200	SPC4, UP, LEFT4. RVSOFF, CO41":G
3E	1800 FORA=1TO4	20000	SPC6.SSPC6.SSPC6.CG]"	1	OTO2580
50 E2	1810 GT\$(A)=STR\$(GT(A)) 1820 NEXTA	15	2210 PRINT"[RIGHT5,CM,SPC6,S	5C	2620 GOTO2580
D3	1830 LES=LEFT\$(GT\$(GI),2)		-,SPC6,S-,SPC6,S-,SPC6,CG)"	OB	2630 PRINT"[HOME, RIGHT21, RVS
B8	1840 PRINT"[HOME.DOWN23]"TAB	EB	2220 PRINT"[RIGHT]8000[CM,C@	1 -	OFF]:- [RVSON]GRAND TOTALS[
20	(GH):		6,S-,C@6,S-,C@6,S-,C@6,CG]"	20	RVSOFF]"
64	1850 LE=VAL(LE\$): IFLE=OTHEN1	61	2230 PRINT"[RIGHT5,CM,SPC6,S -,SPC6,S-,SPC6,S-,SPC6,CG]"	30	2640 PRINT"[HOME.DOWN23.RIGH T6]";
1000000	900	FF	2240 PRINT" [RIGHT5.CM.SPC6.S	EC	2650 PRINT"[RVSON]"GT(1)
81	1860 FORDE=1TOLE		SPC6.SSPC6.SSPC6.CG]"	D3	2660 PRINT" [HOME.DOWN23.RIGH
85	1870 PRINT"[RVSON,SPC4,UP,LE	FD	2250 PRINT" [RIGHT5, CM, SPC6, S	1000	T131":
0.77	FT4.SPC4.UP.LEFT4)";	10000	-, SPC6, S-, SPC6, S-, SPC6, CG]"	9A	2670 PRINT"[RVSON]";GT(2)
87	1880 PRINT" [RVSON, SPC4, UP, LE	OD	2260 PRINT"[RIGHT]6000[CM, C@	58	2680 PRINT"[HOME.DOWN23.RIGH
64	FT4.SPC4.UP.LEFT4]": 1890 NEXTDE	#E125	6,S-,C@6,S-,C@6,S-,C@6,CG]"	12000	T201";
23	1900 LES-MID\$(GT\$(GI).3.1)	89	2270 PRINT"[RIGHT5.CM.SPC6.S	B5	2690 PRINT"[RVSON]";GT(3)
71	1910 LE=VAL(LE\$):IFLE=OTHEN1	67	-,SPC6,S-,SPC6,S-,SPC6,CG]"	C3	2700 PRINT"[HOME, DOWN23, RIGH
35 FEE	990	0.7	2280 PRINT"[RIGHT5.CM,SPC6.S -,SPC6.S-,SPC6.S-,SPC6.CG]"	62	T27]";
4C	1920 IFLE=1THENPRINT"[RVSOFF	65	2290 PRINT"[RIGHT5,CM,SPC6,S	60	2710 PRINT"[RVSON]":GT 2720 PRINT"[HOME.DOWN23,RIGH
VV655	,CO4]":GOTO1990	100	-,SPC6,S-,SPC6,CG1"	00	T6] [RIGHT4] [RIGHT] [RIGHT4
73	1930 IFLE-2THENPRINT"[RVSON.	77	2300 PRINT"[RIGHT]4000[CM, C@	1	1 [RIGHT] [RIGHT4] [RIGHT] [
7.70	CY4]":GOTO1990 1940 IFLE=3THENPRINT"[RVSON,		6,S-,C@6,S-,C@6,S-,C@6,CG)"	5.20%	RIGHT4] "
AB	SPC4.UP.LEFT4.RVSOFF.CP4.RVS	36	2310 PRINT"[RIGHT5,CM,SPC6,S	52	2730 PRINT"[HOME]":GT\$=MID\$(
	OFFI":GOTO1990		-,SPC6,S-,SPC6,S-,SPC6,CG)"		GT\$.2):GT\$="[RIGHT]"+GT\$
96	1950 IFLE=4THENPRINT"[RVSON,	4C	2320 PRINT"[RIGHT5,CM,SPC6,S	87	2740 FO=16:SD=NOTPEEK(56320)
1885	SPC4.UP.LEFT4.RVSON.CY4.RVSO	0.2	SPC6,SSPC6,SSPC6,CG]"	150	AND15:FO=PEEK (56320) AND16
	FF]":GOTO1990	92	2330 PRINT"[RIGHT5,CM,SPC6,S -,SPC6,S-,SPC6,S-,SPC6,CG]"	59	2750 IF(SDAND1)THEN2740
69	1960 IFLE=5THENPRINT"[RVSON,	A2	2340 PRINT"[RIGHT]2000[CM,C0	D6 6E	2760 IF (SDAND2) THEN2740
	SPC4, UP, LEFT4, RVSON, SPC4, RVS	na	6,S-,C@6,S-,C@6,S-,C@6,CG]"	04	2770 IF (SDAND4) THEN 2740 2780 IF (SDAND8) THEN 2740
	OFF]":GOTO1990	22	2350 PRINT"[RIGHT.SPC4.CM.SP	69	2790 IF (SDANDS) THEN2/40
47	1970 IFLE=6THENPRINT"[RVSON,		C6,S-,SPC6,S-,SSPC,SPC5,S-,S	A7	2800 SD=0:GOTO2740
	SPC4, UP, LEFT4, RVSON, SPC4, RVS		PC6,CG]"	EF	2810 PRINT"[CLR.RIGHT12]REVI
	OFF,UP,LEFT4,RVSOFF,CO4]":GO TO1990	2B	2360 PRINT"[SPC5.CM,SPC6,S-,		EW FIGURES [DOWN, LEFT14, CT6]
4C	1980 GOTO2000	200	SPC6.S-,SPC6.SSPC6.CG]"	53300	[CT7]" .
43	1990 RETURN	21	2370 PRINT"[SPC5,CM,SPC6,S-,	68	2820 FORUI=1T012: As=LEFTs (Ms
74	2000 IFLE=7THENPRINT"[RVSON,		SPC6,S-,SSPC,SPC5,S-,SPC6,CG	22	(UI).2)
	SPC4.UP.LEFT4.RVSON.SPC4.RVS	2F	2380 PRINT"[SPC4]0[CM.SPC6.S	8D	2830 PRINTTAB(11+UI); As; :NEX
1	OFF, UP, LEFT4, RVSON, CY4] ": GOT	21	-,SPC6,S-,SPC6,S-,SPC6,CG1"	OF	TUI:PRINT"[SPC4]"; 2840 FORAF=1T016:PRINTS\$(AF)
7750	01990	20	2390 GI=1:GH=7:GOSUB2420:GI=	OF	:"[SO.CY.SO.CY.SO.CY.SO.CY.S
1E	2010 IFLE-STHENPRINT"[RVSON.		2:GH=14:GOSUB2420:GI=3:GH=21	1	O,CY,SO,CY,SO,CY,SO,CY
1	SPC4.UP, LEFT4.RVSON, SPC4.RVS		:GOSUB2420	1	.SO.CY.SO.CY.SO.SP] [SO.SP]"
1	OFF, UP, LEFT4, RVSON, SPC4, RVSO FF, UP, LEFT4, RVSOFF, CO41":GOT	9F	2400 GT\$=STR\$(GT):LE\$=LEFT\$(1	: NEXTAF
1	01990		GT\$,2)	1F	2850 PRINTTAB(12)"[CY24] [CY
7F	2020 IFLE=9THENPRINT"[RVSON,	CB	2410 GT\$(4)=GT\$:GI=4:GH=28:G	200	21"
	SPC4.UP.LEFT4.RVSON.SPC4.RVS	70.0	OSUB2430:GOTO2630	CE	2860 PRINTTAB(12): "[SO.CY.SO
	OFF, UP, LEFT4, RVSON, SPC4, RVSO	B1	2420 GT(4)=GT:FORA=1TO4:GT\$(A)=STR\$(GT(A)):NEXTA		.CY,80,CY.SO,CY,SO,CY,SO,CY,
1	FF, UP, LEFT4, RVSON, CY4] ": GOTO	E1	2430 LES=LEFT\$(GT\$(GI),2)		SO.CY,SO.CY,SO.CY,SO.CY,SO.C Y.SO,SP; [SO,SP]"
250	1990	5E	2440 PRINT" (HOME, DOWN23) "TAB	DB	2870 PR(NTTAB(12) "[CY24] [CY
FD	2030 GOTO1990		(GH);	200	21"
00	2040 PRINT"[HOME, RIGHT21, RVS	53	2450 LE=VAL(LE\$): IFLE=OTHEN2	9D	2880 PRINT"[RED.RVSON] [RVSO
	OFF]:- [RVSON]GRAND TOTALS[RVSOFF]"		490	10,100	FF. YELLOW] -LOSS (ACTUAL IS
60	2050 PRINT"[HOME,DOWN23,RIGH]	23	2460 FORDE=1TOLE		MORE THAN ESTIMATED) "
0.0	T61";	AF	2470 PRINT" [RVSON, SPC4, RVSOF	2E	2890 PRINT"[GREEN, RVSON] [RV
DC	2060 PRINT"[RVSON]"GT(1)		F.UP, LEFT4, RVSON, SPC4, RVSOFF		SOFF, YELLOW) = PROFIT (ACTUAL I
23	2070 PRINT"[HOME,DOWN23,RIGH	-	,UP,LEFT4]":	2.6	S LESS THAN ESTIMATED)"
120	T131":	3A B3	2480 NEXTDE 2490 LES=MID\$(GT\$(GI),3,1)	A6	2900 FORW=1T0192 2910 V(W)=H(W)~Y(W):IFV(W)>0
6A	2080 PRINT"[RVSON]":GT(2)	49	2500 LE=VAL(LE\$):IFLE=OTHEN2	33	THENV(W)=1:GOTO2940
E8	2090 PRINT"[HOME, DOWN23, RIGH	12	580	8C	2920 IFV(W) < OTHENV(W) =-1:GOT
100	T20]";	78	2510 IFLE=1THENPRINT"[CO4]":	Cont	02940
85	2100 PRINT"[RVSON]";GT(3)	-	GOTO2580	03	2930 IFV(W) = OTHENV(W) = 0:GOTO
73	2110 PRINT"[HOME, DOWN23, RIGH	AB	2520 IFLE=2THENPRINT"[CI4]":	1000	2940
	T271";	5000	GOTO2580	58	2940 NEXTW:SC=10:MP=0:PRINT"
33	2120 PRINT" [RVSON] ": GT	1E	2530 IFLE=3THENPRINT"(RVSON,	-	[HOME.DOWN2]"::GOTO3030
9C	2130 PRINT" [HOME, DOWN23, RIGH T6] [RIGHT4] [RIGHT] [RIGHT4	DE	CU4, RVSOFF]":GOTO2580	4F	2950 FORER=1T012
] [RIGHT] [RIGHT4] [RIGHT4] [B5	2540 IFLE-4THENPRINT"[RVSON.	A7	2960 MP=MP+1:IFV(MP)=1THEN29
	RIGHT4] "	28	CY4.RVSOFF]":GOTO2580 2550 IFLE=5THENPRINT"[RVSON.	62	90 2970 IFV(MP)=-1THEN3000
C2	2140 PRINT"[HOME]":GT\$-MID\$(CT4, RVSOFF] ":GOTO2580	61	2980 IFV(MP)=OTHEN3010
	GT\$.2):GT\$="[RIGHT]"+GT\$	8A	2560 IFLE-6THENPRINT"[RVSON.	F3	2990 PRINTTAB(SC+(ER*2))"(GR
	tenigized that are the transfer of the transfe		SECURIOR DEPONDENCE DE LA COMPANION DE LA COMP	WOLDS OF	

	EEN, RVSON) [RVSOFF, YELLOW] "
A7	::GOTO3020
A/	<pre>3000 PRINTTAB(SC+(ER*2))"[RE D.RVSON] [RVSOFF, YELLOW]";:</pre>
93	GOTO3020
93	3010 PRINTTAB(SC+(ER*2))"[RE D,RVSON,RIGHT2,RVSOFF,YELLOW
80	1": 3020 NEXTER:RETURN
1C	3030 FORZZ=1T016:PRINT"":GOS
F8	UB2950:NEXTZZ 3040 MP=0:PRINT"[HOME.DOWN2]
25	3050 MP=MP+1:IFMP=17THEN3120
73	3060 IO=HS(MP)-YS(MP):IFIO>0
55	THENIO=1:GOTO3110 3070 IFIO<0THENIO=-1:GOTO310
F3	0 3080 IFIO=0THENIO=0:GOTO3090
A8	3090 PRINTTAB(37)"[RVSON.RIG
20020	HT2, RVSOFF]":GOTO3050
AO.	3100 PRINTTAB(37)"[RED.RVSON [RVSOFF]":GOTO3050
84	3110 PRINTTAB(37) "[GREEN, RVS
74	ON] [RVSOFF]":GOTO3050 3120 MP=0:PRINT"[HOME.DOWN19
	1"
2B	3130 MP=MP+1:IFMP=13THEN3200
8A	3140 IO=HM(MP)-YM(MP):IFIO>0 THENIO=1:GOTO3190
6E	3150 IFIO<0THENIO1:GOTO318
AC	0 3160 IFIO=OTHENIO=0:GOTO3170
77	3170 PRINTTAB(10+(MP*2))"[RV
	SON.RIGHT2.RVSOFF1";:GOTO313
9F	3180 PRINTTAB(10+(MP*2))"[RE
	D.RVSON] [RVSOFF]"::GOTO313
2B	3190 PRINTTAB(10+(MP*2))"[GR
	EEN.RVSON] [RVSOFF]";:GOTO3
17	
21	3210 IFGH=GTTHENPRINTTAB(37) "[RVSON,RIGHT2,RVSOFF]":GOTO
	3240
3C	3220 1FGH>GTTHENPRINTTAB(37) "[GREEN,RVSON] [RVSOFF1":GO
- 10 L	T03240
AE	3230 IFGH <gtthenprinttab(37) "[red.rvson]="" [rvsoff]":goto<="" td=""></gtthenprinttab(37)>
0.6	3240
96	3240 PRINT"[YELLOW]";:FO=PEE K(56320)AND16
4F	3250 IFFO=OTHEN570
4A	3260 GOTO3240
2.23	
PR	OGRAM: CHANGE SUBJECTS

61 100 REM *****CHANGE SUBJECT* 21 110 POKE53280,9:POKE53281,9: POKE646,7:PRINTCHR\$(14) 120 DIMCH\$(20).NB(20),NC(20) 93 130 PRINT"[CLR.RIGHT12.SC.SH .SA.SN.SG.SE.SSPC.SS.SU.SB.S J.SE.SC.ST.SS.DOWN.LEFT15.CT 6] [CT8]" 140 PRINT" [DOWN5, RIGHT2, SY]O U ARE ALLOWED UP TO 16 SUBJE CTS IN " 150 PRINT"[DOWN, RIGHT2]THE B UDGET CALC PROGRAM.[ST]HIS P ROGRAM " 160 PRINT" [DOWN, RIGHT2] ALLOW S YOU TO CHANGE THE SUBJECTS

	7 10 _2	
	. IN " '	i
30	170 PRINT" [DOWN, RIGHT2] THE M	l
7E	AIN PROGRAM." 180 PRINT"[DOWN4,RIGHT5] [SP ,SR.SE,SS2] [SA.SN.SY] [SK.S	
	E,SY] TO CONTINUE"	L
09	190 GETAS:IFAS=""THEN190 200 PRINT"[CLR.RIGHT12.SC.SH	l
F5	,SA.SN.SG,SE.SSPC.SS,SU.SB.S J,SE,SC.ST.SS,DOWN.LEFT15.CT	
222	6] [CT8]"	l
B9	210 PRINT"[DOWN, RIGHT2]THE S UBJECTS ARE :-"	ı
78	220 OPEN2.8,2,"0:BUDGET SUBJ ECTS,5,R"	
F9	230 FORT=1T016	l
10	240 INPUT#2, CH\$(T): PRINT"[RI GHT19]"T; CH\$(T): INPUT#2, NB(T): INPUT#2, NC(T)	l
DF	250 NEXTT: CLOSE2: PRINT" [RIGH	l
	T20,WHITE]17 FINISH AMMENDIN G[YELLOW]"	l
20	260 GOTO620 270 PRINT"[CLR.RIGHT12.SC.SH	ı
10	,SA,SN,SG,SE,SSPC,SS,SU,SB,S J,SE,SC,ST,SS,DOWN,LEFT15,CT	
D9	6] [CT8]" 280 PRINT"[DOWN3,ST]HE SUBJE CT [SW,SA,SS]:"CH\$(SU)	
6D	290 PRINT" [DOWN2] DO YOU STIL	
C7	L WISH TO CHANGE IT (Y/N) ?" 300 GETQU\$:IFQU\$=""THEN300	
7A	310 IFQU\$="N"THEN560	
C9	320 IFQUs="Y"THEN340	l
F5 9A	330 GOTO300 340 PRINT"[CLR.RIGHT12.SC.SH	l
211	,SA,SN,SG,SE,SSPC,SS,SU,SB,S	l
	J,SE,SC,ST,SS,DOWN,LEFT15,CT 6) [CT8]"	
OF]:MAX OF 12 CHARACTERS.[SP]L	l
79	EASE PRESS":NB=0:NC=0 360 PRINT"[RIGHT9.SR.SE,ST.S U.SR.SN] AFTER ENTRY."	
47	370 PRINT"[RIGHT11,CP6]"	ı
03		ı
	[CH, DOWN, LEFT8, CM] [SC, SR, SS, SR] [CG, DOWN, LEFT8, CM]	
АЭ	390 PRINT"[RIGHT11,CY6]"	ı
FB	400 PRINT"[UP3,RIGHT6]USE[RI GHT10]FOR A SPACE!"	
BD		ı
A5	UBJECT'S NAME ":NA\$ 420 NA=LEN(NA\$):IFNA>12THEN3	
30	40 430 IFNA=11THENNC=1:GOTO470	
66	440 NB=INT((12-NA)/2)	
8C	450 NC=NB:IFNA+NB+NC>12THENN	
ВВ	B=NB-1 460 NC=NB:IFNA+NB+NC<12THENN	
78	B=NB+1 470 PRINT"[DOWN4,RIGHT6]IS T	
22,722	HE NAME CORRECT (Y/N)?"	
EC A2	480 GETQU\$:1FQU\$=""THEN480 490 1FQU\$="N"THEN340	
71	500 IFQU\$="Y"THEN520	
CZ	510 GOTO480	
57	520 NB\$="":FORA=1TONB:NB\$=NB \$+"[RIGHT]":NEXTA	17.1
E7	530 NCS="":FORA=1TONC:NCS=NC	
-	\$+"[RIGHT]":NEXTA	
D8	540 CH\$(SU)=NB\$+NA\$+NC\$ 550 NB(SU)=NB:NC(SU)=NC	200
83	560 PRINT"[CLR,RIGHT12,SC,SH	
	,SA,SN,SG,SE,SSPC,SS,SU,SB,S	17
	J.SE.SC.ST.SS.DOWN, LEFT15.CT	-

	. IN " ·	1200000	T].[RIGHT]":CH\$(T)
	170 PRINT"[DOWN, RIGHT2]THE M	2C	600 NEXTT
	AIN PROGRAM." 180 PRINT"[DOWN4.RIGHT5] [SP	DF	610 PRINT"[WHITE.RIGHT15]"T"
	SR.SE,SS2] [SA.SN.SY] [SK.S		[LEFT].[RIGHT4]FINISH AMMEND
	E,SY] TO CONTINUE"	22	ING[YELLOW]"
	190 GETAS: IFAS=""THEN190	33	620 PRINT"[DOWN.SW]HAT IS YOUR CHOICE ?"
	200 PRINT"[CLR.RIGHT12.SC.SH	4A	630 INPUT"[UP.RIGHT20]";OP
	.SA.SN.SG.SE.SSPC.SS.SU.SB.S	72	640 IFOP<10ROP>17THEN560
	J,SE,SC,ST,SS,DOWN,LEFT15,CT	D8	650 IFOP=17 THEN670
	6] [CT8]"	DD	660 SU=OP:GOTO270
	210 PRINT"[DOWN, RIGHT2] THE S	2D	670 PRINT"[UP] ARE YOU SURE Y
	UBJECTS ARE :-"	300000	OU HAVE FINISHED (Y/N)?"
	220 OPEN2.8,2,"0:BUDGET SUBJ	47	680 GETQU\$: IFQU\$=""THEN680
	ECTS,S,R"	41	690 IFQU\$="N"THEN560
	230 FORT-1T016	FC	700 IFQU\$="Y"THEN720
	240 INPUT#2, CH\$(T):PRINT"[RI	7F	710 GOT0680
	GHT19]"T:CH\$(T):INPUT#2,NB(T):INPUT#2,NC(T)	85	720 OPEN2,8,2,"@0:BUDGET SUB
	250 NEXTT: CLOSE2: PRINT" [RIGH		JECTS,S,W"
	T20, WHITE 17 FINISH AMMENDIN	F7 CE	730 FORT=1T016 740 PRINT#2.CH\$(T)
	G[YELLOW]"	63	2점 유민이가 7점 원인이(12점 전기) - 1 전기 (1 U)))))))))))))))))))))))))))))))))))
	260 GOTO620	62	760 PRINT#2.NC(T)
	270 PRINT"[CLR.RIGHT12.SC.SH	B3	770 NEXTT:CLOSE2
	,SA,SN,SG,SE,SSPC,SS,SU,SB,S	8F	780 END
	J.SE.SC.ST.SS.DOWN.LEFT15.CT		, 00 2
	6] [CT8]"		
	280 PRINT"[DOWN3.ST]HE SUBJE		
	CT [SW,SA,SS]: "CH\$(SU)		
	290 PRINT"[DOWN2]DO YOU STIL		
	L WISH TO CHANGE IT (Y/N) ?"	T F	PROGRAM: BUDGET END
	300 GETQU\$:IFQU\$=""THEN300		NOONNET. DODOLET LIND
	310 IFQU\$="N"THEN560		
	320 IFQUs="Y"THEN340	E9	100 OPEN2,8,2,"O:BUDGET DATA
	330 GOTO300	555065	2,S,R"
	340 PRINT"[CLR.RIGHT12.SC.SH	FB	110 FORTY=1T0192
	.SA.SN.SG.SE.SSPC.SS.SU.SB.S	65	120 INPUT#2,Y\$(TY)
	J.SE.SC.ST.SS.DOWN, LEFT15, CT	E9	130 INPUT#2,Y(TY)
	6) [CT8]"	3B	140 NEXTTY
•	350 PRINT"[DOWN7,SN,SO,ST,SE	В3	150 FORTY=1T0192
]:MAX OF 12 CHARACTERS.[SP]L	9 A	160 INPUT#2.H\$(TY)
	EASE PRESS":NB=0:NC=0	72	170 INPUT#2,H(TY)
	360 PRINT"[RIGHT9.SR.SE,ST.S	D3	180 NEXTTY
	U.SR,SN) AFTER ENTRY."	F7	190 INPUT#2.GT\$
	370 PRINT"[RIGHT11.CP6]" 380 PRINT"[RIGHT10.CM]	0C 32	200 FORTY=1T012 210 INPUT#2.YM\$(TY)
	[CH, DOWN, LEFT8, CM] [SC, SR, SS	CE	220 INPUT#2.YM(TY)
	,SR) [CG,DOWN,LEFT8,CM]	E1	230 NEXTTY
	[CG]"	44	240 FORTY=1T012
	390 PRINT"[RIGHT11.CY6]"	89	250 INPUT#2.HM\$(TY)
	400 PRINT"[UP3, RIGHT6]USE[RI	F6	260 INPUT#2.HM(TY)
	GHT10]FOR A SPACE!"	B8	270 NEXTTY
	410 INPUT"[DOWN4,SW]HAT IS S	01	280 FORTY=1T016
	UBJECT'S NAME ":NA\$	OD	290 INPUT#2.YS\$(TY)
	420 NA=LEN(NA\$):IFNA>12THEN3	F1	300 INPUT#2,YS(TY)
	40	50	310 NEXTTY
	430 IFNA=11THENNC=1:GOTO470	79	320 FORTY=1T016
	440 NB=INT((12-NA)/2)	18	330 INPUT#2, HS\$(TY)
	450 NC=NB:IFNA+NB+NC>12THENN	58	340 INPUT#2, HS(TY)
	B=NB-1 460 NC=NB:IFNA+NB+NC<12THENN	77	350 NEXTTY:CLOSE2:A\$=STR\$(CM +4):AC\$=RIGHT\$(A\$,2)
	B=NB+1	D5	360 LAS="":LBS=" ":LCS=" ":
	470 PRINT"[DOWN4,RIGHT6]IS T	20	LD\$=" ":LE\$="[SPC4]":PE\$="
	HE NAME CORRECT (Y/N)?"		ACTUAL ":PE=1
	480 GETOUS: IFOUS=""THEN480	A6	370 LF\$-"[CT39]":LK\$="[RIGHT
	490 IFQU\$="N"THEN340	0.000]":SM\$-"SUB [SM] MONTH(RIGHT
	500 IFQU\$="Y"THEN520]"
	510 GOTO480	21	380 ST\$="SUBT":MT\$="MONTHLY
	520 NB\$="":FORA=1TONB:NB\$=NB	19124	TOT[RIGHT]":MI-12
	\$+"[RIGHT]":NEXTA	64	390 IFAM=OTHEN470
	530 NC\$="":FORA=1TONC:NC\$=NC	OD	400 PRINT"[CLR,DOWN4,RIGHT2]
	\$+"[RIGHT]":NEXTA		YOU HAVE AMENDED SOME FIGURE
	540 CH\$(SU)=NB\$+NA\$+NC\$	DODE	S IN THE"
	550 NB(SU) =NB:NC(SU) =NC	31	410 PRINT"[DOWN, RIGHT3]PROGR
	560 PRINT"[CLR, RIGHT12, SC, SH		AM . DO YOU WISH TO STORE TH
	,SA,SN,SG,SE,SSPC,SS,SU,SB,S		EM "
	J,SE,SC,ST,SS,DOWN,LEFT15,CT	ЗA	420 PRINT"[DOWN, RIGHT12](Y)E
	6] [CT8]"	70	S OR (N)O ?"
	570 PRINT"[DOWN2,ST]HE SUBJE CTS ARE:-"	AD	430 GETQU\$:IFQU\$=""THEN430
	580 FORT=1T016	FA	440 IFQU\$="N"THENPRINT" [DOWN
	590 PRINT"[RIGHT15]":T:"[LEF		2)ARE YOU SURE YOU DO NOT WA NT TOO (Y/N) ?":GOTO530
_	the control of the control		11. 100 (17.11) (13.10010330)

T] . [RIGHT] ": CH\$ (T)

99 580 FORT=1T016

46

41

14 90 FRUENT-COMEN, RIGHTIPLENS						
56 STICH PAPER FEED AND TURE PRINTING(1) 10 10 10 10 10 10 10	1		14	.970 PRINT"[DOWN2,RIGHT2]PLEA	1	11:PRINTYM\$(PO):" "NEYTPO.
1						PRINTYM\$(12):
99 SPRINT DOWN, RIGHTS] PERSON 101 500 GETOMS: "THEMSOO 102 500 GETOMS: "THEMSOO 103 500 FIGURS: "THEMSOO 103 500 FIGURS: "THEMSOO 103 500 FIGURS: "THEMSOO 104 500 GETOMS: "THEMSOO 105 500 GETOMS:					66	1400 PRINTCHR\$(14)GT\$
	26	480 PRINT"[DOWN3, SPC3]PLACE	53	980 PRINT" [DOWN, SPC14] THE PR	F4	1410 PRINTCHR\$(15)
299 0		DATA DISC IN THE DISC DRIVE"	525		95	1420 PRINT#3:CLOSE3
RUSSON SPACE BAR (RUSSOFF) TO SAVE THE DATA	20	400 PRINTELLIBOUR PLOURS CONTROL	71	990 FORTP=1TO2000:NEXTTP	AG	
TO SANY THE DATA	29	490 PRINT"[DOWN, RIGHT3]PRESS	E7	1000 FORT=1T02000:NEXT:PRINT	C2	
10.1 50.0 GETQUS: FTUENSON AL 53.0 FORDSON: "THEMSON AL 53.0 FORDSON: "THEMSON AL 53.0 FORDSON: "THEMSON AL 53.0 FORDS SUDGET DATA REAL RAY AL 5.0 FORDSON: "THEMSON AL 53.0 FORDS: FORDS SUDGET DATA REAL RAY AL 5.0 GETQUS: FORDS SUDGET DATA REAL RAY AL 5.0 GETQUS: FORDS SUDGET DATA REAL RAY AL 5.0 FORDS SUDGET PARK RAY AL 5.0 FORDS SUDG		[RVSON] SPACE BAR [RVSOFF]		"[DOWN2, RIGHT5] PRESS ANY KEY	B6	
1.	01	500 CETOUR I FOUR - " "TUENEGO	198000		100000	ENH\$ (TY) ="[SPC3]"
A	OA	510 IFOURCA" "THENSOO	52		D6	1460 NEXTTY
O	A1	520 PRINT"ICIP DOWN12 PIGHT1	9200		D5	1470 FORZZ=1T016:S\$(ZZ)=MID\$
1		OISAVING BUDGET DATAIRLACK			20000000	(J\$(ZZ),1,13):NEXTZZ
1		1":GOTO560	0C		E5	1480 OPEN3,4:PRINT#3,CHR\$(14
10. 5 30 (FOUS-"W"HINAYO 5 30 (CLOSE3-PRINT"(CLR.SPC4) 5 30 (FOREX.8.2.90.800GET DAT 5 3	F1	530 GETOUS: IFOUS="N"THEN400	-		1) " BUDGET PLAN FOR "CM+3; "/"
15 500 GOTOS30 15 0 GOTOS30 15	5.5	540 IFOUs="Y"THEN470		1040 CLOSE3:GOTO1180	1	:AC\$:CHR\$(15)"(ESTIMATED)"
M M E' 15 970 FRINT'2.5R (2) 16 630 FRINT'2.5R (3) 17 640 FRINT'2.5R (3) 18 640 FRINT'2.5R (3) 18 650 FRINT'2.5R (3) 18 66 FRINT'2.5R (3) 18 67 FRINT'2.5R (15		44			
A.S. W. 1	74	560 OPEN2.8.2, "@O:BUDGET DAT	1		A9	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		A,S,W"	E1		0.0	
30		570 PRINT#2.SR	17.5	T4 SE171"	0.3	1500 PRINT"[CLR]";SM\$;"[SPC3
March Marc	0.000	580 PRINT#2.CM	02	1070 PRINT" IDOWNIGIPLEASE TH	1	1":M\$(1):"":M\$(2):"";M\$(
10.0 NENTA \$603.4.770192.PRINT# 2.HS (2.1) NENTA \$603.4.770192.PRINT# (2.1) 1080 PRINT*[DOWN, RIGHT4] A PR NITOUT AND PRESS 'SPACE BAR' (10); "MS (11); ","MS (9); ",			1	RN ON THE PRINTER IF YOU WAN	1	3); ";M\$(4);" ";M\$(5);"
1000 PRINT 1000M, RIGHT14 A PR NINOT AND PRESS SPACE BAR NINOT AND PRESS	133 (10)				1.3	28.50#1C
Section Sect	68	610 NEXTA:FORA=1T0192:PRINT#	C5	1080 PRINT" [DOWN RIGHT41A PR	14	".M¢(D)." ".M¢(D)." " M¢
The color	2.00	2,H\$(A):NEXT:FORA=1T012		INTOUT AND PRESS 'SPACE BAR'		(10) " "Me(11) " " "
40 40 PRINT#2.SUS(A) 40 F6 65 00 FORD 17016 41 100 GETMOS. IFMOS. ""HENDITO OR REATED FOR PRINT#2.GEST 18 1100 GETMOS. IFMOS. ""HENDITO OR REATED FOR PRINT#2.GEST 18 1100 GETMOS. IFMOS. ""HENDITO OR REATED FOR REATED F	0.000	620 PRINT#2, SR\$(A)	1	Arrange research restaurant	EE	1520 PDINTM#(13) . "(CDC31" CT
ANY OTHER TO END* 1100 GETWOS: IFWOS="THEN1100" 150 GETWOS: IFWOS="THEN1100" 150 GETWOS: IFWOS="THEN11010" 150 GETWOS: IFWOS="THEN11010" 150 GETWOS: IFWOS="THEN11010" 150 GETWOS: IFWOS="THEN11010" 150 GETWOS: IFWOS="THEN111010" 150 GETWOS: IFWOS="THEN11010" 150 GETWOS: IFWOS="THEN110100" 150 GETWOS: IFWOS="THEN11000" 150 GETWOS: IFWOS="THEN11000		630 PRINT#2, SS\$(A)	FE	1090 PRINT"[DOWN, RIGHT11]OR	LL	
DEF 650 FORBE-ITO16 2F 640 PRINT*2_BBS(B) 2F 640 PRINT*2_BBS(B) 2F 640 PRINT*2_BS(B) 2F 640 PRINT*2_BS(B) 2F 650 PRINT*2_BS(B) 2F 650 PRINT*2_BS(B) 2F 650 PRINT*2_BS(B) 2F 750 PRINT*2_GG(1) 2F 730 PRINT*2_GG(1) 2F 730 PRINT*2_GG(3) 2F 730 PRINT*2_GG(3) 2F 730 PRINT*2_GG(3) 2F 730 PRINT*(PELLOW)":GOTO470 2F 740 PRINT*(PELLOW)":GOTO470 2F 740 PRINT*(PELLOW)":GOTO470 2F 750 PRINT*(PELLOW)":GOTO470 2F 75			1279	ANY OTHER TO END"	75	
2E 670 PRINT\$2_BBS(B) 5C 690 PRINT\$2_BBS(B) 5C 690 PRINT\$2_BS(B) 5C 700	7.00		D1	1100 GETWQ\$: IFWQ\$=""THEN1100	15,525.54	1540 PRINT" (Caldi", PRINT
2F 680 PRINTs2,BSS(B) 5		670 DDINTHO DAG(D)			10.02.200	1550 F=-11 · FORS=1TO16 · F=F+12
E		600 DRINTAR DR#(D)	6F	1110 PRINT"[CLR, SPC4]B U D G		:NB(S)=NB(S)+1
112 700 NEXT 8				E T[SPC4]P R O G R A M M E"	E7	1560 PRINTS\$(S) : FORSP=1TO(N
21 710 PRINTS_CGT(1)		700 NEYT B		14 30 114 14 14 14 14 14 14 14 14 14 14 14 14	170/4	B(S)+NC(S)):PRINT" "::NEXTSP
722 720 PRINT#2_GT(2) 720 781NT#2_GT(2) 770 781NT#2_GT(2) 770 781NT#2_GT(2) 770 781NT#2_GT(2) 770 781NT*[DOWN]PRINT OUT:		710 PRINT#2 CT(1)	7D		1	:PRINTLAS::FORPO=FTOF+11:PRI
130 PRINT 100MS, RIGHT4, C95 275 2		720 PRINT#2,01(1)	200			NTH\$(PO);" ";
740 CLOSE 2	1370/2000	730 PRINT#2 GT(3)	2A	1130 PRINT"[DOWN5,RIGHT4,C@7	D2	1570 NEXTPO:PRINT" "; HS\$(S):
29 750 PRINT" (YELLOW) ". GOTO470 27 750 PRINT" (YELLOW) ". GOTO470 27 750 PRINT" (CR. RIGHT14) BUDGE 27 750 PRINT" (DOWN) PRINT OUT. " 28 750 PRINT" (DOWN) PRINT OUT. " 29 750 PRINT" (SPC36.084] ": 38 1150 GETDAS: IFOAS="THEN150 38 1170 GETDAS: "THEN150 39 750 PRINT" (SPC36.084] ": 39 750 PRINT" (SPC36.084] ": 30 750 PRINT" (SPC36.084] ": 31 150 GETDAS: IFOAS="THEN150 39 1170 GETDAS: "THEN150 48 600 PRINT" SPC36.084] ": 49 800 PRINT" SPC36.084] ": 49 800 PRINT" (SPC36.084] ": 49 800 PRINT" SPC36.084] ": 49 800 PRINT" SPC36.084] ": 49 800 PRINT" SPC36.084] ": 40 800 PRINT" SPC36.084] ": 40 800 PRINT" SPC36.084] ": 41 2240 FORZZ-1T016:SS(ZZ)-MIDS (JS(ZZ), 1, 13):NEXTZZ 42 800 PRINT" SPC36.084] ": 42 800 PRINT" SPC36.084] ": 42 800 PRINT" SPC36.084] ": 43 800 PRINT" SPC36.084] ": 44 800 PRINT" SPC36.084] ": 45 800 PRINT" SPC36.084] ": 46 800 PRINT" SPC36.084] ": 47 80 PRINT" SPC36.084] ": 48 800 PRINT" SPC36.084] ": 49 800 PRINT" SPC36.084] ": 40 PRINT" SPC36.084] ": 40 PRINT" SPC36.084] ": 41 1250 OPENA; PRIPTIO; P	100000000000000000000000000000000000000		22	1 [C@5,SPC7,C@,SPC3,C@]"		PRINT: NEXTS
24 760 PRINT" (CLR.RIGHT14]BUDGE T CALC (LOWN, LEFT) (CTS) [(RVSOFF]) (RV SON) N(RVSOFF]) (RV SOFF) (RVSOFF) (RV SON) PS (RV SOFF) (RV			23	TEMCINICUTIONS TO THE CONTROL OF THE	25555 C	
T CALC[DOWN, LEFT11, LT6] [CT4] "" "" "" "" "" "" ""	24	760 PRINT" [CLR RIGHT141BUDGE	1	DC31/ IDUCONING PROSERVA (PRO		1590 PRINT"[C@66]";
38 1150 GETDAS: FQAS=""THEN1150 250 250 251 250 251 250 251		T CALCIDOWN, LEFT11, CT61 1CT4		SONINI DUCOPEL) "	1001000	1600 PRINT"[C@13]":PRINT
PRINT SPC36.C04 "; 81 1160 IFOAS="Y"THENSYS64738 9B 170 GOTO390 170 FORTY=THENSYS64738 9B 170 GOTO390 170 GOTO39			38		26	1610 PRINTMT\$:" ":LB\$::FORPO
PRINT"(SPC36.C041"; 78 780 PRINT"ACTUAL FIGURES	63	770 PRINT" [DOWN] PRINT OUT:-"	30	1150 GEIGAB:IFQAS- THEN1150		=1T011:PRINTHM\$(PO);" "::NEX
98 1170 GOTO390 [RVSOFF]" [RVSOFF]" 3 180 IFCXS="[F3]"THEN1440 98 1180 IFCXS="[F3]"THEN1660 84 1200 IFCXS="[F3]"THEN1660 85 1200 IFCXS="[F3]"THEN1660 86 1200 IFCXS="[F3]"THEN1660 87 1200 IFCXS="[F3]"THEN1660 88 1200 IFCXS="[F3]"THEN1660 89 1210 IFCXS="[F3]"THEN1660 80 PRINT"SCTALL & ESTIMATED F1GURES F10 PRINT"[SPC36,C041"] 80 PRINT"SCTALL & ESTIMATED F1GURES ONLY		:PRINT"[SPC36.C@4]";	81	1160 IFOA \$= "V"THENSYS64738	nn	TPO:PRINTHM\$(12):
RVSOFF 83	78	780 PRINT"ACTUAL FIGURES			FE223	1620 PRINTCHR\$(14)GH\$
Transfer		[RVSON] F1	Ca. 14.75		2/3/17	1640 PRINTAR CLOCKS
Section Sect			(2/2)	1190 IFOX\$="[F3]"THEN1660	12000	
## 800 PRINT"ACTUAL & ESTIMATED FIGURES [RVSON] F3 [RVSOFF]" 2F 810 PRINT"[SPC36.C84]"; AE 820 PRINT"ESTIMATED FIGURES ONLY [RVSON] F5 (RVSOFF]" 3B 840 PRINT"[SPC36.C64]"; B30 BAN PRINT"[SPC36.C64]"; B30 BAN PRINT"[SPC36.C64]"; AB 840 PRINT"RETURN TO THE SPRE ADSHEET [RVSON] F7 (RVSOFF]" AE 850 PRINT"ESTURN TO THE SPRE ADSHEET [RVSON] F7 (RVSOFF]" AE 850 PRINT"ENTON BUDGET CALC	CB	790 PRINT"[SPC36.C@4]":	75 / 75 /	1200 IFOX\$="(F11"THEN1210	17.000	
FIGURES	48	800 PRINT"ACTUAL & ESTIMATED	CB		100000	
TRVSOFF		FIGURES[RVSON] F3	99		-	
RESTRICT	222				1B	
AD	-	BIO PRINT"[SPC36, C@4]":	FD			ENY\$(TY)="ISPC31"
[RVSOFF]" A3 830 PRINT"(SPC36.C@4]"; A5 830 PRINT"(SPC36.C@4]"; A6 830 PRINT"(SPC37.C@31"; A7 B50 PRINT"(SPC37.C@31"; A8 B50 PRINT"(SPC37.C@31"; A8 B50 PRINT"(SPC37.C@31"; A8 B50 PRINT"(SPC37.C@31"; A8 B50 PRINT"(SPC37.C@31"; A9 B50 PRINT"(SPC37.C@31"; A1 B50 PRINT"(SPC37.C@31"; A2 B50 PRINT"(SPC37.C@31"; A3 B50 PRINT"(SPC37.C@31"; A4 B50 PRINT"(SPC37.C@31"; A5 B50 PRINT"(SPC37.C@31"; A6 B50 PRINT"(SPC37.C@31"; A7 B50 PRINT"(SPC37.C@31"; A8 B50 PRINT"(SPC37.C@31"; B51 PRINT"(SPC31.C@31"; B52 PRINTS BSC31.C	AL		AO	1240 FORZZ=1T016:S\$(ZZ)=MID\$	2F	
## ## ## ## ## ## ## ## ## ## ## ## ##		IDUCOPPIU			AA	1700 FORZZ-1T016:S\$(ZZ)=MID\$
39 840 PRINT RETURN TO THE SPRE ADSHEET	23	BAO DDINT" (CDC26 COAL"	7D		-	(J\$(ZZ),1,13):NEXTZZ
ADSHEET [RVSON] F7 [RVSOFF]" A2 850 PRINT:PRINT"[SPC37,C@3]" 5 860 PRINT:PRIND BUDGET CALC					A8	1710 OPEN3,4:PRINT#3,CHR\$(14
[RVSOFF]" A2 850 PRINT:PRINT"[SPC37,C@3]" 5 CE 860 PRINT:END BUDGET CALC [RVSON] + [RVSOFF]" F5 870 PRINT"[DOWN2] WHAT IS YOU R OPTION?" S80 GETQX\$:IFQX\$=""THEN880 3B 890 IFQX\$="[F7]""THENFRINT"[UP.P.SPC14] PLEASE WAIT":LO=1:LO AD"BUDGET CALC".8,1 C8 900 FORTY=1T0192:IFVAL(Y\$[TY]) (Y[TY]) +0:NEXTTY DOO";Y(TY] THENFYS(TY)="[RIGHT] 000";Y(TY]-0:NEXTTY 1000";Y(TY]-0:NEXTTY 1000";Y(TY]	M.50) " BUDGET PLAN FOR "CM+3; "/";
1260 PRINT:PRINT"[SPC37,C@3]"		[RVSOFF]"	Stage			AC\$; CHR\$(15)" (ACTUAL/ESTI)
Strict	A2		1A		70/103	
":M\$(1):" ":M\$(2):" ":M\$(3):" ":M\$	Table 1		Do		8C	1720 PRINT#3, CHR\$(14);":";M
RVSOFF 3	CE	860 PRINT"END BUDGET CALC	BO	12/U PRINT"[CLR]";SM\$;"[SPC3	2270	Z\$:CHR\$(15):CMD3
[RVSOFF]" 870 PRINT"[DOWN2]WHAT IS YOU R OPTION?" 88 880 GETQX\$:IFQX\$=""THEN880 38 890 IFQX\$="[F7]"THENPRINT"[U P.SPC14]PLEASE WAIT":LO=1:LO AD"BUDGET CALC",8,1 C8 900 FORTY=1T0192:IFVAL(Y\$(TY)) (>Y(TY) THENY\$(TY) = "[RIGHT] 000":Y(TY) = 0:NEXTTY 55 910 FORTY=1T0192:IFVAL(H\$(TY)) (>H(TY) THENY\$(TY) = "[RIGHT] 000":H(TY) THENY\$(TY) = "[RIGHT] 000":H(TY) = 0:NEXTTY 89 920 IFQX\$="4"THENPRINT"[CLR] ":GOTO1110 89 30 IFQX\$="[F1]"ORQX\$="[F3]" 90 940 GOTO880 80 950 GOTO970 80 1380 PRINTM\$(6);" ":M\$(7);" 81 1280 PRINTM\$(6);" ":M\$(7);" 81 1280 PRINTM\$(6);" ":M\$(7);" 81 1280 PRINTM\$(6);" ":M\$(7);" 82 1280 PRINTM\$(2);"[SPC3]";ST 83 1300 PRINTT"[C@65]"; 84 1300 PRINTT"[C@65]"; 85 1750 PRINTM\$(12); "[SPC3]";ST 86 1760 PRINT"[C@65]"; 87 1760 PRINT"[C@66]"; 88 1760 PRINTT*[C@66]"; 89 1760 PRINT*[C@66]*; 80 1770 PRINT*[C@66]*; 80 1800 NEXTPO:PRINT" ":NEXTSP 80 1800 NEXTPO:PRINT" ":YS\$(S): 81 1800 NEXTPO:PRINT" ":YS\$(S) 82 1800 NEXTPO:PRINT" ":YS\$(S) 83 1800 NEXTPO:PRINT" ":YS\$(S) 84 1380 PRINT"[C@66]"; 85 1760 PRINTM\$(1);" ":M\$(1);" ":M\$(7);" 86 1770 PRINTM\$(12);"[SPC3]";ST 87 1760 PRINTM\$(6);" ":M\$(7);" 88 1770 PRINTM\$(1);" ":M\$(1);" ":M\$(1);" ":M\$(1);" ":M\$(1);" ":M\$(1);" ":M\$(S):" ":M\$(S):		[DVGON1		1 : M\$(1): ":M\$(2): ";M\$(D2	1730 PRINT"[CLR]":SM\$:"[SPC3
F5 870 PRINT"[DOWN2]WHAT IS YOU R OPTION?" 88 880 GETQX\$:IFQX\$=""THEN880 890 IFQX\$="[F7]"THENPRINT"[U P.SPC14]PLEASE WAIT":LO=1:LO AD"BUDGET CALC".8.1 C8 900 FORTY=1T0192:IFVAL(Y\$(TY))<>y(TY) THENY\$(TY)="[RIGHT] 000":Y(TY)=0:NEXTTY 52 910 FORTY=1T0192:IFVAL(H\$(TY)) 13 1300 PRINT"[C@65]": 13 1300 PRINT"[C@65]": 14 1310 PRINT"[C@65]": 15 1320 F=-11:FORS=1T016:F=F+12 :NB(S)=NB(S)+1 25 910 FORTY=1T0192:IFVAL(H\$(TY)) 16 1310 PRINT"(C@14]":PRINT :NB(S)=NB(S)+1 26 1320 F=-11:FORS=1T016:F=F+12 :NB(S)=NB(S)+1:PRINT :NB		[RVSOFF1"		3); 'M\$(4); '';M\$(5); '']":M\$(1);" ";M\$(2);" ";M\$(
R OPTION?" 88 860 GETQX\$:IFQX\$=""THEN880 38 890 IFQX\$="[F7]"THENPRINT"[U P.SPC14]PLEASE WAIT":LO=1:LO AD"BUDGET CALC".8,1 C8 900 FORTY=1T0192:IFVAL(Y\$(TY))<>Y(TY) THENY\$(TY) ="[RIGHT] 000":Y(TY) = 0:NEXTTY 52 910 FORTY=1T0192:IFVAL(H\$(TY)) 13 1300 PRINT"[C@65]": 13 1300 PRINT"[C@14]":PRINT 25 910 FORTY=1T0192:IFVAL(H\$(TY)) 14 1290 PRINTM\$(12):"[SPC3]":ST 15 1350 PRINTM\$(12):"[SPC3]":ST 16 1310 PRINT"[C@65]": 1750 PRINTM\$(12):"[SPC3]":ST 1750 PRINTM\$(12):"[SPC	F5		O.C.	1280 DDINTMe/6) - " " Me/7) "		
88 880 GETQX\$:IFQX\$=""THEN880			00	".M¢(8)." ".M¢(0)." ".M¢	48	
38 890 IFQX\$="[F7]"THENPRINT"[U	88				49	1740 PRINTM\$(6);" ";M\$(7);"
P,SPC14]PLEASE WAIT":LO=1:LO AD"BUDGET CALC",8,1 C8 900 FORTY=1T0192:IFVAL(Y\$(TY))<>Y(TY) THENY\$(TY) = "[RIGHT] 000":Y(TY) = 0:NEXTTY 5E 910 FORTY=1T0192:IFVAL(H\$(TY))<>H(TY) THENH\$(TY) = "[RIGHT] 000":H(TY) = 0:NEXTTY 89 920 IFQX\$="\(\infty\) = "RIGHT] 000":H(TY) = 0:NEXTTY 80 930 IFQX\$="\(\infty\) = "RIMT" (CLR) 000":H(TY) = 0:NEXTTY 80 930 IFQX\$="\(\infty\) = "RIMT" (CLR) 000":H(TY) = 0:NEXTTY 81 1300 PRINT" (C@14) ":PRINT 010:F=F+12 000":NB(S) = 10:NB(S) = NB(S) + 1:PRINT 010:F=F+12 000":NB(S) = NB(S) + 1:PRINT 010:F	3B	890 IFOX\$="[F71"THENPRINT"[]]	14	1200 PRINTME(12) "ICRC21" CT		";M\$(8);" ";M\$(9);" ";M\$
AD"BUDGET CALC".8,1 C8 900 FORTY=1T0192:IFVAL(Y\$(TY))	1000	P. SPC141PLEASE WAIT" . LO-1 . LO	1.4		OF	(10);" "M\$(11);" ";
C8 900 FORTY=1T0192:IFVAL(Y\$(TY) 61 1310 PRINT"[C@14]":PRINT 2E 1320 F=-11:FORS=1T016:F=F+12 320 F=-11:FORS=1T016:F=F+12 330 PRINTS\$(S)::FORSP=1TO(N		AD"BUDGET CALC" 8 1	13		92	
) (> Y (TY) THENY\$ (TY) = "[RIGHT]	C8	900 FORTY=1T0192: IFVAL (Y\$ (TY	61	1310 PRINT"(C@141", DDINT	10	
000":Y(TY) = 0:NEXTTY 5E 910 FORTY=1T0192:IFVAL(H\$(TY))) <>H(TY) THENH\$(TY) = "[RIGHT] 000":H(TY) = 0:NEXTTY 89 920 IFQX\$="\display="\display="THENPRINT" [CLR] ":GOTO1110 68 930 IFQX\$="[F1]"ORQX\$="[F3]" ORQX\$="[F5]"THEN950 96 940 GOTO880 86 950 GOTO970 1NB(S) = NB(S) +1 26 1330 PRINTS\$(S);:FORSP=1TO(N B(S) +NC(S)):PRINT" ";:NEXTSP :PRINT: ":FORPO=FTOF+11 B(S) +NC(S)):PRINT" ";:NEXTSP :PRINT:NEXTS index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index index	55.5))<>Y(TY)THENY\$(TY)="[RIGHT]	2F	1320 F=-11 - FORS=1TO16 - F-F-13	10KDV	1770 PRINT" [C065]";
5E 910 FORTY=1T0192:IFVAL(H\$(TY)))			22	:NB(S)=NB(S)+1	100000	1770 PKINI (C@14) ": PRINT
Description of the content of the			26		00	NB(S)=NB(S)+1.DDINT
O00":H(TY) = 0:NEXTTY)) <>H(TY) THENH\$(TY) ="[RIGHT]	1676(5)	B(S)+NC(S)):PRINT" "NEYTED	BE	1790 PRINTSe(S) - PORCE - 170(N)
89 920 IFQX\$="*-"THENPRINT"[CLR] 6F 1340 PRINTY\$(PO);" "; ":GOTO1110		000":H(TY)=0:NEXTTY		:PRINT" "::FORPO=FTOF+11	DI.	B(S)+NC(S)) - DDINT" " NEVERS
":GOTO1110 68 930 IFQX\$="[F1]"ORQX\$="[F3]" ORQX\$="[F5]"THEN950 96 940 GOTO880 86 950 GOTO970 87 PRINT:NEXTS 45 1360 GOTO1370 OD 1370 PRINT"[C@66]"; 46 1380 PRINT"[C@66]"; 47 TOF+11:PRINTH\$(RO):" ":NEXTS 48 TRO:PRINT" ":MEXTS TRO:PRINT" ":MEXTS TRO:PRINT" ":MEXTS	89	920 IFQX\$="\"THENPRINT"[CLR]	6F	1340 PRINTY\$(PO):" ":		PRINTING FORPOWETOFALL PRI
68 930 IFQX\$="[F1]"ORQX\$="[F3]" PRINT:NEXTS ORQX\$="[F5]"THEN950 45 1360 GOT01370 96 940 GOT0880 45 1370 PRINT"[C@66]"; 0D 1370 PRINT"[C@66]"; 4B 1380 PRINT"[C@13]":PRINT TRO:PRINT" ":YS\$(S) 11 1810 PRINT"[SPC14]"::FORRO=F TOF+11:PRINTH\$(RO):" ":NEX		":GOTO1110	80	1350 NEXTPO:PRINT" ":YS\$(S) -		NTV\$(PO)." ".
ORQX\$="[F5]"THEN950 45 1360 GOT01370 11 1810 PRINT"[SPC14]"::FORRO=F OD 1370 PRINT"[C066]"; TOF+11:PRINTH\$(RO):" "::NEX AB 1380 PRINT"[C013]":PRINT TRO:PRINT" ":HS\$(S):NEXTS				PRINT:NEXTS	3E	1800 NEXTPO-PRINT" ". Ver/es
96 940 GOTOBBO		ORQX\$="[F5]"THEN950	45	1360 GOTO1370	11	1810 PRINT" (SPC141" - FORDO-E
8E 950 GOTO970 4B 1380 PRINT" [C@13]":PRINT TRO:PRINT" ":HS\$(S):NEXTS			OD	1370 PRINT"[C066]";	70.70	TOF+11:PRINTH\$(RO):" "NEV
43 960 END 14 1390 PRINTMT\$; LB\$; :FORPO=1TO			4B	1380 PRINT"[C@13]":PRINT		
The state of the s	43	960 END	14	1390 PRINTMT\$; LB\$; :FORPO-1TO		,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

26	1820	GOTO1830
6F	1830	PRINT"[C@66]":
15	1840	PRINT"[C@13]":PRINT
69	1850	PRINTMTs: " : LBs::FORPO
2004		1 - PRINTYM# (PO) . " " NE)

TPO:PRINTYM\$(12):

1860 PRINTCHR\$ (14) GT\$ 1870 PRINTCHR\$(15) 02

1880 PRINT"[SPC12]"; LB\$:: FOR PO=1TO11:PRINTHM\$(PO);" EXTPO: PRINTHM\$ (12);

1890 PRINTCHR\$ (14) GH\$ 28 1900 PRINTCHR\$ (15)

1910 PRINT#3:CLOSE3 F1

1920 GOTO760

PROGRAM: CHANGE MONTHS

100 REM *****CHANGE MONTH***

110 POKE53280,9:POKE53281,9: POKE646,7:PRINTCHR\$(14)

120 DIMM\$(20)

130 PRINT"[CLR, RIGHT13, SC, SH .SA, SN, SG, SE, SSPC, SM, SO, SN, S T.SH.SS.DOWN.LEFT13.CT6] [CT

140 PRINT" (DOWN3, RIGHT2, SE) A CH USER OF A BUDGET PROGRAM

150 PRINT"[DOWN, RIGHT2]HAVE

DIFFERENT FINANCIAL YEARS FR

160 PRINT"[DOWN, RIGHT2] WHICH FIGURES WILL RELATE TO. [SI]

170 PRINT"[DOWN, RIGHT2]POSSI BLE TO CHANGE THE MONTHS JUS

180 PRINT" [DOWN, RIGHT2] LIKE THE SUBJECTS, IN BUDGET CALC

190 PRINT"[DOWN, RIGHT2, ST]HI S PROGRAM ALLOWS THE USER TO

200 PRINT"[DOWN.RIGHT2]CHANG E THEM

210 PRINT"[DOWN4, RIGHT5] [SP SR.SE.SS2] [SA.SN.SY] [SK.S E,SY) TO CONTINUE"

220 GETA\$:1FA\$=""THEN220 230 PRINT"[CLR.RIGHT13,SC.SH .SA.SN.SG.SE.SSPC.SM.SO.SN.S T,SH,SS.DOWN,LEFT13.CT6] [CT ": RESTORE

240 PRINT" [DOWN, RIGHT2] THE M ONTHS ARE [RIGHT9.SS]ELECT T HE NO."

250 PRINT"[RIGHT2]IN THE ORD ER[RIGHT13]OF THE MONTH[DOWN

2F 260 OPEN2,8,2,"0:BUDGET MONT 270 FORT=1T012

280 INPUT#2,M\$(T):PRINT"[RIG HT4] "M\$(T)::READAS:PRINT"[RI GHT191"T:"--": A\$

5D

290 NEXTT:CLOSE2 300 PRINT"[DOWN,RIGHT2]WHICH 16 MONTH DOES THE FINANCIAL YE AR"

310 PRINT"[RIGHT15]START "
320 INPUT"[DOWN,RIGHT13][1 T 53 "; MO 0 12)

330 IFMO<10RMO>12THEN230

D9 340 RESTORE

350 FORMR=1TOMO-1:READ A\$:NE AЗ XTMR

360 OPEN2.8,2,"@0:BUDGET MON OE

9B 370 READAS: IFAS-"END"THEN390

380 PRINT#2, A\$: GOTO370

390 RESTORE:FORMR=1TOMO-1:RE AD As: PRINT#2, As: NEXTMR

400 PRINT#2.MO 410 CLOSE2 2B

6D

410 CLUSEZ
420 DATA"[RIGHT]JAN[RIGHT]",
"[RIGHT]FEB[RIGHT]","[RIGHT]
MAR[RIGHT]","[RIGHT]APR[RIGH
T]","[RIGHT]MAY[RIGHT]","[RI
GHT]JUN[RIGHT]","[RIGHT]JUL[
RIGHT]","[RIGHT]AUG[RIGHT]",
"[RIGHT]SEP[RIGHT]", [RIGHT] SEP [RIGHT]

430 DATA"[RIGHT]OCT[RIGHT]" [RIGHT]NOV[RIGHT]","[RIGHT] DEC[RIGHT]", "END"



Are you receiving it? SATELLITE

> Easy to understand Full programme details In-depth reviews Interesting features Questions answered and more...

Each month this magazine contains all you need to know about Satellite TV - the latest news, hardware and programme reviews, answers to often-asked readers' questions, interesting features and a comprehensive programme listing for the next month's viewing.

YOU CAN'T AFFORD TO MISS IT!

OUT NOW AT YOUR LOCAL NEWSAGENT Argus Specialist Publications Ltd., No 1 Golden Square, London W1R 3AB

Repairs Guide JONWATSON

4 3 7 0699

PROBLEMS WITH YOUR **COMMODORE?**

FOR FAST, RELIABLE AND PROFESSIONAL REPAIRS AT COMPETITIVE PRICES

PMENGINEERING

VISA

UNIT 8, NEW ROAD, ST. IVES, CAMBRIDGESHIRE, PE17 - 4BG

ST. IVES (0480) 61394

COMMODORE REPAIRS

(with FREE extended guarantee) COMMODORE 64 COMMODORE C16/+4 VIC 20 19.70 18.70 D/DRIVES, PRINTERS etc POA Price is all inclusive and we guarantee the whole computer for six months.

KPR MICRO, DEPT. YC

34, Petunia Crescent, Springfield, Chelmsford, Essex CM1 5YP Tel. 0245 - 468554

COMPUTER REPAIRS

Fast and Professional Repair Service in the South East! Repairs to most makes of micros and peripherals. Amstrad approved service centre Three month warranty on all work

MICRO COMPUTER REPAIR **SERVICES**

47 Mungo Park Way, Orpington, Kent Tel. Orpington (0689) 73353 any time

MFB COMPUTERS

Fast Computer Repair Service For All Leading Makes of Personal Computers.

Commodore 64 Commodore C16 Vic 20 C+4 Commodore PSU's BBC's from £25 inc. from £25 inc. £18.95 inc. from £19.95 inc. £22.50 inc. from £29.95 inc. from £19.95 inc. £32 inc. Electrons Amstrad CPC 464 Altai Commodore compatible cassette deck

14 VICTORIA ROAD, ELLAND, W. YORKS TEL. 0422 76698

SPECIALIST COMMODORE REPAIRS

Commodore 64	
1541 Logic Fault £20.00	
1541 Logic Fault	
1541 Alignment £20.00 CRM Modern £18.00	
CLINI WICCOUNT	
C40.00	
000000000000000000000000000000000000000	
Sommodore 128	
il repairs carried out using the latest diagnostics and test equipment. This ensures a faster repair to your computer or eripheral.	
When the fault has been rectified we final test with checksum diagnostics to ensure any new components fitted	

There is no extra charge for posting. All prices fully inclusive. (No Hidden Extras).

Other Commodore Home Computers and Peripherals repaired on request. Don't hesitate to phone:

I. Bateman Specialist Computer Repairs Telephone: Corby (0536) 69454 24 hour answering service

COMMODORE SPARES

AND REPAIRS	
906114-01£8.95	
6510 £9.95	
5526 CIA £9.50	
5581 SID£11.75	
901227-03 £8.25	
901226-01 £10.75 OASIS	
901225-01 £7.95 THANK	
8501£7.75 41	
INCL VAT & DAD	

INCL. VAT & P&P 14 RIDGEWAY ROAD, SALISBURY. WILTSHIRE, SP1 3BU TELEPHONE (0722) 335061

CROYDON COMPUTER CENTRE

29 Brigstock Road, Thornton Heath, Surrey, CR4 7JJ Tel: 01 683 2646

COMPUTER SERVICING


(Est'd since 1979) We repair — on the premises — quick turnround

* Commodore & Spectrum

BBC & Electron (Approved Service Centre)
 Amstrad & Torch (Approved Service Centre)
 Disc Drives, Printers, Monitors

Mail Orders by phone Access & Visa accepted

COMPUTER REPAIRS





FIRST AID FOR TECHNOLOGY

1 week turnaround Collection/delivery available for local area

* SUPER OFFERS *

SPECTRUM £14 inc. + Free Game C64 £22 inc. + Free Game C16 £18 inc. VIC20, C+4 £22 inc. BBC

ELECTRON AMSTRAD 464

£19 inc. £32 inc. + Free Game £16 inc.

£32 inc. C64 P.S.U. for sale Please enclose payment with item 3 month warranty on repair. Please enclose advert with repair

W.T.S. ELECTRONICS

5-9 Portland Road, Luton, Beds LU4 8AT. Tel: 0582 458375. Telex: 265871

BUSINESS SYSTEMS — HOME COMPUTERS

AMSTRAD - APPLE - ATARI - BBC - COMMODORE - IBM PC's - OSBORNE - EPSON - SINCLAIR SPECTRUM QLs - SEIKOSHA

COMPUTERS - FLOPPY DISKS - PRINTERS UPGRADES - MODIFICATIONS - FIELD SERVICE

For further details phone

SLOUGH 21391 or contact TRIDENT ENTERPRISES LTD

Unit 2 Wentworth Industrial Court, Goodwin Road, Britwell, Slough, Berks, SL2 2ER.

HEATH COMPUTERS & ELECTRONICS LTD.

We specialise in Commodore Repairs Also BBC's

> FAST TURNAROUND * * FIXED PRICE REPAIRS * * * ALSO SELL SPARES * *

Tel: Birmingham (021) 771 3636

Repairs Guide

WATSON JON

0 N

SCOTTISH COMPUTER REPAIR CENTRE

FIRST CLASS REPAIRS AT FIXED PRICES

C64. £26 SPECTRUM...£16 AMSTRAD CPC...POA 16...£20 VIC 20/C+4...£22 ELECTRON BBC etc...POA PRINTERS, MODEMS, TV'S, VDU'S...POA

Pick up & delivery service throughout Central Scotland 3 Month Guarantee on all repairs.

Enclose payment with order to: S C R C

Unit 26A

Hawkslaw Trad. Est.

Leven, Fife. KY8 4LT TRADE & COMMERCIAL ENQUIRIES WELCOME Tel: 0333 21487

4 3 7 0699

FAST COMPUTER REPAIR CENTRE -LONDON

* Commodore, BBC Micro Spectrum, Amstrad, Atari, IBM + Others

* We sell a wide range of spares PHONE 01-863 7166

PROMPT ELECTRONICS Unit 4, 15 Springfield Road, Harrow, Middx. HA5 1QF

Entrance in Amersham Road

The Directors and Staff of ANALYTICAL ENGINEERING LTD

wish all their customers, old and new, a Merry Xmas and a happy new year, and look forward to

their continued support in 1988

ANALYTICAL ENGINEERING LTD

Analytic House, Grainger Road Ind. est., Southend on Sea, Essex SS2 5DD Tel: (0702) 618455/527864/613741

COMPUTER REPAIRS

SPECTRUM, COMMODORE, AMSTRAD, ACORN, BBC etc.


Fixed charge repairs on all makes Please ring for details:

MCE SERVICES

33 Albert Street. Mansfield, Notts NG18 1EA Tel: 0623 653512

YOUR COMMODORE

Lineage: 54p per word.



All advertisements in this section must be prepaid. Advertisements are accepted subject to the terms and conditions printed on the advertisement rate card (available on request).



01-437 0699

Send your requirements to: JON WATSON ASP LTD, 1 GOLDEN SQUARE, LONDON W1

SPECIAL OFFERS

C64 & +4 POWER SUPPLIES

In stock £17.50 inc. P&P. Cheque/P.O. to:-W.E. High House Preston-On-Wye, Hereford, HR2 9JU

COPY DEADLINES

FEBRUARY issue 23rd NOV MARCH issue 21st DEC APRIL

issue 26th JAN

DISCOUNT SOFTWARE: Latest titles for CBM64/128 at 75% off R.R.P.: S.A.E. To: A.O.W. 104 Hollywell Road, Lincoln. LN5 9BY.

HARDWARE

TAPE BACK-UP BOARDS

The Mk.1. uses a second CBM type cassette deck to copy a program as it loads. Very easy to use.
£8.95 inc. P&P
NEW IMPROVED Mk.2. has a built in speaker so you can hear your copy being made. Works like the Mk.1. or can be switched to use our 'GENERATOR' software method.
£14.00 inc. P&P
ROM/SWITCH RESET BOARD resets ALL programs that a standard switch can't. Also has a socket for an 8K Eprom. Full instructions supplied.
£8.00 inc. P&P

All products guaranteed for 12 months

Send your cheque/P.O. or stamp for details to:- TURBOTRONIC, 46. Rippon Street, Parkinson Lane, HALIFAX, West-Yorkshire, HX1 3UG. Tel. (0422) 52020.

SERVICES

128 USERS CLUB

- * International PenPal List * Quarterly Magazine
- * Public Domain Software * Software Data Base

For More Details Write to:-

Brampton, Croome Road, Defford, Worcs, WR89AR

LANGUAGE

FORTH AND LISP FOR THE C64 AND C128

These languages are available as 16K ROM Cartridges. S-forth £24.90 S-lisp £32.90

LETCHWORTH SOFTWARE

45 Swift Close, Letchworth, Herts SG6 4LL Tel (0462) 675305

C16/+4 FORTH

Metacompiler to FIG + 79 Auto tape/disc. Savsys, auto start editor. Tape or disc £24.95

TENSAL TECHNOLOGY No 15 Penrice Close, WSM, Avon BS22 9AH

COMMODORE 64. Need a printed listing of your Basic program? Send your Cassette or Disk with £1 to Withers, 3 Beedon Avenue, Little Lever, Bolton, BL3

* ELM COMPUTING *

All the latest machines, Titles and Add-ons at the best prices.

Enquiries welcome. Stock-list always available, always changing. Send SAE stating interest to: 3C York Avenue, Cleveleys,

Lancashire FY5 2UG

or phone hotline 0253 852 882

Commodore 128 Software Offer.

	Systems Software (Oxford) Ltd.
	Hackpack, PetSpeed and Pascal£18.95 each
	Abacus Software
ı	CAD Pack, Chart Pack and Cobol £29.95 each
	Super C£39.95
	Precision Coffman Ltd

Precision Software Ltd. SuperScript and Superbase

..... £39.95 each Disc Utilities Pack£8.95 The Big Blue Reader .. £29.95 New C128 & C64 800K, 3 1/2" Disc Drives write

Send Cheque/Postal Order or write for more information to:-

Financial Systems Software

Second Floor, Anbrian House, St. Marys Street, Worcester, WR1 1HA.

(Overseas orders please add 2.50. Please allow up to 14 days for delivery) All prices include VAT and Postage and Packing. Callers Welcome

TEST/DEVELOP YOUR MENTAL SKILLS

MIND EXPANDERS

Improve your powers deduction with REAL BATTLESHIPS

Try your skill as an organiser in the HANOI PANIC

Test your concentration around the INVISIBLE MAZE

Tape £3.45 SENIOR GAMES Disk £3.95 12 St. Bartholomews Close, Kettering Northants NN15 5EF C.W.O

AMIGA **PUBLIC DOMAIN SOFTWARE**

We have the very latest Fish#1 to#102, and Amicus, 1#to#22, disks in stock. For full details of programe content PLUS Tutorial PD Without Tears PLUS the JUMPDISK Magscan PLUS a collection of programs and articles from previous issue of JUMDISK Please send a £35 cheque/PO for the JUMPDISK DEMO' We will send a copy by return.

George Thompson Services,

01-437 0699

= RESULTS

pen Lodge, Dippen, Brodick, Arran, KA27 8RN, Scotland, Tel. 077 082 234

DO YOU OWN A HOME MICRO? Do you want something more than the usual boring game? This is most certainly for you. Don't just play at life, become part of it by starting your own home based business. Full or part-time. For FREE details s.a.e. to: Mr. G. McGovern YC15 97, Pilton Place, King and Queen Street, Walworth, London SE17 1DR.

> LOOK OUT FOR COMMODORE DISK USER.

FREE



VISA

large (100 disk capacity) disk storage box lockable worth £13.95

When you buy 25 disks for only £18.75 (inc. VAT & P/P OR 50 disks for only £28.95 inc. Fuji 51/2" D.S. Disks

lae, Dept MA. FREEPOST, Kilroot Park Industrial Estates, Carrickfergus, Co Antrim. BT38 7BR TEL (09603) 51020

Commodore 64 Disk Program 18600 W vocabulary £10. Cheques, P.O.'s to John Tulley, 71 Town Lane, Mobberley, Cheshire,

CROSSWORD Companion

WA16 7HH

RING JON WATSON EXT. 281 FOR **DETAILS**

BIG SCREEN T.V.

for only £15

* Play your games life-size.

* Simple to build projector * Can be built in 1/2 hour from everyday materials.

* Fits over existing TV/Monitor. * Contains lens & easy-to-follow instructions

* Flight Simulation, 3-D games, even ordinary TV will never be the same again.

Send cheques/P.O.s for £15 (+ 30p P.P) to M Robson, 61 Mayfair Road, West Jesmond. Newcastle upon Tyne, NE2 3DN For more details phone 091 281 7008

NEOS?

YOU NEED THE MOUSE PLUS

Enables you to use the mouse and keyboards together. Can be left connected all the time - includes a disc containing the mouse menu, Amiga style pull down menus while you programme. Two mouse drivers for your own programmes and D cheese mod. Full manual supplied. Let your C64 use the whole power of the mouse. Does not damage the keyboard.

Send £19.95 to: or phone for more details Shazaan Systems

8 Alm Close, Knap Hill, Woking, Surrey. Tel: 04867 89098

BUSINESS OPPORTUNITIES

IDEAS, INVENTIONS Wanted. Call I.S.C. 01 434 1272 or write: Dept (ASP) 99 Regent St, London

TO ADVERTISE IN YOUR COMMODORE RING 01 437 0626

AMIGA



TRIANGLE TELEVISION
The Amiga Specialists

* FOR ALL YOUR VIDEO AND AUDIO VISUAL REQUIREMENTS,
* A500 AND A2000
* FULL RANGE OF PERIPHERALS
* FULL RANGE OF SOFTWARE
* RGB CONVERTERS
* TRAINING COURSES
* COMPUTER GRAPHICS
DESIGNED TO ORDER

TRIANGLE TELEVISION
130 Brookwood Rd.
London SW18 5DD | Tel:01-874 3418



AMIGA

GLASGOW COMPUTER CENTRE

Commodore Amiga Specialists Amiga A500 Hardware and Software always in stock.

ALSO

AMIGA A500 RAM UPGRADES only £90 inc. VAT £65 when purchased with machine. We have now moved to larger premises at:

GLASGOW COMPUTER CENTRE, 122 WEST NILE
STREET, GLASGOW. G2 PHONE: 041 552 1522 "Progress through Technology"

DIGITAL SHADES LTD

★ Atari ST Special Offer! Atari 520 STFM plus starter kit Now ONLY £250.00 Amiga A500 plus starter kit and modulator £499.00

> Mail order hotline (01) 471 7969

9 Selsdon Road, Upton Park London F13 9BY

B R

E

A

К

An Amiga of your own

Thank you to all our readers who completed and returned the Readers Survey forms that went out with our September issue.

We are in the process of evaluating your views at this moment and you will no doubt see one or two tweaks to the contents of the magazine so that it gives you even more of what you want to read.

The draw for the winner of the Amiga that we were giving away has been made and the lucky person is Hugh McGhee of Sheffield.

Our congratulations to Hugh, and I hope that you enjoy using your new computer.

OOPS!

Unfortunately the listing for the TYPEWRITER program was omitted from the BYTING INTO THE 6510 article in our November 1987 issue. This program is presented in this month's Listings section.

Please note that the assembly listings presented in this series are all based on our own SPEEDY ASSEMBLER. This program is available, complete with manual, from our Readers Services department – see the Software for Sale pages for more details.

Bug Finder

We'd like to remind our readers that we run a Bug Finder service.

If you have typed in one of our programs and despite much checking, you still can't get it to run, then send us the following:

Two copies of your program on tape or disk.

A description of your problem.

If possible a listing of your work (you may omit this).

A stamped, self addressed envelope for return of the program to you.

Should any of the above be missing then we will not be able to deal with your query.

We will try to point out where you have made errors and place a corrected copy of the program back on to your tape or disk before we return it to you.

Do not send a program to us as soon as it stops working, please check it several times first.

We do get a large number of queries and so it may take a while for us to deal with yours personally.

Note:we can only deal with problems relating to programs published in *Yoru Commodore*,

At the Your Commodore office we receive hundreds of letters from readers every month. We do try and answer each individually but sometimes this is impossible due to pressure of work. If you have written to us and not received a personal reply, we apologise for this but we cannot promise to reply to every item of mail we receive. If you feel that your question or letter really needs an answer, then inclusion of an s.a.e. will guarantee a reply, although this may still take time to arrive.

Puzzle Corner

Take a close look at the diagram accompanying this text. The diagram is of a standard chess board with the two diagonally opposite corners missing.

Now, imagine that you have 31 dominoes, each of which covers exactly two squares.

Is it possible to cover the entire board using the dominoes? If it is enclose a sketch showing how you did it. If not give a brief explanation of why not.

The first correct answer pulled out of the hat after the closing date of Thursday, 31st December 1987 will win a Your Commodore binder.

Entries should be sent to: Your Commodore, Puzzle Corner, 1 Golden Square, London W1R 3AB.

	 		09-	
185				

The world's only 6 mode intelligent Terminal Unit. Gives excellent performance on PACKET, AMTOR, RTTY, ASCII, CW and FACSIMILE, Transmit, Receive on all modes with tuning indicator and modem circuitry which automatically configures itself for the mode in use. Facsimile printer cable included. Our latest terminal software for the IBM-PC to operate the PK-232 has to be seen to be believed. FAX upgrade kit available for early model PK-232's



PK-232

£269.00 + £4.00 P&P & ins.

Whilst many manufacturers continue to sell clones of the TNC2, A.E.A. has improved on the TNC2 program with several new software features. The Host mode of the new PK-87 Packet Controller can be utilized to improve terminal program operation. Four new commands in th PK-87 allow you to restrict the use of your station for both connects and as a digipeater. The Mailbox monitoring command digipeater. The Mailbox monitoring command allows monitoring without displaying the callsign headers. While the PK-87 can be used for HF operation, AEA recommends the optional PM-1 packet modem for low band use. In addition to standard Data Carrier Detect, Push to talk, Status, and Connect indicators, the PK-87 has front panel LEDs foe operational mode (Converse, Transparent, Command) and multiple connects. Command) and multiple connects.



£169.50 + £3.50 P&P PK-87

A commercial specification, wide temperature A commercial specification, wide temperature range packet radio TNC with the following features: 100% Software Controllable, SMR/Trunked radio operation, Remote Control by radio, Encryption, Macro Keys, Password, Access, Host control language, Modem bypass connector, 2400 radio baud version, Extended temperature range, Protocoless option. Protocoless option. £465.25 + £3.50 P&P



PK-90

Epson FX-oc Double

For superbly detailed weather maps from any SSB reciever. Drives any Epson FX-80 compatible dot matrix printer. Double screened, low noise printer cable now supplied as standard. Switchable RTTY recieve capability standard. Mobile mounting bracket standard. Marine installation kit and application note available.




£329.95 + £3.50 P&P FAX-1

AT LAST!

AN ECONOMICAL ALTERNATIVE TO THE BULKY **EXTERNAL AMIGA DISK DRIVES**

3.5" EXTERNAL FLOPPY DISK DRIVE FOR THE COMMODORE AMIGA



CUMANA CAX 354

Amiga owners can now easily upgrade to twin floppy operation with the purchase of Cumana's high quality external 3.5 inch floppy drive. The Cumana CAX 354 conveniently takes its power from the host computer and offers a full 880K of formatted storage to either A500 owners or users of system 1 and 3 A1000 series—

High quality NEC 3.5 inch double sided drive mechanism
 1 Mb Unformatted storage capacity

High Reliability
 Fast Access

Quiet Operation

Lower power consumption

. Connector enables easy addition of 5.25" drives

SPECIFICATIONS

Seek time (track to track) 3ms • Settling time 15ms • Rotational Speed 300 RPM • Data Transfer Rate 125/250 Kb per sec • Number of tracks 80 • Number of sides 2

FED UP WITH PAYING HIGH PRICES FOR YOUR 5-25" FLOPPY DISKS??? JUST LOOK AT OUR PRICES!!!!



DS/DD 5.25" DISKS AT THE SILLY

PRICE OF JUST £6.00 PER TEN SAVE EVEN MORE MONEY BUY TWO PACKS AND SAVE ANOTHER £2.00

TWO PACKS OF TEN 5.25" DISKS JUST £10.00

Complete with labels and write protect tabs.

Prices include VAT and UK P&P.

No fancy boxes to throw away. You get the highest quality disk at the lowest of prices.

COMMODORE CABLES

CPC/1 CENTRONICS PRINTER CABLE

Commodore C64/128 user port to centronics printer cable. The cable is fitted with a line feed switch for the Epson range of printers. Works with all well known centronics printers. **ONLY £15.00** incl.

CPC/2 SERIAL EXTENSION CABLES

Extend your commodore printer or disk drive cable by up to 2 metres 1 Metre extension cable... 2 Metre extension cable. £7.00 incl

CPC/3 128D KEYBOARD EXTENSION

Do you find yourself restricted by the short keyboard cable on the C128D. Solve your problem with our 1 metre extension cable.

We have mounted our C128 under the desk to save room.

SPECIAL OFFER PRICE ONLY £15.00 incl

LOCKABLE DISK BOXES

3.5" disk box holds 90 disks first class value at only £12.50 or only £11.50 when you buy 10 or more 3.5" disks.

DB5/70

5.25" disk box hold 70 disks great value only £9.50 or only £8.50 when you buy 20 or more 5.25" disks.

DB5/100

5.25" disk box holds 100 disks bargain at only £11.50 or only £10.50 when you but 20 or more 5.25" disks.

ORDERS TO DEPT YC

H&P COMPUTERS UK, 9 HORNBEAM WALK, WITHAM, ESSEX CM8 2SZ. Tel: (0376) 511471

DISK NIBBLER

Use both sides of your disks. Save the cost of the Nibbler with just one box of disks even at our prices. Only £5.00 or FREE if you buy 50 or more 5.25"

SPECIAL OFFER

50 5.25" disks 1 DB5/100 disk box Disk Nibbler OUR NORMAL PRICE OFFER PRICE SAVE !!!!! Prices include VAT and UK postage

£10.50 F.O.C. £46.50 £35.00 £11.50

SPECIAL

AT LAST!!!! 3.5" DISKS AT SENSIBLE PRICES

Double sided, double density 3.5" verbatim disks

ONLY £16.00 for pack of ten disks SAVE EVEN MORE MONEY!!!! BUY TWO PACKS FOR ONLY £30.00

These are not cheap disks but best quality disks at low prices.

NASHA DS/DD 3.5" DISKS BOXED, WITH LABEL OUR LOW PRICE £23.00 per box ten. SAVE EVEN MORE MONEY!!! BUY TWO BOXES FOR ONLY £44.00

We believe our prices are the lowest you will find. All prices include VAT and UK postage.

NEW!

NEW! NEW!

NEW!

NEW

COMMODORE C64. C128 RS232 INTERFACE

AT LASTII RS232 Interface that will not cost you the earth


The H&P Computers Commodore RS232 Interface is a full industrial standard RS232 Interface with all handshakeing lines, that plugs into the

Will fit all modems and printers with a 25 way D connector.

Up till now you would have had to pay between £35.00 and £50.00 for a RS232 Interface for the C64/C128
The H&P Computers RS232 is only £25.00 incl. and we even give you an xmodem comms program on disk free of charge.


ONCE AGAIN WE BRING THE BEST FOR LESS. ONLY £25.00 INCL.

24 hour hotline for Access, Mastercard & Eurocard.



TRAPPED — in a 1970's arcade machine! Every escape route is blocked by a wall of brightly coloured bricks. Powerfully addictive, with 200k of digitized sound, **IMPAGT** has 80 built in screens plus 48 that you can design yourself — as hard, as simple, as much fun as you like. Hidden on each screen are special tokens — catch them if you can. Use them to buy one of nine powerful weapons, or keep them until the end of the screen to score a bonus.









Available now, price £14.95 for Amiga (512k min.) and Atari ST (requires 512k, mouse and colour monitor or TV).

Coming soon for CBM64, Spectrum, Amstrad and BBC (specifications vary).


Audiogenic Software Ltd., Winchester House, Canning Road, Wealdstone, Harrow, Middlesex HA3 7SJ. Tel: 01-861 1166




It plays like a dream... ems like a Nightmarf!

e! Every escape route is blocked by a wall of brightly with 200k of digitized sound, IMPACT has 80 built in ourself — as hard, as simple, as much fun as you like. ns—catch them if you can. Use them to buy one of nine il the end of the screen to score a bonus.







and Atari ST (requires 512k, mouse and colour monitor or TV). nd BBC (specifications vary).

anning Road, Wealdstone,

Tel: 01-861 1166

YOUR

Your Commodore December 1987

AN ARGUS SPECIALIST PUBLICATION MAY I INTERRUP **NEW PROGRAMMIN**

ACROSS THE BOARD - INTELLIG PROCESSING A BUDGET CALC -MANAGER - DISK ACCESS MADE

SCROLLING YOUR C64 SCREEN